

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
1	adam	Residential		0.6 Weatherboard	1	21.79	21.06	21.38
2	adam	Residential		0.7 Fibro	1	22.32	21.39	22.20
3	adam	Residential		0.5 Weatherboard	1	22.00	21.14	21.60
4	adam	Residential	on	Brick	1	22.38	21.54	22.50
5	adam	Residential		0.5 PVC Clad	1	22.11	21.20	21.70
6	adam	Residential		0.8 Fibro	1	22.87	21.79	22.85
7	adam	Residential		0.3 Weatherboard	1	22.29	21.30	21.96
8	adam	Residential		0.6 Fibro	1	23.08	22.10	23.05
9	adam	Residential		0.5 PVC Clad	1	22.52	21.40	22.19
10	adam	Residential		0.9 Fibro	1	23.55	22.26	23.35
11	adam	Residential		0.5 Weatherboard	1	22.69	21.50	22.35
12	adam	Residential		0.5 Fibro	1	24.33	23.16	24.35
13	adam	Residential		0.6 Weatherboard	1	23.03	21.73	22.46
14	adam	Residential		0.8 Weatherboard	1	24.54	23.39	24.44
15	a adam	Residential		0.4 Weatherboard	1	23.12	21.99	22.59
15	b adam	Residential		0.4 Weatherboard	1	23.29	22.13	22.87
15	c adam	Residential		0.5 Weatherboard	1	23.37	22.18	23.05
15	adam	Residential	on	Weatherboard	2/2 (2.8)	22.40	21.85	22.54
16	a adam	Residential	on	Brick	1	24.60	23.84	24.41
16	adam	Residential	on	Brick	1	24.74	23.97	24.29
17	adam	Residential		0.5 Weatherboard	1	23.72	22.53	23.35
18	adam	Residential		0.3 Aluminium Clad	1	24.35	23.38	24.21
19	adam	Residential		0.5 Weatherboard	1	23.70	22.55	23.28
21	adam	Residential		0.4 Weatherboard	1	23.57	22.55	23.30
22	adam	Residential		0.4 Weatherboard	1	23.94	23.00	23.40
23	adam	Residential		0.4 Weatherboard	1	23.47	22.64	23.70
24	adam	Residential		0.4 Fibro	1	23.84	23.29	23.60
25	adam	Residential		0.4 PVC Clad	1	23.48	22.73	22.97
26	adam	Residential	on	Brick	1	24.07	23.25	23.66
27	adam	Residential		0.5 Hardiplank	1	23.33	22.65	22.89
28	adam	Residential		0.4 Weatherboard	1	24.02	23.49	23.75
29	adam	Residential	on	stucco	1	23.64	22.65	22.88
31	adam	Residential		0.5 Aluminium Clad	1		22.65	22.89
33	adam	Residential		0.5 Weatherboard	1	23.47	22.80	23.10
35	adam	Residential		0.6 Weatherboard	1	23.82	22.95	23.12
37	adam	Residential		0.4 Weatherboard	1	23.95	22.95	23.30
39	adam	Residential		0.3 Hardiplank	1	23.56	22.96	23.22
1	apsley	Residential	on	PVC Clad	1	28.90	27.50	29.83

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
2	apsley	Residential	on	Brick	2/1 (2.3)	1st 29.08	26.33	27.32
3	apsley	Residential	on	PVC Clad	1	28.98	27.59	30.35
4	apsley	Residential	0.5	Hardiplank	1	27.44	26.38	27.05
5	apsley	Residential	on	Fibro	1	29.13	27.78	30.60
6	apsley	Residential	1	Fibro	1	27.81	26.44	27.23
7	a apsley	Community - Park					28.50	31.03
7	apsley	Residential	on	Fibro	1	29.70	28.26	30.52
8	apsley	Residential	0.8	Fibro	1	27.84	26.49	27.51
9	apsley	Residential	on	Brick	1	30.58	29.34	31.10
10	apsley	Residential	0.5	Fibro	1	28.17	26.60	28.18
11	apsley	Residential	0.5	Weatherboard	1	30.87	29.78	31.16
12	apsley	Residential	on	Brick	1	28.65	27.10	28.57
13	apsley	Residential	on	Brick	1	30.74	30.05	30.49
14	apsley	Residential	on	PVC Clad	1	28.97	27.50	29.05
16	apsley	Residential	0.4	Hardiplank	1	29.61	28.20	29.25
18	apsley	Residential	on	Fibro	1	29.94	28.63	29.55
1	arthur	Residential	on	Brick	1	25.85	23.92	25.34
2	arthur	Residential	0.6	Weatherboard	1	26.09	25.16	25.25
3	arthur	Vacant					23.92	25.28
4	arthur	Residential	on	Weatherboard	1	25.91	25.25	25.25
5	arthur	Vacant					23.76	25.27
6	arthur	Residential	on	Weatherboard	1	25.87	25.25	25.35
8	arthur	Residential	on	Weatherboard	1	25.84	25.25	25.43
9	arthur	Residential	on	Conc. Block	2/2 ()	25.34	23.47	25.27
10	arthur	Residential	on	Brick/Hardiplank	1	25.88	25.25	25.51
11	arthur	Residential	on	Brick	1	26.23	23.45	25.85
12	arthur	Residential	on	Brick	1	26.08	25.25	25.45
13	arthur	Residential	on	Brick/Weatherboard	1	25.96	23.95	25.41
14	arthur	Residential	on	Brick	1	25.95	25.25	25.39
15	arthur	Residential	0.5	Weatherboard	1	26.03	24.45	25.49
16	arthur	Residential	on	Brick	1	26.13	25.30	25.42
17	arthur	Residential	on	Brick	1	25.94	24.99	25.46
19	arthur	Residential	on	Brick	1	25.98	25.02	25.41
21	arthur	Residential	2.4	PVC Clad	1	27.74	25.05	25.35
23	arthur	Residential	1.2	Fibro/Hardiplank	1	26.82	25.09	25.35
25	arthur	Residential	on	Fibro	1	25.89	25.12	25.31
27	arthur	Residential	on	Fibro	2/1 (2.6)	1st 27.82	25.26	25.26
1	barker	Residential	0.5	PVC Clad	1	26.26	25.34	25.70

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
2	barker	Residential		Weatherboard	1	25.99	25.26	25.54
3	barker	Residential	on	Brick	1	26.30	25.34	25.36
4	barker	Residential	on	Brick	1	26.37	25.50	25.57
5	barker	Residential		Weatherboard	1	26.06	25.21	25.50
6	barker	Residential		Fibro/Weatherboard	1	26.17	25.50	25.78
7	barker	Residential		Weatherboard	1	26.21	25.21	25.74
8	barker	Residential		Fibro/Weatherboard	1	26.60	25.93	26.24
9	barker	Residential		Weatherboard	1	26.50	25.27	26.08
10	barker	Residential		Fibro	1	27.25	26.24	26.78
11	barker	Residential		Fibro/Weatherboard	1	26.81	25.30	26.39
12	barker	Residential		Weatherboard	1	27.70	26.78	27.20
13	barker	Residential		Fibro/Weatherboard	1	27.30	25.41	26.71
14	barker	Residential	on	Weatherboard	1	27.81	27.16	27.49
15	barker	Residential		Weatherboard	1	27.18	25.59	26.90
16	barker	Residential		Weatherboard	1	28.16	27.39	27.78
17	barker	Residential		Weatherboard	1	27.41	25.79	27.17
18	barker	Residential		Weatherboard	1	28.79	28.26	28.40
19	barker	Residential		Weatherboard	1	27.89	25.93	27.42
20	barker	Residential		Fibro/Weatherboard	1	28.74	28.28	28.37
21	barker	Residential		PVC Clad	1	28.13	26.32	27.85
22	barker	Residential		Weatherboard	1	28.73	28.19	28.34
23	barker	Residential	on	stucco	1	28.28	26.56	27.90
24	barker	Residential		PVC Clad	1	28.86	28.14	28.30
25	barker	Residential	on	stucco	1	28.47	26.86	28.02
26	barker	Residential		PVC Clad	1	28.58	28.14	28.30
27	barker	Residential		Fibro/Weatherboard	1	28.46	26.82	28.02
29	barker	Residential		Weatherboard	1	28.33	26.81	28.03
31	barker	Residential		Weatherboard	1	28.40	25.66	27.95
33	barker	Residential		Brick/Hardiplank	1	28.45	27.30	27.69
35	barker	Residential		Weatherboard	1	28.11	26.98	27.80
37	a barker	"Community ""Church Hall""	on	Brick	1	24.53	23.75	23.45
37	barker	Residential		Fibro/Weatherboard	1	28.11	27.35	27.78
39	barker	Residential		Weatherboard	1	28.12	26.74	27.77
41	barker	Residential		PVC Clad	1	27.99	26.61	27.54
42	barker	Residential		Weatherboard	1	28.00	26.60	27.10
43	barker	Residential		Weatherboard	1	27.90	26.49	27.48
44	barker	Residential		Weatherboard	1	27.63	26.25	26.90
45	barker	Residential		Fibro/Brick	1	27.73	26.15	27.38

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
46	barker	Residential	0.4	Weatherboard	1	26.74	25.43	26.25
47	barker	Residential	0.5	Fibro/Weatherboard	1	27.44	26.00	27.08
47	barker	Commercial- Barber	on	Brick	1	23.54	23.51	23.52
47	barker	"Commercial""Feeling Good Beauty salon""	on	Brick	1	23.55	23.51	23.52
48	barker	Residential	0.5	Weatherboard	1	25.31	24.45	24.87
49	barker	Residential	0.6	Weatherboard	1	27.43	24.60	26.83
50	barker	Residential	0.7	Weatherboard	1	25.24	24.17	24.60
51	barker	Residential	0.5	Fibro	1	26.62	25.36	26.90
52	barker	Residential	0.6	PVC Clad	1	24.60	23.85	24.07
53	barker	Residential	0.3	PVC Clad	1	26.47	25.00	26.24
54	barker	Residential	0.4	Weatherboard	1	24.46	23.65	23.87
55	barker	Residential	on	Brick	1	26.22	24.70	25.83
56	barker	Residential	0.4	Fibro/Weatherboard	1	24.37	23.46	23.78
57	barker	Residential	0.5	Weatherboard	1	25.74	24.40	25.56
58	barker	Residential	on	Weatherboard	1	24.42	23.48	23.70
59	barker	Residential	on	Brick	1	24.90	23.90	24.65
60	barker	Residential	0.5	Weatherboard	1	24.23	23.50	23.60
61	barker	Residential	0.5	stucco	1	24.93	23.80	24.38
62	barker	Residential	on	Brick	2/2 (2.7)	gr 23.92	23.40	23.60
63	barker	Residential	0.4	Weatherboard	1	24.70	23.67	24.02
64	barker	Residential	0.4	Weatherboard	1	24.33	23.60	23.69
65	barker	Vacant					23.69	23.75
66	barker	Residential	0.3	Weatherboard	1	24.26	23.60	23.69
67	barker	"Community ""Richmond lodge"" Aged Care"	0.4	Fibrostucco	1	24.33	23.69	23.69
68	barker	Residential	0.1	Weatherboard	2/2 ()	gr 23.94	23.61	23.64
69	barker	Residential	0.5	Weatherboard	1	24.26	23.73	23.75
70	barker	Residential	0.3	Weatherboard	1	24.26	23.54	23.64
71	barker	Residential	0.2	Weatherboard	1	24.73	23.75	23.91
72	barker	"Commercial""Casino Auto Electricians""	0.2	metal	1	23.98	23.48	23.70
72	barker	Residential	on	Conc. Block	1	23.53	23.48	23.70
73	barker	Residential	0.7	Weatherboard	1	24.55	23.64	23.73
74	barker	Residential	0.3	Weatherboard	1	24.19	23.20	23.60
75	barker	Residential	0.5	Brick	1	24.37	23.64	23.73
76	barker	Commercial- Optometrist	on	stucco	1	23.73	23.20	23.60
77	barker	Residential	0.3	Weatherboard	1	24.12	23.67	23.68
78	barker	"Commercial""Cross Keep & Miller Accountants"		Brick	1	23.25	22.50	22.90
79	barker	Residential	0.3	Weatherboard	1	24.28	23.65	23.69
80	barker	"Commercial""mobil"" service station"	on	Brick	1	22.85	22.71	22.78

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
81	barker	Residential	0.3	Weatherboard	1	24.36	23.61	23.69
82	barker	"Commercial""B C Cycles""	on	Brick	1	23.02	22.68	22.82
83	barker	Residential	0.3	Weatherboard	1	24.26	23.62	23.80
84	barker	Commercial- vacant shop	on	Brick	1	23.04	22.90	22.87
85	barker	Residential	0.3	Fibro/Weatherboard	1	24.24	23.54	23.80
86	barker	Commercial- vacant shop	on	Brick	1	23.10	22.95	22.89
87	barker	"Commercial""Casino Refrigeration & Air Cond	0.4	PVC Clad	1	24.39	23.54	23.70
90	barker	Commercial- clothing shop	on	Brick	1	23.17	23.00	22.96
91	barker	"Commercial""Westlawn Investment Co. ltd.""	on	Brick	1	22.87	22.71	23.00
92	barker	"Commercial""lyns Electrical""	on	Brick	1	23.23	23.24	23.04
93	barker	"Community ""Lifeline""	on	Brick	1	23.07	22.68	22.90
95	barker	"Commercial""Envirolink Consulting""	on	Brick	1	23.08	22.68	22.90
96	barker	"Commercial""Kwong singhs Arcade""	on	Brick	1	23.26	23.16	23.69
97	barker	"Commercial""Commercial& D Auto Parts""	on	Brick	1	23.10	22.68	22.95
98	barker	"Commercial""Welcome mart""	on	Brick	1	23.34	23.28	23.69
99	barker	"Commercial""Rutherfords Co Accountants""	on	Brick	1	23.10	22.68	22.95
100	barker	Commercial- Cassino Court - Caf, & Offices	on	Brick	2/2 ()	23.95	23.43	23.69
101	barker	"Commercial""st George Bank & Traveland""	on	Brick	1	23.19	22.68	22.95
102	a barker	"Commercial""T & W McCormack Real Estate	on	Brick	1	23.63	23.29	23.53
102	barker	"Commercial""Australia Post""	on	Brick	2/2 ()	24.25	23.29	23.46
103	barker	"Commercial""Employment National""	on	Brick	1	23.20	22.68	22.97
104	barker	Commercial- pet shop	on	Brick	1	23.62	23.29	23.53
105	barker	"Commercial""Northern star""	on	Brick	1	23.17	22.68	23.00
107	barker	Commercial- Physiotherapist	on	Brick	1	23.15	22.50	23.15
108	barker	"Commercial""Good food shop""	on	Brick	1	23.69	23.29	23.53
109	barker	Commercial"summerland Pools & spas""	on	Brick	1	23.23	22.60	23.22
112	barker	"Commercial""Betta Electrical""	on	Brick	1	23.66	23.29	23.54
113	barker	"Commercial""savins Real Estate""	on	Brick	2/2 ()	23.62	22.89	23.78
113	barker	"Commercial""savins Real Estate""						
114	barker	"Commercial""Casino Paint & Hardware""	on	Brick	1	23.56	23.29	23.54
115	barker	"Commercial""Commonwealth Bank""	on	Brick	2/2 ()	23.65	22.90	23.59
116	barker	"Commercial""Norma's Arts & Crafts""	on	Brick	1	23.62	23.29	23.54
117	b barker	"Commercial""Primac Elders"" Real Estate"	on	Brick	1	23.73	23.65	23.65
117	barker	"Commercial""Golden Chicken""						
117	barker	"Commercial""Casino florists""	on	Brick	1	23.76	23.62	23.62
117	barker	"Commercial""Harvey World Travel""						
117	barker	Community - amenities						
117	barker	"Commercial""Glen's Hair salon""						

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
117	barker	"Commercial""Glen's Hair salon""						
117	barker	Community - carpark						
117	barker	"Commercial""Casino Book Exchange""						
117	barker	Commercial- Chiropractor						
117	barker	Commercial- vacant shop						
119	barker	"Commercial""National Australia Bank""	on	Brick	1	23.97	23.63	23.66
120	barker	"Community ""Show Society Beef Week Office""	on	Brick	1	23.60	23.29	23.51
121	barker	"Commercial""Colonial state Bank""	on	Brick	1	23.96	23.67	23.68
122	barker	"Commercial""shirley's shop""	on	Brick	1	23.58	23.29	23.50
124	barker	"Commercial""Stomping Ground"" shoe shop"	on	Brick	1	23.59	23.29	23.50
125	a barker	"Commercial""Fosters Dental surgery""	on	Brick	1	23.98	23.68	23.70
125	barker	Commercial- Newsagency	on	Brick	1	23.94	23.70	23.71
126	barker	"Commercial""AMP""	on	Brick	1	23.53	23.48	23.51
126	barker	"Commercial""Pinkertons Jewellers""	on	Brick	1	23.57	23.29	23.48
128	barker	Commercial- vacant shop	on	Brick	1	23.65	23.48	23.51
130	barker	Commercial- vacant shop	on	Brick	1	23.67	23.48	23.51
131	a barker	"Commercial""Londy's Take Away""	on	Brick	1	24.03	23.74	23.74
132	barker	"Commercial""Vasan Clinic""	on	Brick	1	23.68	23.48	23.51
133	barker	"Commercial""Vibes for music""	on	Brick	1	23.99	23.71	23.71
134	barker	"Gov ""NsW Agriculture""	on	r	1	23.67	23.47	23.51
135	barker	"Commercial""Chocolate Chip""	on	stucco	1	23.89	23.72	23.72
136	barker	"Commercial""Tattersalls Hotel""	on	Brick	2/2 ()	gr 23.85	23.47	23.50
137	barker	"Commercial""Casino Cardz n stuff""	on	stucco	1	23.97	23.73	23.73
138	barker	Vacant - carpark					23.46	23.46
142	barker	"Commercial""Casino Holden""	on	Brick	1	23.73	23.46	23.48
143	barker	"Commercial""Mitchell Playford & Radburn""solicitors"	on	Brick	1	23.73	23.54	23.96
144	barker	"Community ""TafE""	on	Brick	1	admin 23.94	23.41	23.92
146	barker	"Commercial""R T A""	on	Brick	1	23.72	23.19	23.30
147	barker	"Commercial""Rural Land Protection Board""	on	stucco	1	23.74	23.50	23.96
149	barker	Commercial- Reflexology Therapist & surveyors	on	Brick	2/2 ()	23.75	gr 23.5	23.96
151	barker	Vacant					23.50	23.96
153	barker	Residential	0.5	Fibro/Weatherboard	1	24.85	21.50	23.68
155	barker	Residential	0.8	Weatherboard	1	24.73	22.88	23.68
157	barker	"Commercial""Channel Clock TV Antennas""	0.5	Weatherboard	1	23.44	22.60	23.52
9	bennett	Residential	on	Weatherboard	1	25.89	24.63	25.64
11	bennett	Residential	on	Brick	1	25.23	23.72	24.83
13	bennett	Residential	on	Brick	1	24.01	22.87	23.92
15	bennett	Residential	on	Brick	1	24.43	22.50	24.50

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
24	boundary	Residential	on	Brick	1	21.70	20.90	21.56
26	boundary	Residential	on	Brick	1	21.67	20.90	20.92
28	30 boundary	Residential	0.4	Weatherboard	1	21.45	20.86	20.96
32	boundary	Residential	on	Brick/PVC Clad	2/2 (2.5)	21.22	21.03	21.03
34	boundary	Residential	on	Brick	1	21.51	20.96	21.24
36	boundary	Residential	on	Hardiplank	1	21.84	21.07	21.27
38	boundary	Residential	on	Brick	1	21.45	21.20	22.13
1	bruton	Residential	on	Brick	1	27.76	26.26	27.72
2	bruton	Residential	0.5	Hardiplank	1	28.94	28.00	28.50
3	bruton	Residential	on	Brick	1	28.19	26.88	28.08
4	bruton	Residential	on	Fibro/Weatherboard	1	29.30	28.20	28.88
5	bruton	Residential	on	Brick	1	28.63	27.50	28.61
6	bruton	Residential	on	stucco	1	29.57	28.20	29.25
7	bruton	Residential	on	Weatherboard	1	29.25	28.13	28.98
8	bruton	Residential	on	Fibro/Weatherboard	1	30.13	28.22	29.77
9	bruton	Residential	on	Brick	1	30.53	28.75	30.25
10	bruton	Residential	0.5	Fibro/Weatherboard	1	30.31	28.43	30.21
11	bruton	Residential	on	Brick	1	31.23	29.50	30.73
12	bruton	Residential	0.8	PVC Clad	1	30.80	28.55	30.51
13	bruton	Residential	on	Brick	1	31.60	30.18	31.26
14	a bruton	Residential	on	Brick	1	31.25	28.94	31.11
14	bruton	Residential	0.8	Fibro	1	30.95	28.70	30.90
16	bruton	Residential	0.5	Weatherboard	1	31.41	29.18	31.46
18	bruton	Residential	0.5	Weatherboard	1	31.80	29.42	31.67
22	bruton	Residential	0.9	PVC Clad	1	32.11	29.67	32.24
27	bruton	Vacant					26.42	27.20
29	bruton	Vacant					26.09	27.07
30	bruton	Residential	on	Conc. Block	1	27.92	25.20	28.15
31	bruton	Vacant					26.06	26.93
32	bruton	Vacant					27.46	27.95
33	bruton	Vacant					26.03	26.79
34	bruton	Residential	on	Brick	1	28.42	27.29	28.02
36	bruton	Dwelling				28.86	27.30	27.83
37	bruton	Vacant					25.98	26.51
38	bruton	Vacant					27.30	27.83
39	bruton	Vacant					25.98	26.51
40	bruton	Community-preschool	on	Brick	1	28.01	25.50	27.60
43	bruton	"Commercial ""North Coast Plasterer""	on	metal	1	26.46	26.36	26.72

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
45	47 bruton	Residential	on	Brick	1	28.19	26.75	27.97
49	55 bruton	"Commercial ""Skating / Indoor Cricket""	on	metal	1	27.26	26.75	27.14
57	bruton	Vacant					26.73	27.48
59	bruton	Residential	on	Brick	1	28.09	26.70	27.40
63	bruton	Vacant					26.13	27.23
65	bruton	Residential	2.8	Hardiplank	1	29.69	26.02	27.13
69	bruton	"Commercial ""Veterinary surgery""	on	Conc. Block	1	26.74	26.08	26.82
71	bruton	Rural Residence	on	Brick	1	28.30	27.90	27.90
75	bruton	Rural Residence	on	Brick	1	27.78	27.53	27.53
80	bruton	Rural Residence	on	Brick	1	35.28	27.20	35.70
90	bruton	Rural Residence	on	Brick	1	31.54	27.20	30.76
95	bruton	Rural Residence	0.5	Weatherboard	1	27.73	27.20	27.20
2620	Bruxner Hwy	Rural Residence	on	Brick	1	21.44	20.19	20.19
2625	Bruxner Hwy	Rural Residence	0.6	Metal	1	20.85	20.39	20.39
2635	Bruxner Hwy	Rural Residence	0.7	Hardiplank	1	21.01	20.38	20.38
2640	Bruxner Hwy	Rural Residence	0.5	Metal	1	20.99	20.29	20.29
2650	Bruxner Hwy	Rural Residence	2.7	Weatherboard/Fibro	1	22.47	19.81	19.81
2660	Bruxner Hwy	Rural Residence	on	Brick	2/2(2.7)	20.88	20.24	20.24
2670	Bruxner Hwy	Rural residence	on	Conc.block	1	21.06	20.36	20.36
2675	Bruxner Hwy	Rural Residence	on	Brick	1	21.75	20.67	20.67
2685	Bruxner Hwy	Rural Residence	on	Brick	1	21.53	20.92	20.92
2700	Bruxner Hwy	Rural Residence	on	Brick	1	21.95	20.80	20.80
2740	Bruxner Hwy	Rural Residence	0.6	Hardiplank	1	21.27	20.35	20.35
2755	Bruxner Hwy	Rural-Shed	on	Conc./ Metal	1	21.48	21.23	21.23
3220	Bruxner Hwy	Commercial-Cassino Timbers- office	0.3	Weatherboard	1	26.46	26.16	26.16
3220	Bruxner Hwy	Commercial-sawmill	on	Metal	1			
3230	Bruxner Hwy	Residential	0.5	Weatherboard	1	26.45	25.75	26.20
3245	Bruxner Hwy	Rural Residence	0.5	Weatherboard	1	25.52	25.11	25.11
3285	Bruxner Hwy	Rural residence	0.5	Hardiplank	1	25.63	25.00	25.00
3309	Bruxner Hwy	Rural residence	on	Brick	1	27.40	27.20	27.20
3310	Bruxner Hwy	Rural residence	0.5	Weatherboard	1	28.07	27.60	27.60
3315	Bruxner Hwy	Rural residence	0.5	Weatherboard	1	28.69	28.34	28.34
3321	Bruxner Hwy	Rural residence	on	Brick	1	28.00	27.60	27.60
3585	Bruxner Hwy	Rural Residence	on	stone	1	29.64	27.00	30.88
3595	Bruxner Hwy	Commercial-Casino veterinary clinic	on	Brick	1	31.20	27.95	31.34
14	camaroo close	Residential	on	Brick	1	32.04	30.48	32.84
18	canterbury	Residential	0.6	Weatherboard	1	25.58	24.21	26.13
22	canterbury	Residential	on	Weatherboard	1	25.79	24.42	25.88

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
24	canterbury	Residential	on	Weatherboard	1	25.99	24.85	25.97
26	canterbury	Residential	on	Fibro	1	25.70	25.25	26.00
28	canterbury	Residential	0.5	Fibro	1	26.52	25.60	26.07
29	canterbury	Residential	on	Brick	2/2 (2.7)	26.08	24.00	25.54
31	canterbury	Residential	0.7	Weatherboard	1	26.13	24.45	25.62
32	canterbury	Residential	0.5	Fibro/Weatherboard	1	26.42	25.79	27.53
33	canterbury	Residential	on	Brick/Immitation Brick	1	26.18	24.62	25.71
34	canterbury	Residential	0.3	Weatherboard	1	26.50	25.82	27.65
35	canterbury	Residential	0.4	Weatherboard	1	26.07	24.79	25.86
36	canterbury	Residential	0.2	Fibro/Weatherboard	1	26.92	25.88	27.76
37	canterbury	Residential	0.5	Weatherboard	1	26.14	24.96	26.04
38	canterbury	Residential	0.3	Weatherboard	1	27.42	26.29	29.41
39	canterbury	Residential	0.7	Weatherboard	1	26.49	25.14	26.59
40	canterbury	Residential	0.6	Weatherboard	1	28.14	26.65	29.64
41	canterbury	Residential	on	Weatherboard	1	26.68	25.31	26.90
42	canterbury	Residential	on	Brick	1	28.87	27.19	29.85
43	canterbury	Residential	on	Brick	2/2 (2.7)	26.89	24.80	27.38
44	canterbury	Residential	on	Weatherboard	1	29.32	27.72	30.25
45	canterbury	Residential	on	Brick	1	28.31	24.30	27.91
46	canterbury	Residential	on	Brick	1	31.30	28.51	30.66
48	canterbury	Residential	on	Fibro	1	31.11	29.03	31.06
49	canterbury	Residential	0.8	Fibro/Weatherboard	1	28.19	24.30	28.21
50	canterbury	Residential	0.7	Weatherboard	1	30.57	29.10	31.06
51	a canterbury	Residential	on	Brick	1	26.65	23.90	28.23
51	canterbury	Residential	on	stucco	1	28.39	26.25	28.26
52	canterbury	Residential	0.8	Fibro/Weatherboard	1	30.32	29.01	30.62
53	canterbury	Residential	0.8	PVC Clad	1	28.08	26.20	28.16
54	canterbury	Residential	on	stucco	1	30.01	28.54	30.18
55	canterbury	Residential	on	PVC Clad	1	27.79	26.00	27.70
56	canterbury	Residential	on	PVC Clad	1	29.35	28.19	29.62
57	canterbury	Residential	0.5	Fibro	1	27.32	23.92	27.35
58	a canterbury	Residential	0.5	Weatherboard	1	27.89	26.68	28.71
58	canterbury	Residential	1.2	Weatherboard	1	28.32	26.99	28.91
61	canterbury	Residential	on	Weatherboard	1	26.89	25.71	26.97
62	canterbury	Residential	on	stucco	1	27.58	26.27	28.53
63	canterbury	Residential	0.8	Weatherboard	1	26.24	25.07	25.60
64	canterbury	Residential	1	Fibro	1	27.63	26.03	28.15
65	canterbury	Residential	0.6	Weatherboard	1	26.17	25.25	25.37

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
66	canterbury	Residential	0.5	Weatherboard	1	27.26	26.09	28.04
67	canterbury	Residential	0.6	Weatherboard	1	25.99	25.25	25.37
68	canterbury	Residential	0.3	PVC Clad	1	27.27	26.27	27.97
69	canterbury	Residential	0.5	Weatherboard	1	26.07	25.25	25.31
70	canterbury	Residential	0.5	stucco	1	27.49	26.37	27.90
71	canterbury	Residential	0.5	Weatherboard	1	26.09	25.22	25.32
72	canterbury	Commercial	on	Weatherboard	1	25.23	24.28	25.11
72	canterbury	Residential	2.2	Weatherboard	1	27.05	24.28	25.11
73	canterbury	Residential	0.7	Weatherboard	1	26.06	25.22	25.30
74	canterbury	Residential	0.6	Weatherboard	1	25.68	24.37	25.37
76	canterbury	Residential	0.6	Weatherboard	1	25.89	24.20	25.85
77	canterbury	Residential	0.5	Weatherboard	1	26.53	25.49	26.14
78	canterbury	Residential	0.5	Hardiplank	1	26.40	24.67	26.22
79	canterbury	Residential	0.4	Weatherboard	1	26.71	25.50	26.44
81	canterbury	Residential	0.5	Weatherboard	1	27.15	25.73	26.64
83	canterbury	Residential	0.5	PVC Clad	1	27.35	26.20	26.85
85	canterbury	Residential	0.3	PVC Clad	1	27.22	26.73	26.98
87	canterbury	Residential	on	stucco	1	27.57	26.80	26.90
89	canterbury	Residential	0.2	PVC Clad	1	27.13	26.71	26.91
91	canterbury	Residential	0.2	Aluminium Clad	1	27.07	26.30	26.91
93	canterbury	Residential	0.3	Weatherboard	1	26.88	26.13	26.80
95	canterbury	Residential	0.7	Weatherboard	1	26.53	25.47	26.45
97	canterbury	Residential	0.7	PVC Clad	1	26.92	25.81	26.87
104	canterbury	Residential	on	Brick	1	23.99	23.60	23.89
106	canterbury	Residential	0.3	Weatherboard	1	23.98	23.09	23.54
108	canterbury	Residential	on	Brick	1	23.93	23.09	23.37
110	canterbury	Residential	on	Brick	1	24.06	23.15	23.42
112	canterbury	Residential	on	Brick	1	23.95	23.25	23.37
114	canterbury	Residential	on	Brick	2/2 (3)	24.06	23.37	23.40
116	canterbury	"Community ""St. Marys' High School"" Office"	on	Brick	1	23.26	21.78	23.57
119	canterbury	Residential	0.5	Weatherboard	1	25.95	24.22	25.78
123	129 canterbury	"Residential ""st marys Catholic Church Units"" "	on	Brick	1	23.80	23.30	24.30
126	canterbury	"Community ""st. marys' Catholic Church""	on	Brick	2	23.92	23.00	23.57
130	canterbury	"Commercial""mobil""	on	Brick / metal	1	23.31	22.75	23.23
131	canterbury	Residential	0.5	Weatherboard	1	24.16	23.32	23.35
133	canterbury	Residential	on	Brick	1	24.15	23.22	23.35
134	canterbury	"Commercial""Corkers"" Bottle shop"	on	Brick	1	23.00	22.75	22.83
135	canterbury	"Community ""Casino Baptist Church""	0.3	Weatherboard	1	24.24	23.40	23.58

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
136	140 canterbury	"Community ""Masonic Centre""	on	Brick	2/2 ()	gr 23.19	22.70	22.79
137	canterbury	"Community ""Casino Baptist Church""	0.6	metal	1	24.02	22.91	23.58
139	canterbury	Residential	0.5	Fibro/Weatherboard	1	23.63	22.57	22.91
141	canterbury	Residential	on	Brick/PVC Clad	1	gr 22.49	22.00	22.72
142	canterbury	"Commercial""Hair Expressions""	0.3	Fibro/Weatherboard	1	23.11	22.68	22.70
143	canterbury	Commercial- Dental surgery	1.2	Weatherboard	1	24.16	21.98	22.85
144	canterbury	Commercial- surgery	on	Brick	2/2 ()	gr 22.82	22.62	22.68
146	canterbury	"Commercial""Ron Howard Printers""	on	Weatherboard	1	22.90	22.55	22.64
148	canterbury	"Community ""St Vincent De Paul""	on	Brick	1	22.92	22.60	22.97
149	canterbury	"Commercial""Sullivan Nicolaides"" Pathologists"	0.6	Weatherboard	1	23.58	22.88	23.00
150	152 canterbury	"Commercial""Oaten's"" Retravision Electrical"	on	Brick	1	23.10	22.60	22.74
151	canterbury	"Commercial""Just Brakes & Exhausts""	on	Conc. Block	1	23.10	22.85	22.90
153	canterbury	Commercial- Auto Electrician & furniture store	0.7	Weatherboard	1	23.77	22.75	22.90
154	canterbury	"Commercial""H & R Block"" Tax Agents"	on	Brick	1	22.86	22.70	22.80
155	canterbury	"Commercial""Casino sports stadium""	on	Brick	1	23.15	22.72	22.87
157	canterbury	"Community ""Civic Hall""	on	Brick	1	23.16	22.74	22.86
158	canterbury	"Commercial""Country Crafts""	on	Brick	1	22.94	22.68	22.75
161	canterbury	Commercial- Hairdresser & Clothing shop	on	Brick	1	22.71	22.84	22.90
162	canterbury	"Commercial""Casino Rsm Club""	on	Brick	2/2 ()	gr 23.33	22.42	22.87
164	canterbury	Community - Rsl Hall	on	Brick	1	23.48	22.88	22.93
165	canterbury	"Commercial""Casino Shopping Plaza""	on	Brick	1	23.58	23.12	23.56
166	canterbury	Residential			1	23.75	22.88	22.98
168	canterbury	"Commercial""Monumental masonry""	on	Brick	1	23.57	22.88	22.98
170	canterbury	Community - Casino RSM Youth Club	0.5	Weatherboard	1	23.87	22.88	23.18
172	canterbury	Residential	on	stucco	1	24.18	23.60	23.70
174	canterbury	Residential	on	Brick	1	23.81	23.40	23.60
176	canterbury	Residential	on	Brick	1	23.53	23.05	23.53
178	canterbury	Residential	0.5	Weatherboard	1	23.77	22.55	22.77
180	canterbury	Residential	0.3	Weatherboard	1	22.68	21.81	22.70
181	canterbury	Residential	on	Brick	1	23.45	22.30	23.64
182	canterbury	Residential	on	Brick	1	22.61	21.32	22.50
184	canterbury	Residential	on	Weatherboard	1	22.64	20.08	22.04
1	"carrington av"	Residential	0.5	Weatherboard	1	23.10		23.52
2	"carrington av"	Residential	1	Fibro/Weatherboard	1	23.39	21.11	23.20
4	"carrington av"	Residential	on	Weatherboard	2/1 (2.0)	1st 23.1	20.00	23.00
6	"carrington av"	Residential	0.8	Weatherboard	1	23.38	21.42	23.60
8	"carrington av"	Residential	0.8	Weatherboard	1	23.75	22.27	23.60
1	cassino dr	"Commercial""Richmond Farm Equipment""	on	Brick	1	21.35	21.09	21.20

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
2	cassino dr	"Commercial""Smith's Joinery""	on	Brick	1	21.72	21.10	21.60
3	cassino dr	Commercial- Automotive	on	Conc. Block	1	21.30	20.90	21.20
4	cassino dr	Commercial- Automotive	on	Conc. Block metal	1	21.61	21.10	21.60
5	cassino dr	Commercial- 6 units	on	Brick	1	21.36	21.00	21.33
6	cassino dr	"Commercial""Humphreys & King " Electricians"	on	Conc. Block	1	21.51	21.20	22.00
7	cassino dr	"Gov ""Casino Council Works Depot""	on	Brick / metal	1	21.77	21.20	21.70
8	cassino dr	Commercial- shed	on	metal	1	21.54	21.30	21.50
10	cassino dr	Commercial- 3 units	on	Concrete	1	21.77	21.10	21.70
12	a cassino dr	Commercial- shed	on	metal	1	21.61	21.09	21.60
12	cassino dr	Commercial- shed	on	metal	1	21.57	21.10	21.50
14	cassino dr	"Commercial""Casino Roof Trusses & Wall frames	on	Brick	1	21.84	21.10	21.80
16	cassino dr	Commercial	on	metal	1	21.82	21.16	21.80
17	cassino dr	"Gov ""Casino Council Works Depot""					21.00	21.49
18	cassino dr	"Commercial""Phillanne Agencies""	on	metal	1	21.61	21.16	21.60
19	21 cassino dr	"Commercial""Seine Australia Pty ltd""	1.5	metal	2/2 ()	22.76	21.06	21.40
20	cassino dr	"Commercial""Newrybar Produce""	on	metal	1	21.27	21.03	21.20
22	cassino dr	Commercial- shed	on	metal	1	21.24	20.69	21.15
24	cassino dr	Commercial- shed	on	metal	1	21.85	20.92	21.80
26	cassino dr	Commercial- Honey & Woodwork	on	Concrete/metal	1	21.82	21.16	21.70
28	cassino dr	Vacant					21.16	21.65
30	cassino dr	"Community ""Buyinbin Aboriginal Corporation""	on	Brick / metal	1	21.56	21.30	21.65
32	cassino dr	Vacant					21.31	21.70
34	cassino dr	Vacant					21.27	21.80
36	cassino dr	"Commercial""Leeson Sand Blasting""	0.2	metal	1	22.06	21.27	21.80
1	cedar ave	Residential	on	Brick	1	23.73	22.92	23.33
2	cedar ave	Residential	on	Brick	1	23.55	22.76	23.10
3	cedar ave	Residential	on	Hardiplank	1	23.24	22.60	22.92
4	cedar ave	Residential	on	Hardiplank	2/2 ()	23.11	22.54	22.76
5	cedar ave	Residential	on	Brick	1	22.98	22.45	22.60
6	cedar ave	Residential	on	Brick	1	22.78	22.46	22.54
31	centre	Residential	on	Brick	1	26.49	25.68	26.25
33	centre	Residential	on	Brick	1	26.75	25.92	26.40
84	centre	"Community ""Tourist Information Centre""	on	Brick	1	24.37	24.30	24.21
86	centre	"Community ""Casino memorial Olympic Pool""	on	Brick	1	24.02	23.90	24.00
88	centre	"Commercial""Shell"" service station"	on	Brick / metal	1	24.25	23.70	24.20
90	centre	Commercial- surgery	on	Brick	2/2 (3.0)	gr 24.45	23.84	23.88
92	centre	"Commercial""Hannigans"" solicitors"	0.5	stucco	1	24.51	23.80	24.00
96	centre	"Commercial""Ampol"" service station"	on	Brick	1	24.11	23.77	24.00

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
98	centre	"Commercial- Real Estate & ""Eagle Boys"" Pizza"	on	Brick	1	23.83	23.50	23.91
100	centre	"Commercial""Cecil"" Hotel"	on	stucco	2/2 ()	23.68	23.21	23.91
104	centre	"Community ""Community Connections"""	0.3	Fibro/Weatherboard	1	23.05	22.46	23.00
106	centre	"Commercial""Garry McGrath"" Car sales"	on	Conc. Block	1	22.65	22.00	22.60
108	centre	"Commercial""Centre street motors"""	on	Brick	1	22.93	22.00	22.60
110	centre	Residential	0.3	Weatherboard	1	23.38	22.30	23.00
112	centre	Residential	0.3	Weatherboard	1	23.93	22.00	23.14
114	centre	"Commercial""mcDonalds"""	on	Brick	1	22.82	22.70	22.90
118	centre	"Commercial""milgate motel"""	on	Brick	1	23.10	21.60	23.08
120	122 centre	Commercial- Dental surgeons	0.5	Weatherboard	1	22.39	21.60	22.38
123	centre	"Commercial""Beef Capital"" motel"	on	Brick	2/2 ()	24.74	24.50	24.60
124	centre	Residential	0.5	Weatherboard	1	22.37	21.70	22.00
126	centre	"Commercial""Lemo's Corner"" fruit store"	0.5	Fibro/Weatherboard	1	22.94	22.08	22.45
127	centre	"Commercial""Casino Canvas"""	on	Brick	1	24.07	23.90	24.00
127	centre	Residential	0.3	Weatherboard	1	24.43	23.90	24.00
128	centre	Residential	0.3	PVC Clad	1	23.56	22.45	23.35
129	centre	"Commercial""NRmA"""	on	Brick	1	24.32	24.10	24.22
130	centre	Residential	0.3	PVC Clad	1	23.59	22.99	23.40
131	centre	"Commercial""Chicken Express"""	on	Brick	1	24.35	24.10	24.25
132	centre	Residential	0.3	Fibro	1	23.67	23.08	23.11
133	centre	"Commercial""Caltex""service station (old)"	on	Brick / metal	1	24.24	23.94	24.20
134	centre	"Commercial""Robert Burton & Co"" Accountants"	0.3	Fibro/Weatherboard	1	23.49	23.11	23.14
136	centre	Residential	on	Weatherboard	1	23.41	22.76	22.90
137	centre	"Commercial""Lewingtons Transport"""	0.6	Brick	1	24.51	23.76	23.90
138	centre	Residential	0.3	metal	1	23.43	22.66	22.90
140	centre	"Community ""Seventh Day Adventist Church"""	on	Fibro/Weatherboard	1	23.44	22.26	22.74
142	centre	Residential	0.2	Fibro	1	23.14	22.54	22.79
143	centre	Vacant					23.40	23.50
144	centre	Residential	on	stucco	1	23.17	22.39	22.70
145	centre	Vacant					23.10	23.50
146	centre	Residential	0.5	Fibro/Weatherboard	1	23.28	22.30	22.60
149	centre	Vacant Commercial	on	Brick	1	23.38	22.60	23.43
151	centre	Commercial- Windscreen & Upholstery	on	Weatherboard	1	23.71	22.50	23.30
153	a centre	Commercial- Accountant	on	Brick Hardiplank	1	23.35	23.15	23.25
153	centre	"Commercial""JC's Bodyworks"" Gym"	on	Brick	2/2 ()	23.18	22.48	23.30
155	centre	"Commercial""mulherin"" Accountant "	0.5	Fibro/Weatherboard	1	23.71	22.80	23.50
157	centre	"Community ""Casino Ambulance station"""	on	Brick	2/2 ()	23.16	23.00	23.69
161	centre	"Commercial""Squatters Homestead"" motel"	on	Brick	2/2 ()	23.69	23.10	23.31

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
163	centre	Residential	0.4	Weatherboard	1	24.11	23.10	23.21
165	centre	Residential	0.4	Weatherboard	1	24.09	23.10	23.27
167	centre	Commercial- surgery	0.3	Weatherboard	1	23.59	23.10	23.27
169	centre	"Commercial""Singhs Tyres""	on	Brick	1	23.51	22.90	23.22
171	centre	Residential	on	Brick	1	23.55	22.73	23.01
173	centre	Residential	on	Brick	2/2 (2.7)	gr 23.05	22.72	23.01
175	centre	Residential	on	Brick	2/2 (2.7)	gr 23.00	22.72	23.01
177	centre	Residential	on	Brick	1	23.46	22.74	22.96
179	centre	Residential	on	Brick	1	23.43	22.85	23.01
181	centre	Residential	0.3	Weatherboard	1	23.53	22.85	23.01
183	centre	Residential	0.5	Weatherboard	1	23.71	22.90	23.07
185	centre	Residential	0.6	Fibro	1	23.62	22.54	22.86
187	centre	"Commercial""Casino laundrette""	0.8	Weatherboard	1	23.15	21.92	22.93
189	centre	"Commercial""St marks Op shop""	0.5	metal	1	22.80	21.78	22.60
191	centre	Residential	on	Hardiplank	1	22.13	21.57	21.89
193	centre	Residential	on	Brick	1	22.62	21.51	22.57
197	centre	Residential	0.3	PVC Clad	1	23.27	22.16	22.86
199	centre	Residential	0.3	Weatherboard	1	23.53	22.30	22.90
201	centre	Residential	0.3	Hardiplank	1	23.58	22.88	23.01
203	centre	Residential	0.3	Fibro	1	23.44	22.40	22.88
205	centre	Residential	0.4	Fibro/Weatherboard	1	23.27	22.40	22.71
207	centre	"Commercial""Casino Squash & Fitness World""	on	Brick	2/2 (2.6)	gr 22.85	22.42	22.50
9	charles av	Residential					28.92	30.80
11	charles av	Residential					29.10	31.00
12	charles av	Residential					26.85	28.91
13	charles av	Residential					29.20	31.50
16	charles av	Residential					27.02	28.97
18	charles av	Residential					26.97	29.04
20	charles av	Residential					27.30	28.92
21	charles av	Vacant					29.18	31.61
22	charles av	Vacant				29.13	27.71	28.88
23	charles av	Vacant					29.18	31.61
24	charles av	Vacant					26.59	28.84
25	charles av	Vacant					29.20	31.78
26	charles av	Vacant					26.89	28.76
28	charles av	Vacant					27.44	28.82
30	charles av	Residential	on	Brick	1	28.83	27.44	29.47
32	charles av	Residential	on	Brick	1	30.04	28.65	30.97

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
34	b charles av	Residential	on	Brick	1	32.85	30.30	33.76
34	charles av	Residential	on	Brick	1	32.85	30.30	33.76
1	clark	Residential	on	Brick	1	22.40	21.86	22.20
2	clark	Vacant					21.79	22.34
3	clark	Residential	on	Brick	1	22.39	21.97	22.20
4	clark	Vacant					21.73	22.49
5	clark	Residential	on	Brick	1	22.54	21.81	22.30
6	clark	Residential	on	Brick	1	22.59	21.73	22.39
7	clark	Residential	on	Brick	1	22.40	21.82	22.20
9	clark	Residential	on	Brick	1	22.56	21.91	22.30
10	clark	Residential	on	Brick	1	22.56	21.70	22.37
11	clark	Residential	on	Brick	1	22.85	21.91	22.60
13	clark	Residential	on	Brick	1	22.85	21.91	22.60
17	clark	Residential	on	Brick	1	22.45	21.96	22.20
18	clark	Residential	on	Brick	1	22.64	22.10	22.40
19	clark	Residential	on	Brick	1	22.48	21.96	22.30
20	clark	Residential	on	Brick	1	22.62	22.09	22.40
21	clark	Residential	on	Brick	1	22.73	21.99	22.50
22	clark	Residential	on	Brick	2/2 (2.7)	22.58	22.10	22.38
23	clark	Residential	on	Brick	1	22.66	22.07	22.40
25	clark	Residential	on	Brick	1	22.60	22.01	22.40
1	a clay av	Residential	on	Brick	1	27.49	26.55	27.46
1	b clay av	Residential	0.5	metal	1	27.87	27.04	27.68
1	clay av	Residential	0.6	PVC Clad	1	28.38	27.43	28.81
2	clay av	Residential	0.5	Weatherboard	1	27.19	26.35	26.71
3	clay av	Residential	on	Weatherboard	1	28.91	27.90	29.22
4	clay av	Residential	on	Brick	1	27.49	26.68	27.05
6	clay av	Residential	on	Brick/Weatherboard	1	27.71	27.01	27.38
8	clay av	Residential	on	Weatherboard	1	28.05	27.15	27.74
10	clay av	Residential	0.5	PVC Clad	1	28.29	27.30	28.11
2	colches	Residential	0.5	Weatherboard	1	26.74	26.00	26.34
3	colches	Residential	on	stucco	1	26.21	25.47	25.86
4	colches	Residential	0.5	Weatherboard	1	26.65	25.95	26.20
5	colches	Residential	0.3	Weatherboard	1	26.27	25.41	25.81
6	colches	Residential	0.3	Hardiplank	1	26.28	25.77	26.45
7	colches	Residential	0.5	PVC Clad	1	26.22	25.35	25.73
8	colches	Residential	0.5	Weatherboard	1	26.44	25.57	26.07
9	colches	Residential	0.5	PVC Clad	1	26.10	25.31	25.58

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
10	colches	Residential	0.5	Weatherboard	1	26.16	25.45	25.67
11	colches	Residential	on	Brick	1	25.21	24.52	25.06
12	colches	Residential	0.4	Fibro	1	25.72	25.10	25.52
13	colches	"Utility""Northpower""	on	Brick/metal	2/1 ()	25.27		25.25
14	colches	Residential	0.3	PVC Clad	1	25.64	24.97	25.26
16	colches	Vacant					25.01	25.04
17	colches	Residential	0.3	Fibro	1	25.16	24.12	24.60
18	colches	Vacant					24.84	25.38
19	colches	Residential	0.5	Immitation Brick	1	25.25	24.57	24.94
20	colches	Vacant					24.76	25.23
21	colches	Residential	0.3	PVC Clad	1	25.68	24.75	25.38
22	colches	Residential	0.5	Fibro	1	25.28	24.55	24.56
23	colches	Residential	0.5	Fibro	1	26.18	25.21	25.96
24	colches	Residential	0.3	Weatherboard	1	25.25	24.50	24.86
25	colches	Residential	0.5	PVC Clad	1	26.69	25.96	26.31
26	colches	Residential	0.3	Weatherboard	1	25.73	24.70	25.59
27	colches	Residential	0.5	Fibro	1	27.05	26.31	26.58
28	colches	Residential	0.5	Fibro/Weatherboard	1	26.49	25.64	26.28
30	colches	Residential	0.5	Weatherboard	1	26.96	26.13	26.56
32	a colches	Residential	on	Brick	1	27.87	26.93	27.35
32	colches	Residential	0.5	Fibro/Weatherboard	1	27.45	26.56	26.93
53	colches	Residential	0.3	PVC Clad	1	25.47	24.33	25.21
55	colches	Residential	0.5	PVC Clad/metal	1	24.81	23.80	24.66
57	colches	Residential	0.5	Weatherboard	1	24.42	23.52	24.08
59	colches	Residential	0.3	PVC Clad	1	24.03	23.24	23.70
61	colches	Residential	0.3	Fibro	1	23.64	22.93	23.33
62	colches	Residential	0.5	Fibro/Weatherboard	1	25.32	24.07	25.18
63	colches	Residential	0.7	Weatherboard	1	23.28	22.26	22.27
64	colches	"Commercial""Stocktrans Transport"" - shed"	on	metal	1	24.28	23.39	24.47
65	colches	Residential	0.5	Weatherboard	1	22.93	22.13	22.27
66	colches	Residential	on	stucco	1	24.04	23.03	23.84
67	colches	Residential	0.5	Weatherboard	1	23.07	22.17	22.28
68	colches	Residential	on	PVC Clad/metal	1	23.54	22.59	23.15
69	a colches	Residential	on	Brick	1	22.80	22.32	22.64
69	colches	Residential	0.3	PVC Clad	1	22.69	22.18	22.53
70	colches	Vacant					22.14	22.40
71	colches	Residential	0.5	Fibro/Weatherboard	1	23.14	22.32	22.76
73	colches	Residential	0.5	Fibro	1	23.32	22.40	22.93

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
75	colches	Residential	0.3	PVC Clad	1	23.45	22.50	23.09
77	colches	Residential	on	Brick	1	23.58	22.68	23.33
78	colches	Residential	on	Brick	1	22.99	22.20	22.54
80	colches	Residential	on	Brick	1	23.03	27.14	22.38
82	colches	Residential	0.3	Hardiplank	1	23.34	22.40	23.20
84	colches	Residential	0.4	PVC Clad	1	23.73	22.66	23.00
86	colches	Residential	0.3	Weatherboard	1	23.89	23.00	23.80
88	colches	Residential	0.5	Weatherboard	1	24.14	23.23	24.23
90	94 colches	"Commercial""Casino Concrete Plant"" Boral"	1	Weatherboard	1	25.38	23.45	24.40
96	colches	Residential	0.3	Fibro	1	24.04	23.02	24.30
1	convent pde	Residential	on	Brick	1	24.31	23.57	24.60
2	convent pde	Residential	0.4	Fibro	1	23.78	22.80	23.36
2	convent pde	Vacant					23.50	25.13
3	convent pde	Residential	on	Brick	1	24.54	23.62	25.00
4	convent pde	Residential	on	Hardiplank	1	24.04	23.00	23.61
5	convent pde	Residential	on	Brick	1	24.50	23.91	25.20
6	convent pde	Residential	on	Hardiplank	1	24.21	23.10	23.81
20	convent pde	Residential	0.7	Weatherboard	1	25.82	24.28	25.68
21	convent pde	Residential	0.3	Fibro	1	23.58	23.11	23.47
22	convent pde	Residential	0.7	Fibro/Weatherboard	1	25.55	23.97	25.37
23	convent pde	Residential	0.3	PVC Clad	1	23.87	23.03	23.20
24	a convent pde	Residential	on	Brick	1	23.18	23.00	23.10
24	convent pde	Residential	0.3	Fibro	1	23.39	23.00	23.05
25	convent pde	Residential	on	Brick	1	23.36	23.05	23.09
26	convent pde	Residential	0.5	Fibro/Weatherboard	1	23.71	22.77	22.95
27	convent pde	Residential	on	Brick	1	23.78	23.06	23.10
28	convent pde	Residential	0.6	Fibro/Weatherboard	1	23.74	22.77	22.97
29	convent pde	Residential	on	Brick	1	23.72	23.06	23.15
30	convent pde	Residential	0.3	PVC Clad	1	23.77	23.03	23.15
31	convent pde	Residential	on	Weatherboard	1	23.87	23.15	23.37
32	convent pde	Residential	0.3	PVC Clad	1	23.76	23.15	23.20
33	convent pde	Residential	on	Brick	1	23.16	22.65	22.75
34	convent pde	Residential	0.3	Fibro	1	23.81	23.17	23.25
35	convent pde	Residential	on	Brick	1	23.09	22.61	22.75
36	convent pde	Residential	0.3	Weatherboard	1	23.21	22.59	22.85
37	a convent pde	Vacant					22.61	22.70
37	convent pde	Residential	0.3	Weatherboard	1	23.24	22.60	22.62
38	convent pde	Residential	0.3	Fibro/Weatherboard	1	23.12	22.59	22.85

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
39	convent pde	Residential	0.3	Fibro	1	23.18	22.53	22.62
40	convent pde	Residential	0.5	Weatherboard	1	23.15	22.60	22.75
42	convent pde	Residential	0.4	metal	1	23.30	22.60	22.70
44	convent pde	Residential	0.5	Weatherboard	1	23.28	22.67	22.70
46	convent pde	Residential	0.3	Fibro	1	23.23	22.64	22.77
48	convent pde	Residential	0.3	Fibro	1	23.34	22.61	22.77
50	convent pde	Residential	0.7	Weatherboard	1	23.70	22.42	22.95
57	a convent pde	Residential	on	Brick	2/2 ()	23.37	22.89	23.05
57	convent pde	Residential	0.2	Fibro	1	23.05	22.55	22.88
58	a convent pde	Residential	0.2	Weatherboard	1	23.31	22.55	22.60
58	convent pde	Residential	0.2	Weatherboard	1	23.22	22.55	22.60
59	convent pde	Residential	on	Brick	1	23.63	23.15	23.50
60	convent pde	Vacant					22.55	22.59
61	convent pde	Residential	on	Brick	1	24.03	22.80	23.13
62	convent pde	Vacant					22.55	22.67
63	convent pde	Residential	0.3	Weatherboard	1	23.64	22.50	23.18
64	convent pde	Commercial	on	metal	1	23.06	22.70	22.88
65	convent pde	Residential	0.3	PVC Clad	1	23.80	23.00	23.18
66	convent pde	Residential	0.3	Fibro	1	23.51	22.70	22.97
68	convent pde	Residential	on	Brick stucco	2/2 ()	23.37	22.85	22.97
70	convent pde	Residential	0.2	Immitation Brick	1	23.38	22.85	23.00
72	convent pde	Residential	0.3	Weatherboard	1	23.64	22.85	23.15
74	convent pde	Residential	0.4	Weatherboard	1	23.80	22.90	23.15
4	cope	Residential	1	Weatherboard	2/2 (2.7)	26.03	16.84	26.55
7	cope	Residential	0.7	PVC Clad	1	25.83	24.56	25.66
9	cope	Residential	0.5	Fibro	1	25.21	24.22	25.16
11	cope	Residential	on	Fibro	1	24.91	23.91	25.00
13	cope	Residential	on	Brick	1	24.87	23.72	24.61
15	cope	Residential	on	Brick	1	24.19	23.27	23.72
16	cope	Residential	0.5	Fibro	1	24.62	23.97	24.15
17	cope	Residential	on	Brick	1	23.41	22.23	22.70
18	cope	Residential	on	Fibro	1	24.38	23.76	23.97
19	cope	Residential	0.3	Fibro	1	22.99	22.11	22.53
20	cope	Residential	on	Brick	1	24.40	23.61	23.80
21	cope	Residential	0.4	PVC Clad	1	22.81	22.01	22.40
22	cope	Residential	on	Weatherboard	1	23.98	23.40	23.61
23	cope	Residential	0.5	PVC Clad	1	22.85	21.89	22.34
25	cope	Residential	on	Brick	1	22.76	21.92	22.29

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
26	cope	Residential	on	Hardiplank	1	22.89	22.51	22.72
27	cope	Residential	on	Brick	1	22.90	21.92	22.23
28	cope	Residential	on	Brick	1	23.05	22.45	22.64
29	cope	Residential	on	Brick	1	22.75	21.85	22.28
30	cope	Residential	on	Brick	1	22.68	22.39	22.60
31	cope	Residential	on	Brick	1	22.54	21.93	22.26
32	cope	Residential	on	Hardiplank	1	22.62	22.35	22.57
33	cope	Residential	on	Brick	1	22.69	22.02	22.23
34	cope	Residential	on	Brick	1	23.20	22.33	22.45
35	cope	Residential	on	Brick	1	22.55	21.85	22.27
36	cope	Residential	on	Brick	1	22.66	22.33	22.35
38	cope	Residential	on	Brick	1	22.47	22.12	22.56
39	cope	Residential	on	Brick	1	22.28	21.68	21.81
40	cope	Residential	on	Brick	1	22.73	22.20	22.38
41	cope	Residential	on	Brick	1	22.39	21.62	21.79
42	cope	Residential	on	Brick	1	22.67	22.19	22.26
43	cope	Residential	on	Brick	1	21.90	21.58	21.78
44	cope	Residential	on	Brick	2/2 (2.85)	22.57	22.14	22.27
45	cope	Residential	on	Brick	1	21.75	21.32	21.48
47	cope	Residential	on	Brick	1	21.81	21.13	21.59
48	cope	Residential	on	Brick	1	22.49	21.73	21.92
49	cope	Vacant					21.02	21.13
50	cope	Residential	on	Brick	1	22.34	21.66	21.76
51	cope	Vacant					20.94	21.11
52	cope	Residential	on	Brick	1	22.26	21.61	21.76
53	cope	Vacant					20.85	21.03
4125	coraki rd	Rural Residence	on	Brick	1	19.77	19.43	19.43
4185	coraki rd	Rural Residence		0.5 Weatherboard	1	17.77	17.01	17.01
4225	coraki rd	Rural Residence		0.9 Weatherboard	1	18.82	17.85	17.85
4255	coraki rd	Rural Residence	on	Brick	1	19.63	18.94	18.94
4260	coraki rd	Rural Residence		0.5 Weatherboard	1	20.33	19.66	19.66
4350	coraki rd	Rural Residence	on	Brick	1	22.44	21.98	21.98
4355	coraki rd	Rural Residence		0.3 Weatherboard	1	21.64	21.30	21.30
4360	coraki rd	Rural Residence	on	Brick	2/2(2.7)	22.26	22.03	22.03
4	country lane	Vacant					21.64	21.96
6	country lane	Vacant					21.60	21.97
8	country lane	Residential		0.5 Weatherboard	1	22.62	21.57	21.97
12	country lane	"Commercial""Riverwiew Home & Garden Centre"	on	Timber	1	21.99	21.57	22.14

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
12	country lane	Residential	0.4	Weatherboard	1	22.78	21.57	22.14
14	country lane	Vacant					21.66	22.06
16	country lane	Vacant					21.70	21.89
6	cumberland	Residential	on	Brick	1	22.74	21.65	22.24
8	cumberland	Residential	on	Brick	1	22.75	21.70	22.24
9	cumberland	Residential	on	Brick	1	22.57	22.30	22.40
10	cumberland	Residential	on	Brick	1	22.71	21.75	22.24
11	cumberland	Residential	0.3	Brick	1	23.01	22.16	22.36
12	cumberland	Residential	on	Brick	1	22.61	21.80	22.24
14	cumberland	Residential	on	Brick	1	22.74	21.85	22.45
15	cumberland	Residential	on	Brick	1	22.81	22.10	22.22
16	cumberland	Residential	on	Brick	1	22.81	21.90	22.45
17	cumberland	Residential	on	Brick	1	22.78	22.16	22.58
18	cumberland	Residential	on	Brick	1	22.75	22.03	22.24
19	cumberland	Residential	on	Brick	1	22.60	22.25	22.40
20	cumberland	Residential	on	Brick	1	22.56	22.04	22.31
21	cumberland	Residential	on	Brick	1	22.70	22.21	22.50
22	cumberland	Vacant					22.02	22.20
23	cumberland	Residential	on	Brick	1	22.63	22.12	22.18
24	a cumberland	Vacant					22.03	22.28
24	cumberland	Vacant					22.03	22.25
25	cumberland	Residential	on	Brick	1	22.50	22.12	22.30
26	a cumberland	Vacant					22.05	22.25
26	cumberland	Vacant					22.04	22.28
28	a cumberland	Residential	on	Brick	1	22.56	22.10	21.26
28	cumberland	Residential	on	Brick	1	22.56	22.02	22.22
29	cumberland	Residential	on	Brick	1	22.51	21.98	22.30
30	a cumberland	Residential	on	Brick	1	22.69	22.10	22.29
30	cumberland	Residential	on	Brick	1	22.52	22.04	22.32
31	cumberland	Residential	on	Brick	1	22.53	21.94	22.33
32	a cumberland	Residential	on	Brick	1	22.80	22.07	22.40
32	cumberland	Residential	on	Brick	1	22.55	22.04	22.35
33	cumberland	Residential	on	Brick	1	22.53	21.95	22.33
34	a cumberland	Residential	on	Brick	1	22.59	22.07	22.29
34	cumberland	Residential	on	Brick	1	22.54	21.96	22.34
35	cumberland	Residential	on	Brick	1	27.58	21.95	22.30
36	a cumberland	Residential	on	Brick	1	22.60	22.01	22.30
36	cumberland	Residential	on	Brick	1	22.50	22.01	22.30

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
37	cumberland	Residential	on	Brick	1	22.58	21.89	22.20
38	a cumberland	Residential	on	Brick	1	22.69	22.01	22.30
38	cumberland	Residential	on	Brick	1	22.52	22.01	22.30
1	cycad lane	Community - public toilets	on	Brick	1	23.76	23.21	23.25
2	cycad lane	Vacant - carpark					22.85	22.90
2	dean	Vacant - yards					22.44	22.58
3	dean	Residential	on	Fibro	1	22.90	22.48	22.62
4	dean	"Community ""A.O.G. Church""	on	Brick/metal	1	22.89	22.53	22.92
5	dean	Residential	on	Brick	1	23.00	22.60	22.70
7	dean	Residential	on	Fibro	1	23.13	22.60	22.70
9	15 dean	Residential	on	Brick	1	23.46	27.54	23.05
25	dean	Residential	on	PVC Clad	1	22.72	22.45	22.97
26	dean	Residential	on	Fibro	1	23.69	23.02	24.35
27	dean	Residential	on	stucco	1	23.63	22.80	23.32
28	dean	Residential	on	Brick	1	24.91	23.45	24.50
31	dean	Vacant					24.21	24.66
35	dean	Residential	0.3	Fibro	1	24.85	23.70	24.30
37	a dean	Residential	on	Brick	1	23.00	22.48	22.70
37	dean	Residential	on	Fibro	2/1 (2.1)	1st 26.25	23.83	24.05
39	dean	Residential	0.2	Weatherboard	1	22.92	22.38	22.41
41	dean	Residential	0.2	PVC Clad	1	22.86	22.38	22.41
43	dean	Residential	on	Fibro	1	22.95	22.37	22.41
45	dean	Residential	0.2	PVC Clad	1	22.91	22.35	22.41
47	dean	Residential	on	Brick	1	22.96	22.35	22.41
55	dean	Residential	0.3	Fibro/Weatherboard	1	22.90	22.30	22.35
57	dean	Residential	on	Weatherboard	1	22.80	22.29	22.35
58	dean	Vacant					22.45	22.70
59	dean	Residential	0.3	Weatherboard	1	22.89	22.20	22.26
60	dean	Residential	0.3	Weatherboard	1	23.19	22.42	22.55
61	dean	Residential	0.3	Weatherboard	1	22.73	22.13	22.20
63	dean	Residential	on	Brick	1	22.45	22.13	22.20
65	dean	Residential	0.3	Fibro/Weatherboard	1	22.80	22.14	22.20
67	dean	Residential	0.3	Weatherboard	1	22.77	22.04	22.19
71	dean	Residential	on	Weatherboard	1	22.58	22.02	22.18
73	dean	Residential	on	Brick	1	22.69	22.05	22.18
75	dean	Residential	on	Brick	1	22.90	22.04	22.21
77	dean	Residential	on	Brick	2/2 (2.9)	gr 22.40	22.04	22.23
79	dean	Residential	on	Brick	1	22.43	22.09	22.23

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
81	dean	Commercial- shed	on	metal	1	22.32	22.14	22.40
82	dean	Residential	0.3	PVC Clad	1	22.83	22.12	22.23
83	dean	Residential	0.3	Fibro	1	22.91	22.15	22.30
84	dean	Residential	on	Brick	1	22.95	22.13	22.20
85	dean	Residential	on	Hardiplank	2/2 ()	22.64	22.13	22.42
86	dean	Residential	0.4	PVC Clad	1	22.84	22.00	22.13
88	dean	Residential	0.3	PVC Clad	1	22.65	22.00	22.03
90	dean	Residential	0.3	Weatherboard	1	22.62	22.00	22.05
1	diary	Residential	0.3	Fibro/Weatherboard	1	27.10	26.28	26.50
2	diary	Residential	0.3	Aluminium Clad	1	26.67	26.17	26.35
3	diary	Residential	on	Brick	1	26.91	25.84	26.28
4	a diary	Residential	on	Brick	1	26.60	25.81	26.19
4	diary	Residential	on	Weatherboard	1	26.65	26.18	26.23
5	diary	Residential	0.3	PVC Clad	1	26.67	25.95	26.29
6	diary	Residential	on	Weatherboard	1	25.63	25.63	26.09
7	diary	Residential	0.3	PVC Clad	1	26.39	25.68	26.07
8	diary	Residential	0.5	Brick/Weatherboard	1 bk 26.27		25.53	25.93
9	diary	Residential	0.3	PVC Clad	1	26.20	25.55	25.81
10	diary	Residential	0.5	Aluminium Clad	1	26.23	25.18	25.69
11	diary	Residential	on	Fibro	1	26.07	25.39	25.58
12	a diary	Residential	0.5	Fibro/Weatherboard	1	25.68	24.31	25.16
12	diary	Residential	0.5	Weatherboard	1	25.76	24.92	25.40
13	diary	Residential	on	Fibro	1	25.75	25.07	25.35
14	diary	Residential	0.5	Weatherboard	1	25.57	22.85	24.90
15	diary	Residential	0.4	Fibro/Weatherboard	1	25.65	24.69	25.07
16	diary	Residential	0.3	PVC Clad	1	25.22	22.56	24.80
17	a diary	Residential	0.5	Fibro/Weatherboard	1	23.95	22.30	24.52
17	diary	Residential	0.5	PVC Clad	1	24.96	24.13	24.42
18	diary	Residential	on	Weatherboard	1	25.07	22.10	24.49
19	diary	Residential	0.7	Aluminium Clad	1	24.25	22.65	24.28
20	diary	Residential	0.4	Weatherboard	1	23.98	20.31	23.75
21	diary	Residential	on	Fibro	1	24.94	24.06	24.20
22	diary	Residential	on	PVC Clad/Hardiplank	1	23.60	20.27	23.74
23	diary	Residential	0.5	Fibro/Weatherboard	1	24.81	24.06	24.15
24	diary	Residential	on	Brick	1	25.12	20.27	23.88
25	diary	Residential	0.5	Fibro/Weatherboard	1	24.51	23.83	23.87
26	diary	Residential	0.5	PVC Clad	1	24.49	19.53	24.27
27	diary	Residential	0.5	Fibro/Weatherboard	1	24.48	23.85	23.98

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
28	diary	Residential	0.5	Weatherboard	1	24.96	19.77	24.36
29	diary	Residential	0.5	Fibro/Weatherboard	1	24.46	23.80	24.02
30	diary	Residential	1	Weatherboard	1	24.67	19.77	24.36
31	diary	Residential	0.5	Aluminium Clad	1	25.40	24.17	25.21
32	diary	Residential	on	PVC Clad/stucco	2/1 (2.2)	1st 26.29	24.10	24.12
33	diary	Residential	0.6	PVC Clad	1	25.55	24.21	25.32
34	a diary	Residential	on	Brick	1	24.94	24.09	24.30
34	diary	Residential	on	Brick	1	24.76	24.06	24.12
35	diary	Residential	0.6	Fibro/Weatherboard	1	25.76	24.32	25.55
36	diary	Residential	0.5	PVC Clad	1	24.98	24.05	24.90
37	diary	Residential	0.6	Fibro/Weatherboard	1	25.99	24.22	25.57
38	a diary	Residential	on	Brick	1	27.10	25.77	26.85
39	diary	Residential	0.5	Weatherboard	1	25.80	24.32	25.63
41	diary	Residential	0.5	PVC Clad	1	25.95	24.36	25.70
43	diary	Residential	0.5	PVC Clad	1	25.98	24.34	25.78
45	diary	"Community ""Church Hall""	on	Brick	1	24.49	23.80	25.52
45	diary	"Community ""Casino Uniting Church""	on	Brick	1	25.00	23.80	25.52
47	diary	Residential	0.5	Weatherboard	1	24.92	23.40	24.79
49	diary	Residential	0.6	Weatherboard	1	24.96	23.29	24.59
51	diary	Residential	0.6	PVC Clad	1	24.32	23.18	24.34
52	diary	Residential	0.6	Fibro/Weatherboard	1	25.91	24.60	25.87
53	diary	Residential	on	Brick	1	24.40	23.05	23.95
54	diary	Residential	0.5	Weatherboard	1	25.04	24.05	25.00
55	diary	Residential	0.5	Fibro/Weatherboard	1	23.95	23.00	23.60
56	diary	Residential	0.5	Fibro/Weatherboard	1	24.68	23.65	24.55
57	diary	Residential	0.4	PVC Clad	1	24.00	22.93	23.47
58	diary	Residential	0.5	Weatherboard	1	24.37	23.10	24.16
59	diary	Residential	0.5	Weatherboard	1	23.69	22.78	23.25
60	diary	Residential	0.5	PVC Clad	1	23.82	22.59	23.53
2	dyraaba	Residential	on	Weatherboard	1	30.28	29.19	30.40
4	dyraaba	Residential	0.8	Hardiplank	1	30.79	29.74	30.75
11	dyraaba	Vacant					22.50	22.90
13	23 dyraaba	"Commercial""C.M.W. Concrete Water Tanks""	on	Hardiplank	1	23.12	22.44	23.80
18	dyraaba	"Community ""Casino Rotary""	on	metal	1	23.67	22.81	23.80
20	dyraaba	Vacant					22.90	23.90
22	dyraaba	Vacant					23.10	24.04
27	dyraaba	"Commercial""Blunt's Bus & Coach""	on	Brick / metal	1	23.76	22.72	24.19
29	dyraaba	Residential	0.5	PVC Clad	1	24.71	23.35	24.63

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
31	dyraaba	Residential	0.5	Fibro/Weatherboard	1	25.29	23.90	24.87
32	dyraaba	"Commercial""Northern Marketing"" Ampol	on	Conc. Block/metal	1	26.49	23.59	26.15
33	dyraaba	Residential	0.3	PVC Clad metal	1	25.44	24.25	25.30
34	dyraaba	"Commercial""Norco Office""	on	Brick	2 & 1	23.20	23.01	24.00
37	dyraaba	Residential	0.3	Weatherboard	1	25.65	24.33	25.27
43	dyraaba	Vacant					24.00	24.33
45	dyraaba	Vacant					23.70	24.03
47	dyraaba	Vacant					23.43	23.73
49	dyraaba	Vacant					23.13	23.13
51	55 dyraaba	"Commercial""Primac Elders""	on	Brick / metal	1	23.54	22.66	23.22
57	65 dyraaba	"Gov ""State Forests of NSW""	on	metal	1	22.80	22.80	22.88
67	dyraaba	Commercial- meat Packing	on	metal	1	22.94	22.50	22.79
69	dyraaba	"Commercial""Ted Wilson Joinery""	on	Conc. Block	1	23.14	22.50	22.70
77	dyraaba	"Commercial""Rural Irrigation supplies""	on	Brick / metal	1	23.39	22.23	23.46
79	dyraaba	"Commercial""Casino Joinery""	on	Fibro metal	1	23.39	22.23	23.86
85	87 dyraaba	"Commercial""Dyraaba meat Packing Co""	on	Brick Weatherboard	1	23.57	22.50	23.64
85	87 dyraaba	"Commercial""Dyraaba meat Packing Co""	on	Conc. Block	1	24.05	22.23	23.86
89	dyraaba	"Commercial""JJ & fE Biggin Automotive	on	metal	1	22.93	22.67	23.31
91	dyraaba	Residential	on	stucco	1	23.29	22.17	23.19
93	dyraaba	Residential	0.6	metal	1	23.00	21.90	22.35
95	dyraaba	Residential	0.3	PVC Clad	1	23.03	22.10	22.29
97	dyraaba	Residential	0.3	PVC Clad	1	23.05	22.10	22.29
105	dyraaba	Vacant					22.03	22.34
109	dyraaba	Residential	0.2	Weatherboard	1	22.65	21.97	22.03
111	dyraaba	Residential	0.2	PVC Clad	1	22.68	21.97	22.06
113	dyraaba	Residential	0.2	Fibro/Weatherboard	1	22.88	22.00	22.04
115	dyraaba	Residential	0.2	Fibro/Weatherboard	1	22.52	22.00	22.05
117	dyraaba	Residential	0.2	Weatherboard	1	22.92	22.21	22.30
119	dyraaba	Residential	0.2	Fibro	1	22.98	22.30	22.40
121	dyraaba	Residential	on	Hardiplank	1	23.03	22.35	22.45
123	dyraaba	Residential	on	Weatherboard	1	23.02	22.26	22.50
125	dyraaba	"Commercial""Casino Engineering""	on	metal	1	22.50	22.26	22.58
139	dyraaba	Residential	0.5	Weatherboard	1	22.81	21.20	22.46
141	dyraaba	Residential	0.5	PVC Clad	1	22.54	20.97	22.36
2	east	Residential	on	Brick	2/2 ()	21.89	21.23	21.29
4	east	Residential	on	Brick	1	21.79	20.86	21.22
6	east	Residential	on	Brick	1	21.54	20.94	21.24
7	east	Residential	on	Brick	1	22.14	21.36	21.70

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
8	east	Residential	on	Brick	1	21.35	20.94	21.26
9	east	Residential	on	Brick	1	22.28	21.54	21.89
11	east	Residential	on	Brick	1	22.03	21.57	21.91
13	east	Residential	on	Brick	1	22.43	21.75	21.97
14	east	Residential	on	Hardiplank	1	22.09	21.45	21.81
15	east	Residential	on	Brick	1	22.65	21.80	22.18
16	18 east	Residential	on	Brick	1	22.25	21.71	22.09
17	east	Residential	on	Brick	1	22.73	21.91	22.10
19	east	Residential	on	Brick	1	22.48	27.00	22.07
21	east	Residential	on	Brick	1	22.36	22.00	22.12
22	east	"Residential ""Dewit Villas""	on	Brick	1	22.68	22.25	22.45
23	a east	Reserve					r	20.74
23	east	Residential	on	Brick	1	22.51	22.10	22.10
24	a east	Residential	on	Brick	2/2 (2.5)	gr 21.18	20.83	22.08
24	east	Residential	0.2	Weatherboard	1	21.87	18.73	21.51
25	a east	Residential	1.8	Weatherboard	1	22.70	20.30	21.80
25	east	Residential	2	Weatherboard	1	22.93	20.74	20.84
26	east	Residential	0.3	Fibro	1	23.30	22.60	22.78
27	east	Residential	0.7	Weatherboard	1	22.10	20.77	21.96
28	east	Residential	0.3	Weatherboard	1	23.02	22.51	22.60
29	east	Residential	0.5	Weatherboard	1	22.99	21.96	22.58
30	east	Residential	0.3	Weatherboard	1	23.02	22.37	22.51
31	east	Residential	0.3	Weatherboard	1	23.30	22.58	22.61
32	east	Residential	0.3	Fibro/Weatherboard	1	22.96	22.22	22.40
33	east	Residential	0.4	Weatherboard	1	23.30	21.52	22.71
34	east	Residential	0.4	Fibro/Weatherboard	1	22.96	21.73	22.30
35	east	Residential	0.3	Hardiplank	1	23.04	22.20	22.52
36	east	Residential	on	Conc. Block	1	22.58	21.23	22.37
37	east	Residential	0.3	PVC Clad	1	22.32	16.50	22.34
38	east	Residential	0.4	Fibro/Weatherboard	1	22.34	21.23	21.96
39	east	Residential	on	Hardiplank	2/1 (2.4)	gr 21.42	16.70	22.02
40	east	Residential	on	Brick	1	22.80	21.92	22.47
41	east	Vacant					17.18	21.90
42	east	Residential	0.5	PVC Clad	1	22.51	21.30	22.35
43	east	Residential	0.3	Weatherboard	1	21.81	18.00	21.71
45	east	Residential	0.3	PVC Clad	1	22.36	21.30	21.88
46	east	Residential	on	Brick	1	21.82	21.37	21.55
47	east	Residential	on	Brick	1	22.99	22.56	22.62

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
48	east	Residential	on	Brick	1	21.71	21.06	21.40
49	east	Residential	0.3	Fibro/Weatherboard	1	23.09	22.33	22.56
50	east	Residential	on	Brick	2/2 (2.6)	gr 21.58	20.86	22.23
51	east	Residential	on	Brick	1	23.13	21.77	22.43
52	east	Residential	0.6	Weatherboard	1	22.92	21.44	22.60
54	east	Residential	0.3	Fibro	1	23.20	22.35	22.60
56	east	Residential	0.3	Hardiplank	1	22.97	22.42	22.56
58	east	"Commercial""Buy Rite Car sales""	1	metal	1	23.61	22.56	22.32
59	east	Residential	0.5	Weatherboard	1	22.49	20.99	22.42
60	east	Residential	0.3	PVC Clad	1	22.80	21.85	22.35
61	east	Residential	0.3	Hardiplank	1	22.78	20.93	22.48
62	east	Residential	0.3	Weatherboard	1	22.82	21.80	22.30
63	east	Residential	0.3	Weatherboard	1	22.84	20.93	22.48
65	east	Residential	0.2	Weatherboard	1	22.94	21.20	22.47
67	east	Residential	0.3	metal	1	22.89	21.50	22.47
69	east	Residential	0.5	Weatherboard	1	23.01	22.00	22.35
5	ecles	Residential	0.3	Weatherboard	1	26.14	24.80	25.98
11	ecles	Residential	on	Brick	1	23.88	23.09	23.79
14	ecles	Residential	on	Brick	1	25.33	24.46	25.79
15	ecles	Residential	0.2	Fibro	1	23.95	22.51	23.56
16	ecles	Residential	on	Brick	1	25.28	24.35	25.28
18	ecles	Residential	0.3	PVC Clad	1	25.29	24.33	25.28
15	ellangowan rd	Rural Residence	on	Conc.Block/Fibro	1	22.94	22.66	22.66
55	ellangowan rd	Rural Residence	on	Brick	1	23.34	22.86	22.86
65	ellangowan rd	Rural Residence	on	Brick	2/2(2.6)	24.74-first floor	22.40	22.40
1	ellis lane	Commercial- vacant building	on	Brick	1	23.54	23.04	23.47
1	farley	Residential	on	Hardiplank	1	23.41	22.61	23.08
3	farley	Residential	on	Hardiplank	1	23.14	22.42	22.76
5	farley	Residential	on	Hardiplank	1	23.03	22.32	22.50
7	farley	Residential	on	Brick	1	22.67	22.22	22.42
8	farley	Residential	on	Brick	1	23.13	22.67	22.74
10	farley	Residential	on	Brick	1	23.16	22.60	22.66
12	farley	Residential	on	Brick	1	23.13	22.54	22.62
14	farley	Residential	on	Brick	1	23.11	22.53	22.62
16	farley	Residential	on	Brick	1	23.07	22.43	22.48
20	farley	Residential	on	Brick	1	23.14	22.47	22.60
22	farley	Residential	on	Brick Hardiplank	2/2 ()	23.18	22.39	22.45
24	farley	Residential	on	Brick	1	23.43	22.39	22.47

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
26	farley	Residential	on	Brick	1	23.41	22.40	22.47
28	farley	Residential	on	Brick	1	23.50	22.39	22.50
30	farley	Residential	on	Brick	1	23.40	22.29	22.45
32	farley	Residential	on	Aluminium Clad	2/1 ()	gr 22.25	22.19	22.72
34	farley	Residential	on	PVC Clad	2/1 (2.2)	gr 22.21	22.19	22.72
36	farley	Residential	1.8	stucco	1	24.31	22.20	22.72
37	farley	Residential	0.3	Weatherboard	1	23.39	22.58	23.12
38	farley	Residential	0.5	Weatherboard	1	23.07	22.16	22.47
39	farley	Residential	0.3	Fibro	1	23.62	22.66	23.12
40	farley	Residential	0.5	Fibro/Weatherboard	1	23.08	22.16	23.78
41	farley	Residential	0.3	Weatherboard	1	23.60	22.74	23.12
42	farley	Residential	0.3	Fibro	1	23.14	22.28	23.80
43	farley	Residential	0.5	Fibro	1	23.58	22.79	23.12
44	farley	Residential	0.3	Weatherboard	1	24.00	23.01	23.94
45	farley	Residential	0.5	Weatherboard	1	23.54	22.83	23.01
46	farley	Residential	on	Brick	1	24.33	23.31	24.44
47	farley	Residential	0.4	Weatherboard	1	23.50	22.93	23.02
48	farley	Residential	0.6	Fibro metal	1	24.49	23.48	24.21
49	farley	Residential	0.4	Weatherboard	1	23.46	22.87	23.02
50	farley	Residential	0.5	Weatherboard	1	24.45	23.47	24.54
51	farley	Residential	0.3	Weatherboard	1	23.38	22.92	22.84
52	farley	Residential	0.6	Weatherboard	1	24.41	23.37	23.90
53	farley	Residential	0.3	Weatherboard	1	23.40	22.92	22.81
54	farley	Residential	0.5	PVC Clad	1	24.05	23.26	23.70
55	farley	Residential	on	Weatherboard	1	23.11	22.50	22.71
56	farley	Residential	0.3	Weatherboard	1	23.91	22.99	23.83
57	farley	Residential	0.3	PVC Clad	1	23.02	22.50	22.55
58	farley	Residential	0.3	Fibro	1	23.55	22.84	23.50
59	farley	Residential	0.2	PVC Clad	1	23.03	22.29	22.55
60	farley	Residential	0.3	metal	1	23.43	22.60	23.06
61	farley	Residential	0.3	Weatherboard	1	23.09	22.25	22.47
62	farley	Residential	0.3	Weatherboard	1	23.52	22.70	22.79
63	farley	Residential	0.3	metal	1	23.27	22.25	22.43
64	farley	Residential	on	Weatherboard	1	23.28	22.47	22.56
65	farley	Residential	0.3	Fibro/Weatherboard	1	23.14	22.22	22.41
66	farley	Residential	0.3	Weatherboard	1	23.21	22.45	22.47
67	farley	Residential	0.3	Fibro/Weatherboard	1	23.14	22.22	22.43
68	farley	Residential	on	Brick	1	23.15	22.41	22.50

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
69	farley	Residential	0.3	Weatherboard	1	23.16	22.23	22.43
70	farley	Residential	0.3	Weatherboard	1	23.19	22.38	22.50
71	farley	Residential	0.3	Weatherboard	1	22.94	22.28	22.40
72	farley	Residential	0.3	Fibro	1	22.97	22.35	22.38
73	farley	Residential	on	Brick	1	22.78	22.19	22.60
74	farley	"Commercial""Brian Denson smash Repairs"" "	0.3	Fibro	1	22.97	22.35	22.38
75	farley	Residential	on	PVC Clad	1	23.12	22.19	22.67
76	farley	Residential	on	PVC Clad	1	23.14	22.35	22.39
77	farley	Residential	on	Brick	1	22.84	22.28	22.68
78	a farley	Residential	on	Weatherboard	1	22.88	22.30	22.40
78	farley	"Commercial""Connolly Key Joint""	on	Fibro/Brick/metal	1	office 22.79	22.29	22.40
79	farley	Residential	0.2	Brick/PVC Clad	1	22.81	22.18	22.39
80	farley	Residential	0.3	PVC Clad	1	22.90	22.21	22.37
81	farley	Residential	0.2	Fibro/Weatherboard	1	22.85	22.22	22.39
82	farley	Residential	0.3	Weatherboard	1	22.80	22.20	22.37
83	farley	Residential	0.2	Weatherboard	1	22.88	22.95	22.47
84	farley	Residential	0.3	metal	1	22.85	22.20	22.21
85	farley	Residential	0.3	Hardiplank	1	22.90	20.90	22.52
86	farley	Residential	0.2	Fibro/Weatherboard	1	22.86	22.18	22.30
87	farley	Residential	0.3	Weatherboard	1	22.91	20.85	22.52
88	farley	Residential	0.2	metal	1	22.63	22.15	22.30
89	farley	Residential	0.3	Weatherboard	1	22.86	20.81	22.51
90	b farley	Residential	on	Brick	1	22.64	22.18	22.27
90	farley	Residential	0.2	Brick / metal	1	22.65	22.04	22.30
91	farley	Residential	0.5	Weatherboard	1	22.75	20.80	22.39
92	farley	Residential	0.3	PVC Clad	1	22.78	22.18	22.33
93	farley	Residential	0.5	Weatherboard	1	22.64	20.78	22.29
94	farley	Residential	0.3	Hardiplank	1	22.94	22.20	22.33
95	farley	Residential	0.5	Weatherboard	1	22.41	20.64	22.29
96	farley	Residential	0.3	Weatherboard	1	22.83	22.20	22.43
98	farley	Residential	0.3	Weatherboard	1	23.01	22.23	22.43
100	farley	Residential	0.3	Weatherboard	1	23.05	22.25	22.42
102	farley	Residential	on	Hardiplank	1	22.78	22.30	22.50
104	farley	Residential	0.3	Fibro	1	22.91	22.35	22.50
106	farley	Residential	0.3	Weatherboard	1	22.88	22.40	22.59
108	farley	Residential	0.3	Weatherboard	1	22.98	22.42	22.59
2	farm pl	Vacant				28.87	27.83	27.89
3	farm pl	Vacant					27.83	27.86

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
4	farm pl	Residential	on	Brick	1	28.42	25.02	28.11
5	farm pl	Residential		brick		28.83	25.02	27.94
6	farm pl	Vacant					27.83	27.86
7	farm pl	Vacant					27.83	27.89
5	fea pl	Residential	on	Brick	1	31.60	26.02	31.45
6	fea pl	Residential	on	Brick	1	30.21	26.02	31.15
7	fea pl	Residential	on	Brick	1	31.27	27.02	32.93
14	fergusson	Residential	on	Brick	1	27.97	25.62	26.64
15	fergusson	Residential	0.3	Weatherboard	1	27.16	26.03	27.03
16	a fergusson	Residential	2.53	Weatherboard	1	29.06	26.00	27.30
16	fergusson	Residential	0.6	Fibro	1	27.84	26.50	27.24
17	fergusson	Residential	0.5	Fibro/Weatherboard	1	27.40	25.88	27.16
18	fergusson	Vacant					26.30	27.39
19	fergusson	Residential	0.5	PVC Clad	1	27.35	25.97	27.41
20	fergusson	Residential	on	Brick	1	28.45	26.64	27.78
21	fergusson	Residential	on	Brick	1	27.80	26.00	27.82
22	fergusson	Residential	on	PVC Clad	1	28.76	26.82	28.21
23	fergusson	Residential	on	Brick	1	29.12	27.42	28.81
24	fergusson	Residential	on	PVC Clad	1	29.00	27.04	28.55
25	fergusson	Residential	on	Brick	1	29.27	27.53	29.18
26	fergusson	Residential	on	Brick	1	29.27	27.18	28.82
27	fergusson	Residential	0.6	Fibro	1	29.54	27.65	29.26
28	a fergusson	Residential	on	Brick/Weatherboard	2/1 (2.4)	gr 28.16	27.38	28.91
28	fergusson	Residential	0.3	Weatherboard	1	29.68	28.60	29.23
29	fergusson	Residential	0.6	Fibro	1	29.86	27.76	29.41
30	fergusson	Residential	0.6	Fibro	1	29.70	27.59	29.27
31	fergusson	Residential	0.5	Weatherboard	1	30.06	29.41	29.96
32	fergusson	Residential	on	Weatherboard	1	29.70	27.79	29.27
33	fergusson	Residential	on	Brick	1	30.45	29.64	29.96
34	fergusson	Residential	0.6	Fibro	1	29.56	27.99	29.17
35	fergusson	Residential	0.5	PVC Clad	1	30.89	29.96	30.33
36	fergusson	Residential	on	Brick	1	26.67	28.05	29.42
38	fergusson	Residential	on	Fibro	1	30.91	29.50	30.96
40	fergusson	Residential	2	Fibro/Weatherboard	1	31.31	28.18	29.83
51	fergusson	Residential	0.7	Fibro/Weatherboard	1	30.46	28.53	30.08
53	fergusson	Residential	1.5	Weatherboard	1	31.36	28.37	30.04
55	fergusson	Residential	0.7	Fibro/Weatherboard	1	30.40	28.15	30.00
57	fergusson	Residential	0.7	PVC Clad/metal	1	30.18	28.04	29.85

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
59	fergusson	Residential	on	Brick/Immitation Brick	1	29.74	27.97	29.59
61	fergusson	Residential	0.4	PVC Clad	1	29.66	27.90	29.60
63	fergusson	Residential	0.8	Weatherboard	1	29.79	27.84	29.54
15	figtree drive	Residential	on	Brick	1	30.66	26.78	31.91
17	figtree drive	Residential	on	Brick	1	28.60	26.00	30.19
18	figtree drive	Residential	on	Brick	1	30.56	29.65	32.26
19	figtree drive	Residential	on	Brick	1	28.67	26.30	29.06
20	figtree drive	Residential	on	Brick	1	30.63	29.15	31.65
21	figtree drive	Residential	on	Brick	1	27.90	26.10	28.64
22	figtree drive	Residential	on	Brick	1	30.16	29.15	31.45
23	figtree drive	Residential	on	Brick	2/2 (2.7)	gr 28.20	25.90	28.52
24	a figtree drive	Residential	on	Brick	1	30.12	29.67	31.00
24	figtree drive	Residential	on	Brick	2/2 (2.7)	gr 31.38	29.67	31.90
25	figtree drive	Residential	on	Brick	1	28.06	25.73	29.46
27	figtree drive	Residential	on	Brick	1	28.36	26.48	28.48
29	figtree drive	Residential	on	Brick	1	28.84	26.18	29.30
31	figtree drive	Residential	on	Brick	1	31.18	29.28	31.29
32	figtree drive	Residential	on	Brick	1	32.22	30.49	32.44
34	figtree drive	Residential	on	Brick	1	30.28	27.97	30.49
41	figtree drive	Residential	on	Brick	1	30.79	28.51	31.24
2	first ave	"Commercial""Breen's furnishings""	on	metal	1	21.62	21.10	21.48
3	first ave	"Commercial""Teeling Recycling Centre""	on	metal	1	21.82	21.10	21.80
4	first ave	"Commercial""Viel & santin Transport""	on	metal	1	21.56	21.10	21.50
3	foy	Vacant					21.80	22.13
4	foy	Residential	1.3	Brick Hardiplank	1	23.33	21.58	21.74
5	foy	Vacant					21.76	22.13
8	foy	"Commercial""Mariani Foods""	on	Brick / metal	1	22.69	r	22.31
10	foy	Vacant					21.75	21.88
12	foy	Residential	on	Brick	1	22.11	21.60	21.90
13	foy	Residential	0.8	Brick	1	22.47	21.60	21.75
14	foy	Residential	on	Brick	1	22.16	21.60	21.90
15	foy	Residential	0.3	Fibro	1	22.35	21.62	21.75
16	foy	Vacant					21.45	22.00
1	frances	Residential	on	Brick	1	23.12	22.35	22.50
2	frances	Residential	on	Brick	1	23.01	22.20	22.35
3	frances	Residential	on	Brick	1	22.75	22.21	22.50
4	frances	Residential	on	Brick	1	23.02	22.22	22.42
5	frances	Residential	on	Brick	1	22.61	22.21	22.40

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
6	frances	Residential	on	Brick	1	22.61	22.22	22.40
7	frances	Residential	on	Brick	1	22.74	22.29	22.40
8	frances	Residential	on	Brick	1	22.61	22.26	22.30
9	frances	Residential	on	Brick	1	22.98	22.29	22.50
11	frances	Residential	on	Brick	1	22.96	22.25	22.54
13	frances	Residential	on	Brick	1	22.72	22.31	22.50
15	frances	Residential	on	Brick	1	22.70	22.31	22.50
16	frances	Residential	on	Brick	1	22.57	22.08	22.37
17	frances	Residential	on	Brick	1	22.64	22.30	22.40
18	frances	Residential	on	Brick	1	22.65	22.08	22.40
19	frances	Residential	on	Brick	1	22.62	22.20	22.40
20	frances	Residential	on	Brick	1	22.62	22.05	22.40
21	frances	Residential - shed	on	metal	1	22.31	22.20	22.25
22	frances	Residential	on	Brick	1	22.51	21.96	22.30
23	frances	Residential	on	Brick	1	22.83	22.20	22.50
24	frances	Residential	on	Brick	1	22.64	21.96	22.40
25	frances	Residential	on	Brick	1	22.89	22.29	22.60
26	frances	Residential	on	Brick	1	22.53	21.97	22.33
27	frances	Residential	on	Brick	1	22.90	22.15	22.67
28	frances	Residential	on	Brick	1	22.59	22.08	22.39
29	frances	Vacant					22.09	22.20
30	frances	Residential	on	Brick	1	22.51	22.16	22.31
31	unit 1 frances	Residential				22.92		
31	unit 2 frances	Residential				22.87		
31	frances	Vacant					22.09	22.13
32	frances	Residential	on	Brick	1	22.59	22.14	22.39
34	frances	Residential	on	Brick	1	22.55	22.11	22.30
35	unit 1 frances	Residential				22.89		
35	unit 2 frances	Residential				22.87		
36	frances	Residential	on	Brick	1	22.56	21.70	22.37
39	unit 1 frances	Residential				22.87		
39	unit 2 frances	Residential				22.87		
43	frances	Vacant					21.88	22.74
45	frances	Vacant					21.99	22.60
47	frances	Residential	on	Brick	1	22.64	22.07	22.33
49	frances	Residential	on	Brick	1	22.60	21.87	22.40
2	gilby	Residential		0.4 PVC Clad	1	23.75	20.52	24.34
4	gilby	Residential		0.5 Fibro	1	23.53	20.11	23.58

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
6	gilby	Residential	on	stucco	1	23.37	19.70	23.29
8	gilby	Residential	1	Weatherboard	1	23.36	19.29	23.16
10	gilby	Residential	on	Weatherboard	1	24.22	18.88	23.22
12	gilby	Vacant					18.88	23.21
1	gitana	Residential	on	Brick/Weatherboard	1	25.77	25.26	25.50
2	a gitana	Residential	0.7	Weatherboard	1	25.59	23.98	25.83
2	gitana	Residential	2.5	Weatherboard	1	27.91	24.40	25.83
3	gitana	Residential	on	Brick	1	25.56	25.24	25.43
4	a gitana	Residential	on	Brick	2/1 (2.7)	1st 28.64	23.98	25.88
4	gitana	Residential	on	Brick	1	26.05	25.60	25.73
5	gitana	Residential	0.5	Weatherboard	1	26.43	25.15	25.47
6	gitana	Residential	0.5	Weatherboard	1	26.18	25.35	25.88
7	gitana	Residential	on	stucco	1	25.82	25.17	25.73
8	gitana	Residential	on	Brick	1	25.93	25.19	25.30
9	gitana	Residential	on	Brick	1	25.90	25.49	25.73
10	gitana	Residential	on	Brick/Hardiplank	2/1 (2.7)	1st 28.06	25.19	25.23
11	gitana	"Community ""The Cedars Nursing Home""	on	Brick	1	30.02	28.73	30.51
14	gitana	Residential	on	Brick	1	26.17	25.22	25.36
16	gitana	Residential	on	Brick	1	26.32	25.72	25.41
18	gitana	Residential	on	Brick	1	25.98	25.28	25.49
1	graham pl	"Community ""Richmond Upper Clarence Library"	on	brick	1	23.93	23.38	23.69
2	graham pl	Community - vacant building		Brick			23.50	
2	graham pl	Community - vacant building	on	Brick	1	23.72	23.50	23.70
3	graham pl	Community - carpark					23.10	23.38
4	graham pl	Gov -shed vacant	0.5	metal	1	23.70	22.80	23.20
6	graham pl	Gov -shed vacant	on	metal	1	23.24	22.89	23.20
1	gray	Residential	on	Hardiplank	1	29.99	28.71	29.80
2	gray	Residential	0.8	PVC Clad	1	28.76	27.26	27.97
4	gray	Residential	0.8	PVC Clad	1	29.23	27.97	28.46
6	gray	Residential	0.8	Weatherboard	1	30.12	28.46	29.15
8	gray	Residential	0.8	Weatherboard	1	30.79	29.15	30.16
40	a grays ln	Rural Residence	on	Weatherboard	1	21.77	22.10	22.10
40	b grays ln	Rural Residence	on	Weatherboard	1	22.46	22.10	22.10
40	grays ln	Rural Residence	0.5	Metal	1	22.74	22.10	22.10
2	hammond pl	Vacant					22.13	22.27
3	hammond pl	Residential	on	Brick	1	22.73	22.17	22.32
54	hare	Vacant					25.62	25.97
55	hare	Residential	on	Weatherboard	1	26.59	25.90	26.22

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
56	hare	Residential	0.5	Weatherboard	1	26.39	25.55	25.98
57	hare	Residential	0.3	PVC Clad / Weatherboard	1	26.77	26.16	26.22
58	60 hare	"Commercial ""Shell Petrol & Caravan Park""	on	Fibro/stucco	1	26.05	25.40	26.00
59	hare	Residential	on	Weatherboard	1	27.04	26.16	26.48
61	hare	Residential	on	PVC Clad	1	26.98	26.33	26.58
62	hare	Residential	0.5	Weatherboard	1	26.54	25.45	25.92
63	hare	Residential	0.3	PVC Clad	1	27.08	26.48	26.75
64	hare	Residential	0.5	Weatherboard	1	26.63	25.55	26.04
65	hare	Residential	on	PVC Clad	1	27.22	26.57	27.01
66	hare	Residential	on	Weatherboard	1	26.69	25.85	26.13
67	hare	Residential	on	PVC Clad	1	27.42	26.75	27.30
68	a hare	Residential	on	Brick	1	26.95	26.54	26.79
68	hare	Residential	0.5	PVC Clad	1	27.43	26.04	26.77
69	hare	Residential	on	Aluminium Clad	1	27.64	26.86	27.60
70	hare	Residential	on	Weatherboard	1	27.18	26.04	26.80
71	hare	Residential	0.4	Fibro/Weatherboard	1	28.06	27.05	27.95
72	hare	Residential	on	Weatherboard	1	27.24	26.17	26.94
73	hare	Residential	on	Immitation Brick	1	28.45	27.19	28.25
74	hare	Residential	on	Weatherboard	1	27.38	25.33	27.06
75	hare	Residential	0.5	Weatherboard	1	28.56	27.49	28.58
76	hare	Residential	0.5	PVC Clad	1	27.10	25.33	26.94
77	hare	Residential	on	Brick	2/2 (2.8)	28.67	27.92	28.70
78	hare	Residential	on	Weatherboard	1	26.93	24.23	26.83
79	hare	Residential	0.6	PVC Clad	1	28.91	27.67	28.54
80	hare	Residential	1	PVC Clad	1	26.49	24.23	26.42
82	hare	Residential	on	stucco	1	27.03	25.83	27.13
84	hare	Residential	1.8	Hardiplank	1	28.89	25.32	28.06
86	hare	Residential	on	Weatherboard	1	29.05	25.90	28.92
88	hare	Vacant					25.95	29.06
90	hare	Residential	1.5	Weatherboard	1	28.90	26.04	29.19
92	hare	Residential	on	Brick	1	29.10	26.14	29.48
138	hare	Residential	0.6	Fibro	1	23.65	22.42	23.62
140	hare	Residential	0.8	Fibro	1	23.28	22.10	23.22
142	a hare	Vacant					21.02	21.38
142	hare	Residential	on	PVC Clad	1	22.91	22.00	22.80
144	hare	Residential	on	Weatherboard	1	21.55	21.01	21.15
146	hare	Residential	on	Brick	1	21.83	20.95	21.17
148	hare	Residential	on	Brick	1	21.91	20.91	21.26

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
150	hare	Residential	on	Brick	1	21.77	20.90	21.24
152	hare	Residential	on	Brick	1	21.42	20.88	21.25
154	hare	Residential	on	Brick	1	21.63	20.88	21.26
156	hare	Residential	on	Brick	1	21.52	20.87	21.27
158	hare	Residential	on	Brick	1	21.75	20.91	21.23
160	hare	Residential	on	Conc. Block	1	21.80	21.01	21.19
11	hartley	Residential	0.5	PVC Clad	1	24.60	22.52	23.84
13	hartley	Residential	on	Aluminium Clad	1	24.25	23.68	23.84
15	hartley	Residential	on	Brick	1	23.42	22.96	23.01
17	hartley	Residential	0.5	Weatherboard	1	23.56	22.60	22.94
19	hartley	Residential	0.5	Weatherboard	1	23.52	22.57	22.78
21	hartley	Residential	on	Brick	2/2 (2.7)	22.94	22.45	22.82
23	hartley	Residential	on	Brick	1	23.01	22.35	22.60
25	a hartley	Residential	on	Brick	1	22.76	22.35	22.54
25	hartley	Residential	on	Brick	1	22.64	22.56	22.45
27	hartley	Residential	on	Brick	1	22.90	22.28	22.40
29	hartley	Residential	on	Brick	1	22.77	22.20	22.32
31	hartley	Residential	0.2	Weatherboard	1	22.75	22.10	22.31
33	hartley	Residential	on	Brick	1	22.74	21.98	22.10
35	hartley	Residential	on	Brick	2/2 (2.7)	22.14	21.92	22.06
37	hartley	Residential	on	Brick	2/2 (2.6)	22.24	21.76	21.95
39	hartley	Residential	on	Brick	1	22.22	21.76	21.81
41	43 hartley	"Residential ""Kristel Court""	on	Brick Veneer	1	21.81	21.43	21.76
45	hartley	Residential	0.4	Fibro	1	22.09	21.23	21.44
47	hartley	Residential	0.4	Weatherboard/Fibro	1	21.71	20.98	21.46
49	hartley	Residential	0.4	Weatherboard	1	21.63	20.92	21.28
51	53 hartley	Residential	on	Brick Veneer	1	21.61	21.15	21.30
51	53 hartley	Residential			1		21.10	21.17
55	hartley	Residential	on	Brick	1	21.43	21.17	21.18
130	hartley	Rural Residence	0.5	Weatherboard	1	22.74	22.11	22.11
4	hickey	Vacant					22.18	24.67
6	hickey	Vacant					22.39	25.02
7	a Hickey					22.64		
7	hickey					22.78		
8	hickey	Vacant					22.60	25.37
10	hickey	Vacant					22.81	25.72
37	hickey	Residential	0.3	Weatherboard	1	23.78	22.54	23.75
39	a hickey	Residential	0.5	Weatherboard	1	23.20	22.45	23.79

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
39	b hickey	"Community ""Casino Presbyterian Church""	on	Brick	1	24.78	22.30	23.64
39	hickey	Residential	0.3	Weatherboard	1	24.24	22.51	23.75
40	hickey	Residential	0.3	Weatherboard	1	24.52	23.56	23.83
41	hickey	Residential	0.5	Fibro	1	24.26	23.36	23.62
42	hickey	Residential	0.3	Weatherboard	1	24.56	23.33	23.66
43	hickey	Community - fire station	on	Brick	2/2 ()	gr 23.45	23.22	23.36
44	hickey	Residential	0.4	PVC Clad	1	24.28	23.25	23.66
45	hickey	Residential	0.5	Fibro	1	23.76	22.95	23.22
46	hickey	"Gov ""Centrelink""	on	Brick	1	23.61	23.12	23.60
46	hickey	"Gov ""Centrelink""						
47	a hickey	Residential	on	Brick	1	23.55	22.88	22.95
47	hickey	Residential	on	Brick	1	23.23	22.88	22.95
48	hickey	Residential	0.3	Fibro/Weatherboard	1	23.81	23.23	23.39
49	hickey	Residential	0.5	Weatherboard	1	23.65	22.79	22.89
50	hickey	Residential	0.3	Fibro/Weatherboard	1	23.87	23.06	23.23
51	hickey	Residential	0.5	Weatherboard	1	23.19	22.60	22.87
52	hickey	Residential	on	Brick	1	23.48	22.88	23.06
53	hickey	Residential	0.3	Immitation Brick	1	23.24	22.56	22.70
54	hickey	Residential	0.3	Weatherboard	1	23.52	22.85	23.90
55	hickey	Residential	0.3	PVC Clad	1	23.07	22.56	22.70
56	hickey	Residential	0.3	Weatherboard	1	23.39	22.75	22.85
57	hickey	Residential	0.3	PVC Clad	1	23.14	22.54	22.68
58	hickey	Residential	0.3	PVC Clad	1	23.25	22.55	22.75
59	hickey	Residential	0.3	PVC Clad	1	23.19	22.51	22.65
60	hickey	Residential	0.3	Weatherboard	1	23.33	22.50	22.55
61	hickey	Residential	0.3	Weatherboard	1	23.20	22.48	22.60
62	hickey	Residential	0.3	Fibro/Weatherboard	1	23.29	22.48	22.67
63	hickey	Residential	0.3	Fibro/Weatherboard	1	23.04	22.48	22.55
64	hickey	Residential	0.3	stucco	1	23.22	22.46	22.67
65	hickey	Residential	0.5	Weatherboard	1	23.25	22.41	22.50
66	hickey	Residential	0.3	metal	1	23.31	22.52	22.57
67	hickey	Residential	0.3	Weatherboard	1	23.19	22.40	22.51
68	hickey	Residential	0.3	Weatherboard	1	23.11	22.52	22.57
69	hickey	Residential	0.3	Weatherboard	1	23.13	22.44	22.53
70	hickey	Residential	0.3	Weatherboard	1	23.16	22.52	22.56
71	hickey	Residential	0.3	Weatherboard	1	23.02	22.44	22.53
72	hickey	Residential	0.5	Weatherboard	1	23.47	22.49	22.55
73	hickey	Residential	0.3	Fibro	1	23.01	22.45	22.55

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
74	hickey	Residential	0.5	stucco	1	23.26	22.49	22.77
75	hickey	Residential	0.5	metal	1	23.30	22.55	22.60
76	hickey	Residential	0.5	Weatherboard	1	23.28	22.49	22.88
77	hickey	Residential	0.6	Weatherboard	1	23.59	22.50	22.64
78	hickey	Residential	0.6	metal	1	23.47	22.40	22.88
79	hickey	Residential	0.6	Weatherboard	1	23.67	22.55	22.70
80	hickey	Residential	0.5	Weatherboard	1	23.29	22.05	22.38
81	hickey	Residential	0.7	Weatherboard	1	23.67	22.55	22.70
82	hickey	Commercial	0.3	Fibro	1	21.85	21.07	21.56
82	hickey	Residential	0.3	Weatherboard	1	21.75	21.07	21.56
83	hickey	Residential	0.5	Weatherboard	1	23.67	22.60	22.70
84	hickey	Residential	0.3	Fibro	1	22.89	21.93	22.21
85	hickey	Residential	on	Brick	1	22.09	20.94	21.40
85	hickey	Residential						
86	hickey	Residential	0.3	Weatherboard	1	22.93	22.20	22.25
87	hickey	Residential	0.3	Weatherboard	1	22.21	21.05	21.51
88	hickey	Residential	0.4	Weatherboard	1	22.81	22.07	22.22
89	hickey	Residential	0.3	Fibro/Weatherboard	1	22.63	21.51	22.28
90	hickey	Residential	2.2	Weatherboard	1	24.43	22.07	22.13
91	hickey	Residential	on	Fibro	1	22.93	22.28	22.42
92	hickey	Residential	0.3	Weatherboard	1	22.64	22.07	22.10
93	hickey	Residential	0.3	Weatherboard	1	22.67	21.96	22.06
94	hickey	Residential	0.2	PVC Clad	1	22.71	22.07	22.12
95	hickey	Residential	on	Brick	1	22.49	21.96	22.18
97	hickey	Commercial- shed	on	metal	1	22.27	21.96	22.05
99	hickey	Residential	0.3	Fibro/Weatherboard	1	22.45	21.87	22.03
101	hickey	Residential	0.3	Weatherboard	1	22.62	21.90	22.07
103	hickey	Residential	0.4	Weatherboard	1	22.62	21.86	22.14
12	high	Residential	0.5	Weatherboard	1	30.35	29.22	29.55
14	high	Residential	0.5	Fibro	1	30.27	28.63	29.86
16	high	Residential	0.6	Weatherboard	1	30.09	27.20	29.71
18	high	Residential	on	Weatherboard	1	29.79	27.90	29.50
20	high	Residential	on	Weatherboard	1	29.44	27.76	29.27
21	high	Residential	on	Brick	1	30.10	29.15	29.76
22	high	Residential	on	Conc.Brick	1	29.05	27.65	29.04
23	high	Residential	0.4	Weatherboard	1	29.83	29.30	29.54
24	high	Residential	on	PVC Clad	1	28.98	27.54	28.77
25	high	Residential	0.2	Fibro	1	29.75	29.30	29.30

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
26	high	Residential	on	Brick	1	29.15	27.43	28.75
27	high	Residential	on	Brick	1	29.78	29.35	29.17
28	high	Residential	0.5	Weatherboard	1	28.95	27.50	28.66
29	high	Residential	on	Weatherboard/stucco	1	29.86	29.16	29.42
30	high	Residential	on	Brick	1	29.21	27.57	28.80
31	high	Residential	on	Weatherboard	1	31.50	30.02	31.85
32	high	Residential	on	Brick	1	29.15	27.64	28.94
33	high	Residential	0.7	PVC Clad	1	32.01	30.56	31.97
34	high	Residential	0.5	Fibro/Weatherboard	1	29.19	27.70	28.94
36	high	Residential	on	Fibro	1	29.30	27.70	28.94
38	high	Residential	0.5	Weatherboard	1	29.44	27.69	29.02
40	high	Residential	0.5	Weatherboard	1	29.38	27.68	28.98
42	high	Residential	0.5	Weatherboard	1	29.27	27.67	28.89
60	high	"Community ""Jumbunna Community Pre-school""	on	Brick	1	28.51	27.00	28.89
62	high	Vacant					27.25	29.36
64	high	Vacant					27.51	29.83
66	high	Vacant					27.78	30.29
68	high	Vacant					28.05	30.76
70	high	Vacant					28.31	31.23
72	high	Vacant					28.58	31.70
74	high	Vacant					28.84	32.17
76	high	Vacant					29.11	32.32
78	high	Vacant					29.37	32.48
80	high	Vacant					29.64	32.64
82	high	Residential	on	Conc. Block	1	32.64	29.90	32.98
180	horsehoe lagoon rd	Rural Residence	on	Brick	1	22.36	22.10	22.10
200	horsehoe lagoon rd	Rural-Shed	on	Metal	1	22.71	22.58	22.58
240	horsehoe lagoon rd	Rural Residence	on	Brick	1	21.86	21.61	21.61
265	horsehoe lagoon rd	Rural Residence	on	Brick	2/2(2.4)	20.61	20.59	20.59
280	horsehoe lagoon rd	Rural Residence	on	Brick	1	22.10	21.27	21.27
285	horsehoe lagoon rd	Rural Residence	on	Brick	1	21.50	20.96	20.96
2	hotham	Rural Residence	0.5	Weatherboard	1	26.31	25.63	25.63
17	hotham	Residential	0.5	Fibro	1	25.76	24.40	25.31
19	hotham	Residential	0.5	Fibro	1	26.05	25.33	25.87
20	hotham	Residential	0.3	Weatherboard	1	25.55	24.79	25.05
21	hotham	Residential	0.5	Fibro/Weatherboard	1	26.51	25.55	26.29
22	hotham	Residential	0.5	Fibro/Weatherboard	1	25.52	24.79	25.00
23	hotham	Residential	0.5	PVC Clad	1	26.82	25.87	26.86

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
24	hotham	Residential	0.5	PVC Clad	1	25.52	24.73	24.98
25	hotham	Residential	0.7	PVC Clad	1	29.41	28.15	28.30
26	hotham	Residential	on	Weatherboard	1	25.78	24.95	25.52
28	hotham	Residential	on	Fibro	1	26.14	25.39	26.03
30	a hotham	Residential	0.3	Fibro	1	28.71	27.64	28.14
30	hotham	Residential	0.3	Weatherboard	1	28.72	27.57	28.14
32	hotham	Residential	0.3	Weatherboard	1	28.77	27.71	28.10
34	hotham	Residential	0.3	Fibro/Weatherboard	1	28.55	27.89	28.06
36	hotham	Residential	0.4	Fibro/Weatherboard	1	28.55	27.88	28.06
37	hotham	Residential	on	Brick	2/2 ()	gr 24.51	24.09	24.37
38	hotham	Residential	0.5	Fibro/Weatherboard	1	28.38	27.65	27.88
39	hotham	Residential	on	Brick	1	24.48	23.79	24.19
40	hotham	Residential	0.3	Weatherboard	1	27.98	27.19	27.49
41	hotham	Residential	0.5	Weatherboard	1	24.37	23.50	23.97
42	hotham	Residential	0.3	Fibro/Weatherboard	1	27.87	26.90	27.19
43	hotham	Residential	on	Weatherboard	1	24.19	23.02	23.82
44	hotham	Residential	0.3	Weatherboard	1	27.30	26.52	26.90
45	hotham	Residential	0.5	Fibro/Weatherboard	1	23.86	22.80	23.68
46	hotham	Residential	0.3	Weatherboard	1	27.18	26.37	26.52
47	hotham	Residential	0.5	Fibro/Weatherboard	1	24.06	22.80	23.68
48	hotham	Residential	0.3	Weatherboard	1	26.85	25.95	26.37
49	hotham	Residential	0.5	Weatherboard	1	24.05	22.75	23.76
50	a hotham	"Community ""Casino & District Memorial Hospital""	on	Brick	2	lowest 26.66	24.85	31.00
50	hotham	Residential	0.3	Weatherboard	1	26.54	25.66	25.95
51	hotham	Residential	0.6	Weatherboard	1	24.01	22.80	23.80
52	hotham	Residential	0.5	Fibro	1	26.21	25.24	26.36
53	hotham	"Commercial""Newsagent""	0.4	Fibro/Brick/Weatherboard	1	24.58	23.20	24.60
54	hotham	Residential	0.6	Fibro/Weatherboard	1	26.67	25.37	26.61
56	hotham	Residential	0.6	PVC Clad	1	26.95	25.65	27.70
57	hotham	Residential	0.6	Fibro	1	24.99	23.29	23.29
58	hotham	Residential	0.6	Fibro/Weatherboard	1	27.21	25.98	27.90
59	hotham	Residential	on	Brick	1	25.08	23.50	25.26
60	hotham	Residential	0.5	Fibro/Weatherboard	1	27.44	26.30	28.10
61	hotham	Residential	0.5	Weatherboard	1	26.02	24.30	25.74
62	hotham	Residential	0.5	Weatherboard	1	27.81	26.53	28.20
63	hotham	Residential	on	Brick	1	26.56	25.50	26.94
65	hotham	Residential	on	Brick	1	27.52	26.20	27.33
86	hotham	"Community ""Casino West Public School""	on	Brick/Weatherboard	1	28.48	25.28	29.40

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
3	irving dr	Vacant					21.36	21.49
5	irving dr	Vacant					21.36	21.49
4	jersey	Residential	0.3	Weatherboard	1	22.68	22.17	22.20
6	jersey	Residential	0.3	PVC Clad	1	22.68	22.07	22.17
10	a jersey	Residential	on	Brick	1	22.82	22.35	22.40
10	jersey	Residential	on	Brick	1	23.16	22.35	22.40
12	jersey	Residential	on	Brick	1	23.24	22.34	22.50
14	jersey	Residential	on	Brick	1	23.32	22.45	22.60
16	jersey	Residential	on	Hardiplank	1	22.89	22.40	22.51
18	jersey	Residential	on	Weatherboard	1	22.83	22.35	22.45
1	johnston	Residential	0.3	Weatherboard	1	23.22	22.29	22.68
2	johnston	Residential/takeaway	0.3	Fibro/Weatherboard	1	22.96	22.35	22.45
3	johnston	Residential	0.3	Fibro/Weatherboard	1	23.54	22.68	22.95
4	johnston	Residential	0.3	Weatherboard	1	23.28	22.58	22.78
5	johnston	Residential	0.3	Weatherboard	1	23.71	22.80	23.10
6	johnston	Residential	0.3	Weatherboard	1	23.44	22.66	22.93
7	johnston	Residential	0.3	Weatherboard	1	23.71	23.10	23.39
8	johnston	Residential	0.3	Weatherboard	1	23.63	22.74	22.98
9	johnston	Residential	0.3	PVC Clad	1	23.96	23.17	23.39
10	johnston	Residential	0.3	Weatherboard	1	23.65	22.79	23.02
11	johnston	Residential	on	Brick	1	23.78	23.27	23.35
12	johnston	Residential	0.3	Weatherboard	1	23.69	22.83	23.02
13	johnston	Residential	0.3	PVC Clad	1	23.80	23.23	23.26
14	johnston	Residential	0.3	Weatherboard	1	23.70	22.97	23.06
15	johnston	Residential	0.3	Weatherboard	1	23.81	23.17	23.22
16	johnston	Residential	0.3	Weatherboard	1	23.71	22.84	23.09
17	johnston	Residential	0.3	Hardiplank	1	23.69	23.11	23.22
18	johnston	Residential	on	Brick	1	23.72	22.84	23.01
19	johnston	Residential	0.3	Weatherboard	1	23.70	23.14	23.20
20	johnston	Residential	0.3	PVC Clad	1	23.44	22.84	23.00
21	johnston	Residential	0.3	Hardiplank	1	23.38	22.45	22.89
22	johnston	Residential	0.3	Fibro	1	23.49	22.88	23.01
23	johnston	Residential	0.3	Weatherboard	1	23.30	21.45	22.84
24	johnston	Residential	0.3	Weatherboard	1	23.48	22.60	22.77
25	johnston	Residential	0.3	Hardiplank	1	23.46	22.06	22.88
26	johnston	Residential	1.9	Weatherboard	1	24.73	22.29	22.77
27	johnston	Residential	0.3	Weatherboard	1	23.22	21.80	22.90
28	johnston	Residential	0.2	Brick Weatherboard	1	23.08	22.25	22.71

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
29	johnston	Residential and Casino Pest Contro	0.5	Weatherboard	1	23.33	21.62	22.94
30	johnston	Residential	0.3	Weatherboard	1	23.16	22.50	22.80
31	johnston	Residential	0.5	Weatherboard	1	23.33	21.62	22.94
32	johnston	Residential	on	Weatherboard	1	22.96	22.22	22.83
33	johnston	Residential	0.5	Fibro/Weatherboard	1	23.05	21.40	22.94
34	johnston	Residential	0.3	Weatherboard	1	23.24	22.50	22.85
35	johnston	"Commercial""Central Veterinary Care Clinic""	0.3	Weatherboard	1	22.57	21.40	22.72
36	johnston	Residential	on	Brick	1	23.21	22.50	22.89
37	johnston	"Commercial""BP"" service station"	on	Brick	1	22.52	21.50	22.50
38	johnston	Residential	0.5	Weatherboard	1	23.47	21.58	22.68
39	johnston	"Commercial""Alice Wholesale furniture""	on	Brick / metal	1	22.02	21.46	21.96
40	johnston	Residential	0.5	Weatherboard	1	23.16	21.48	22.77
42	johnston	Residential	on	Brick	1	22.77	21.37	22.10
43	johnston	""Dharah Gibinj Aboriginal Medical Centre""	on	Weatherboard metal	1	21.79	21.33	
45	johnston	Residential	0.4	Weatherboard	1	22.23	21.33	
46	johnston	Residential	on	stone	1	21.66	21.05	21.30
47	johnston	Residential	0.4	PVC Clad	1	22.39	21.40	
48	johnston	Residential	0.3	PVC Clad	1	22.03	20.92	21.90
48	johnston	Commercial	0.3	Weatherboard	1	22.02	20.92	21.90
49	johnston	Residential	0.5	Weatherboard	1	22.73	21.42	22.97
50	johnston	Residential	0.3	Weatherboard	1	21.87	20.66	21.92
51	johnston	Residential	0.4	Weatherboard	1	23.00	21.64	22.70
52	johnston	Residential	0.3	Weatherboard	1	22.12	21.00	22.09
53	johnston	Residential	on	Brick	1	23.08	21.89	22.40
54	johnston	Residential	0.5	Weatherboard	1	22.34	21.00	22.14
55	johnston	Residential	0.3	Weatherboard	1	23.48		22.71
56	johnston	Residential	0.5	Weatherboard	1	22.44	20.90	22.16
57	johnston	Residential	0.3	Fibro/Weatherboard	1	23.51		22.75
58	johnston	Residential	0.7	Weatherboard	1	22.45	20.81	22.39
59	johnston	"Commercial""Jurdy's Take Aways""	0.3	Fibro/Weatherboard/Hardiplank	1	23.32	22.40	22.75
60	johnston	Residential	0.7	Fibro/Weatherboard	1	22.71	21.50	22.56
62	johnston	Residential	0.5	Weatherboard	1	22.76	21.50	22.64
63	johnston	Residential	on	Immitation Brick	1	23.22	22.40	22.70
64	johnston	Residential	0.5	Fibro/Weatherboard	1	23.31	21.50	22.69
65	johnston	Residential	0.3	Weatherboard	1	23.33	22.45	22.75
66	johnston	Residential	0.5	Weatherboard	1	23.12	21.50	22.76
67	johnston	Residential	0.2	Weatherboard	1	23.27	22.46	22.72
68	johnston	Residential	0.5	Weatherboard	1	23.27	21.69	22.73

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
69	johnston	Residential	0.2	Weatherboard	1	23.20	22.46	22.67
70	johnston	Residential	on	Brick	1	23.30	21.71	22.72
71	johnston	Residential	0.3	Weatherboard	1	23.26	22.50	22.65
72	johnston	Residential	0.4	Weatherboard	1	23.46	21.71	22.72
75	johnston	Residential	on	Fibro	1	22.93	22.33	22.50
76	johnston	Residential	0.4	metal	1	23.24	22.18	22.58
77	johnston	Residential	0.5	Fibro/Weatherboard	1	23.37	22.33	22.47
78	johnston	Residential	0.5	PVC Clad	1	23.39	22.28	22.55
79	johnston	Residential	0.2	Fibro/Weatherboard	1	22.55	22.27	22.43
80	johnston	Residential	on	stucco	1	23.22	22.30	22.48
81	johnston	Vacant					22.23	22.32
82	johnston	Residential	0.3	Fibro/Weatherboard	1	23.07	22.31	22.47
83	johnston	Residential	0.3	Weatherboard	1	22.67	22.14	22.31
84	johnston	Residential	0.5	PVC Clad	1	23.16	22.28	22.35
85	johnston	Residential	0.3	Fibro	1	22.83	22.05	22.29
86	johnston	"Commercial""Casino Road House""	0.5	Weatherboard	1	23.23	22.17	22.62
87	johnston	Residential	0.3	Weatherboard	1	22.78	21.96	22.29
88	johnston	Residential	on	Brick	1	23.00	22.06	22.20
89	johnston	Residential	0.3	Weatherboard	1	22.62	21.82	22.02
90	johnston	Residential	0.5	Fibro	1	22.75	22.00	22.20
91	johnston	Residential	0.3	Fibro/Weatherboard	1	22.66	21.70	21.96
92	johnston	Residential	0.5	Weatherboard	1	22.82	22.00	22.20
93	johnston	Residential	on	Brick	1	22.74	21.70	21.96
94	johnston	Residential	0.3	Weatherboard	1	22.64	21.95	22.10
95	johnston	Residential	0.3	Immitation Brick	1	22.27	21.56	21.95
96	a johnston	Residential	on	Brick	1	22.24	22.01	22.08
96	johnston	"Community ""Jehovah's Witnesses"" Kingdom Hall"	0.2	Weatherboard	1	22.56	21.95	22.08
97	a johnston	Residential	on	Brick	1	22.14	21.18	21.93
97	johnston	Residential	on	Hardiplank	1	22.42	21.58	21.93
98	johnston	Residential	on	Brick	1	22.97	22.01	22.12
99	johnston	Residential	0.4	Weatherboard	1	22.60	21.20	21.90
101	johnston	Residential	0.4	Weatherboard	1	22.57	21.20	21.83
102	johnston	Residential	0.3	Weatherboard	1	22.71	22.12	22.20
103	johnston	Residential	0.3	Weatherboard	1	22.49	21.27	21.91
104	johnston	Residential	on	Brick	2/2 ()	22.39	22.08	22.16
105	johnston	Residential	0.6	Weatherboard	1	22.72	21.40	21.99
106	johnston	Residential	on	Brick	1	22.50	22.08	22.20
107	johnston	Residential	0.6	Weatherboard	1	22.70	21.56	21.99

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
108	johnston	"Community ""Matildas Child Care Centre""	on	Brick	1	22.73	22.11	22.27
109	johnston	Residential	0.3	Weatherboard	1	22.79	21.75	22.01
111	johnston	Residential	0.4	Weatherboard	1	22.73	22.04	22.23
112	johnston	Residential	on	Brick	1	22.80	22.12	22.40
113	johnston	Residential	0.5	PVC Clad	1	22.84	22.08	22.27
114	johnston	Residential	on	Brick	1	22.92	22.15	22.40
115	johnston	"Commercial""Glen Villa Resort"" - office"	on	Brick	2/2 (3.0)	gr 22.27	r	21.98
116	johnston	Residential	on	Brick	1	22.80	22.08	22.40
117	johnston	"Commercial""Australia Post""	on	Brick / metal	1	22.00	21.80	21.96
118	johnston	Residential	0.4	PVC Clad	1	22.94	22.03	22.40
121	johnston	Vacant					21.62	21.70
123	johnston	Residential	on	Brick	1	21.95	21.64	21.72
124	johnston	Residential	0.4	Weatherboard	1	22.83	22.03	22.40
125	johnston	Residential	0.3	Weatherboard	1	22.16	21.58	21.72
126	johnston	Residential	0.4	Brick	1	22.88	22.01	22.40
129	johnston	Vacant					21.60	21.70
130	johnston	""Ngunya Jarjum Aboriginal Child & family Centre""	0.4	Brick	1	22.85	22.00	22.40
131	johnston	Vacant					21.60	21.70
132	johnston	Residential	0.6	Fibro	1	23.03	22.15	22.40
133	johnston	"Commercial""J & I Car sales""	on	Brick	1	21.94	21.60	21.72
133	johnston	Vacant					21.67	21.72
134	johnston	Residential	0.6	Brick	1	22.94	22.13	22.40
135	johnston	Residential	0.4	Fibro/Weatherboard	1	22.14	21.58	21.65
136	144 johnston	"Commercial""Ampol "" & 4 vacant shops "	on	Conc block/metal/W/board	1	23.02	22.13	22.94
136	144 johnston	Vacant					22.20	22.94
136	144 johnston	Vacant					22.20	22.94
136	144 johnston	Vacant					22.13	22.94
137	johnston	"Commercial""Veterinary Clinic""	on	Concrete	1	22.25	21.58	22.00
143	johnston	"Commercial""Clydesdale motel""	on	Brick / metal	1	23.04	r	22.94
146	johnston	Vacant					21.91	22.74
148	johnston	Vacant					21.83	22.60
182	186 johnston	"Commercial""Eric Box Mitsubishi""	on	Brick / metal	1	22.14	21.62	22.04
2	kent	Residential	on	Brick/Weatherboard	2/1(2.7)	24.79-1st floor	21.00	22.10
4	kent	Vacant					21.15	21.80
6	kent	Vacant					21.70	21.89
8	kent	Residential	on	stucco	2/1(2.6)	24.36-1st floor	21.00	21.80
10	kent	Residential	on	Weatherboard	1	22.12	21.00	22.10
12	kent	Residential	on	Brick	1	22.73	21.00	21.57

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
10	kunklers rd	Residential				21.60		
45	kunklers rd	Rural Residence	on	Brick	1	22.55	22.22	22.22
50	kunklers rd	Rural Residence	0.5	Weatherboard/Fibro	1	21.73	21.16	21.16
1	kyogle	Residential	on	Weatherboard	1	26.92	25.93	27.05
3	kyogle	Residential	on	Brick	1	26.60	25.42	26.62
4	kyogle	Residential	on	Weatherboard	1	27.05	26.14	26.45
5	kyogle	Residential	on	Brick	1	26.48	24.95	26.15
6	kyogle	Residential	on	Weatherboard	1	26.55	25.64	26.09
9	kyogle	Residential	on	Hardiplank	1	24.80	23.60	24.41
14	kyogle	Residential	0.3	PVC Clad	1	23.09	22.51	22.68
15	kyogle	Residential	on	stucco	1	23.31	22.40	22.66
16	kyogle	Residential	on	Hardiplank	1	22.91	22.31	22.51
1	lakeside dr						31.70	32.00
3	lakeside dr						31.70	33.00
4	lakeside dr						30.00	30.70
5	lakeside dr						31.70	33.00
6	lakeside dr						30.00	31.30
8	lakeside dr						30.00	31.80
10	lakeside dr	Vacant					30.75	32.65
12	lakeside dr	Vacant					30.85	33.58
14	lakeside dr	Vacant					31.18	34.23
24	lakeside dr	Residential	on	Brick	1	31.64	29.50	33.01
26	lakeside dr	Residential	on	Brick	1	31.46	28.55	32.25
28	lakeside dr	Residential	on	Brick	1	30.18	28.15	31.37
30	lakeside dr	Residential	on	Brick	1	30.08	27.71	30.67
32	lakeside dr	Residential	on	Brick	1	29.29	27.25	30.06
34	lakeside dr	Residential	on	Brick	1	28.73	26.85	29.40
36	lakeside dr	Residential	on	Brick	1	28.72	26.85	28.56
38	lakeside dr	Residential	on	Brick	1	28.52	27.08	28.21
40	lakeside dr	Residential	on	Brick	1	28.70	27.30	28.36
42	lakeside dr	Residential	on	Brick	1	28.75	27.30	28.56
44	lakeside dr	Vacant					26.70	28.21
1	lancaster av	Residential	0.5	PVC Clad	1	24.69	22.82	24.78
2	lancaster av	Residential	on	Brick	1	25.88	25.22	26.67
3	lancaster av	Residential	0.6	Weatherboard	1	24.56	22.61	24.32
4	lancaster av	Residential	on	Weatherboard	1	25.82	24.77	26.46
5	a lancaster av	Residential	on	FibroBrick	1	23.56	22.59	23.71
5	lancaster av	Residential	0.5	Weatherboard	1	23.81	22.39	23.45

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
6	lancaster av	Residential	0.5	PVC Clad	1	25.15	24.37	26.02
7	lancaster av	Residential	on	Brick	1	23.69	22.37	23.35
9	lancaster av	Residential	on	Brick	1	23.37	22.31	23.29
10	lancaster av	Residential	on	Brick	1	24.61	24.26	25.75
11	lancaster av	Residential	on	Brick	1	23.40	22.31	23.21
13	lancaster av	Residential	on	Weatherboard	1	23.46	22.51	23.26
14	lancaster av	Residential	on	Weatherboard	1	24.59	24.00	25.62
15	lancaster av	Residential	on	Brick	1	23.75	22.51	23.47
17	lancaster av	Residential	on	Brick	1	24.39	23.09	24.13
18	a lancaster av	Residential	on	Brick	1	25.82	24.02	24.90
18	lancaster av	Residential	on	Brick	1	25.27	24.00	25.67
19	lancaster av	Residential	on	Brick	2/2 (2.7)	25.46	24.48	26.00
2	leilani close	Residential	on	Brick	1	24.62	23.41	24.87
3	leilani close	Residential	on	Brick	1	25.51	24.49	25.35
4	leilani close	Residential	on	Brick	1	26.18	25.21	25.86
8	leilani close	Residential	on	Brick	1	26.38	25.35	26.16
9	leilani close	Residential	on	Brick	1	25.98	25.10	26.06
10	leilani close	Residential	on	Brick	1	25.55	24.74	25.15
11	leilani close	Residential	on	Brick	1	25.07	24.17	24.86
12	leilani close	Residential	on	Brick	1	24.35	23.65	24.17
13	leilani close	Residential	on	Brick	1	23.68	22.76	23.94
14	leilani close	Residential	on	Brick	1	23.65	22.58	23.61
15	leilani close	Residential	on	Brick	1	23.66	22.42	23.36
16	leilani close	Residential	on	Brick	1	23.56	22.28	23.14
17	leilani close	Residential	on	Brick	1	23.60	22.12	23.90
1	lennox	Rural Residence	2.8	Hardiplank	1	29.03	26.25	26.25
2	lennox	Rural Residence	0.5	Weatherboard	1	26.87	26.13	26.13
6	lennox	Rural Residence	1	Weatherboard	1	27.69	26.29	26.29
8	lennox	Rural Residence	on	Brick	1	26.67	25.49	25.49
10	lennox	Residential	on	Brick	1	26.46	25.65	25.65
29	lennox	Residential	0.5	PVC Clad	1	25.86	25.05	25.60
31	lennox	Residential	0.5	Fibro	1	25.55	24.99	25.30
32	lennox	Residential	0.3	Weatherboard	1	25.45	24.82	25.14
33	lennox	Residential	0.5	Fibro	1	25.63	24.92	25.20
34	lennox	Residential	on	Brick	1	25.04	24.52	24.93
35	lennox	Residential	0.5	Fibro	1	25.64	24.78	25.16
36	lennox	Residential	0.3	Weatherboard	1	24.92	24.26	24.79
37	lennox	Residential	0.3	PVC Clad	1	25.27	24.67	25.16

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
38	lennox	Residential	0.5	Weatherboard	1	24.67	23.14	26.43
39	lennox	Residential	0.3	PVC Clad	1	25.12	24.27	24.92
40	lennox	Residential	1.2	Hardiplank	1	25.02	22.42	24.10
41	lennox	Residential	0.5	PVC Clad	1	24.86	23.72	24.78
42	lennox	Residential	0.5	Weatherboard	1	23.85	21.56	23.79
43	lennox	Residential	1	Weatherboard	1	24.20	22.14	24.38
44	lennox	Residential	1.5	PVC Clad	1	23.53	17.39	23.32
46	lennox	Vacant					17.39	21.72
47	lennox	Residential	0.5	Fibro	1	25.40	24.13	24.79
48	lennox	Residential	0.4	Weatherboard	1	24.91	24.22	24.54
49	lennox	Residential	0.4	PVC Clad	1	25.12	24.19	24.57
50	lennox	Residential	on	Weatherboard	1	24.99	24.50	24.74
51	lennox	Residential	on	Fibro	1	24.93	24.08	24.19
53	lennox	Residential	on	stucco	1	24.68	23.93	24.08
54	lennox	Residential	0.4	Weatherboard	1	25.16	24.40	24.65
55	lennox	Residential	0.5	Fibro	1	24.37	23.17	24.03
56	a lennox	Residential	0.4	PVC Clad	1	23.86	22.10	24.14
56	lennox	Residential	on	Weatherboard	1	25.17	24.14	24.71
57	lennox	Residential	0.5	Weatherboard	1	24.12	22.04	23.95
58	lennox	Residential	0.3	Weatherboard	1	25.09	24.38	24.62
59	59a lennox	Residential	on	Fibro/Weatherboard	1	23.87	21.36	23.77
60	lennox	Residential	on	PVC Clad	1	25.26	24.38	24.62
61	lennox	Residential	on	PVC Clad	1	23.63	20.71	23.45
62	lennox	Residential	on	Fibro	2/2 (3.0)	24.67	23.97	24.66
63	lennox	Residential	on	Brick	1/1 (2.7)	24.83	19.25	22.40
64	lennox	Residential	0.4	Hardiplank	1	25.03	23.29	24.66
67	lennox	Residential	0.5	stucco	1	25.09	21.65	25.51
69	lennox	Residential	on	Weatherboard	1	26.03	24.87	26.32
71	lennox	Residential	0.5	Weatherboard	1	26.94	25.40	27.27
73	lennox	Residential	on	Brick	1	27.54	25.80	27.39
80	lennox	Residential	0.8	Fibro	1	26.14	24.84	25.54
82	lennox	Residential	on	Fibro	1	25.37	24.70	25.04
84	lennox	Residential	on	Brick	1	25.25	24.29	24.66
88	lennox	Residential	0.5	Fibro	1	23.08	22.15	22.55
90	lennox	Residential	0.5	Weatherboard	1	22.70	21.80	22.23
92	lennox	Residential	on	Brick	1	22.33	21.80	22.01
94	lennox	Residential	0.5	PVC Clad	1	22.35	21.69	21.89
96	lennox	Residential	0.3	Weatherboard	1	22.31	21.67	21.92

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
98	lennox	Residential	0.5	Fibro	1	22.31	21.64	21.97
100	lennox	Residential	0.5	Hardiplank	1	22.25	21.63	21.96
102	lennox	Residential	on	Brick	1	21.29	21.53	21.91
108	lennox	Residential	0.5	Weatherboard	1	22.08	21.35	21.58
110	lennox	Residential	on	Brick	1	21.95	21.35	21.59
112	lennox	Residential	on	Brick	1	21.73	21.25	21.45
114	lennox	Residential	on	Brick	2/2 (2.5)	21.80	21.23	21.43
116	lennox	Residential	on	Brick	1	22.01	21.27	21.34
118	lennox	Residential	on	Brick	1	21.84	21.12	21.36
120	lennox	Residential	on	Brick	1	21.84	21.12	21.54
122	lennox	Residential	on	Brick	1	21.73	20.96	21.52
124	lennox	Residential	on	Brick	1	21.74	20.93	21.41
126	lennox	Residential	on	Brick	1	21.64	20.90	21.30
137	lennox	Residential	0.8	Fibro	1	25.64	24.42	25.16
139	lennox	Residential	0.4	Fibro	1	24.71	24.05	24.62
141	lennox	Residential	1	Fibro	1	24.75	23.41	24.25
143	lennox	Residential	on	Weatherboard	1	22.67	22.12	22.35
145	lennox	Residential	0.3	Weatherboard	1	22.40	21.60	22.09
147	lennox	Residential	on	Weatherboard	1	22.26	21.51	21.84
149	lennox	Residential	0.4	Weatherboard	1	22.18	21.51	21.82
151	lennox	Residential	0.6	Aluminium Clad	1	22.21	21.38	21.86
153	lennox	Residential	0.6	Weatherboard	1	22.03	21.34	21.55
155	lennox	Residential	0.5	Weatherboard	1	21.92	21.21	21.47
157	lennox	Residential	0.5	Weatherboard	1	21.94	21.25	21.47
159	lennox	Residential	0.5	Weatherboard	1	21.87	21.30	21.37
58a	a lennox	Residential	0.5	Weatherboard	1	24.00	20.95	24.34
48	light	Residential	on	Brick	1	23.42	22.26	23.07
50	light					23.07		
1	little	Residential	on	Weatherboard	1	25.62	24.98	25.16
2	little	Vacant					24.95	25.79
2	little	Vacant					25.00	25.59
2	little	Vacant					25.03	25.41
3	little	Residential	0.5	PVC Clad	1	25.67	24.55	25.36
4	little	Residential	0.5	PVC Clad	1	26.53	25.60	26.83
5	little	Residential	on	Fibro	1	25.33	25.20	25.55
6	little	Residential	0.7	PVC Clad	1	27.22	25.66	26.81
7	little	Residential	0.6	Weatherboard	1	25.98	25.14	25.55
1	little barker	Residential	0.4	Weatherboard	1	26.48	25.57	26.15

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
2	little barker	Residential	0.7	PVC Clad	1	25.84	24.51	25.90
3	little barker	Residential	on	Brick	1	25.26	24.53	25.74
4	little barker	Residential	0.6	PVC Clad	1	26.67	25.49	26.38
1	little walker	Residential	0.3	Weatherboard	1	24.64	23.90	23.96
2	little walker	Vacant					23.07	23.96
1	Loco lane	Residential	0.6	PVC Clad	1	26.01	25.20	25.74
1	maple	Residential	on	Brick	1	22.94	22.41	22.58
2	maple	Residential	on	Brick	1	22.95	22.41	22.60
3	maple	Residential	on	Brick	1	23.09	22.15	22.60
4	maple	Vacant					22.15	22.45
5	maple	Residential	on	Brick	1	22.63	21.45	22.39
6	maple	Residential	on	Brick	1	22.84	21.40	22.42
7	maple	Residential	on	Brick	1	22.83	22.35	22.68
8	maple	Residential	on	Brick	1	22.90	22.48	22.61
9	maple	Residential	on	Brick	1	23.25	22.48	22.61
10	mcnaughtons rd	Rural Residence	0.5	Weatherboard/Fibro	1	21.09	20.41	20.41
15	mcnaughtons rd	Rural Residence	on	Brick	1	21.04	20.25	20.25
20	mcnaughtons rd	Rural Residence	0.9	Hardiplank	1	21.62	20.84	20.84
25	mcnaughtons rd	Rural Residence	on	Brick	1	21.37	20.31	20.31
35	mcnaughtons rd	Rural Residence	0.6	Hardiplank	1	21.34	20.61	20.61
35	mcnaughtons rd	Rural Residence	0.5	Weatherboard/Fibro	1	21.21	20.77	20.77
1	minor lane	Residential	on	PVC Clad	1	25.75	24.90	25.90
3	minor lane	Residential	0.5	PVC Clad/Weatherboard	1	25.97	24.86	25.90
2	morwick	Residential	on	Brick	1	29.51	28.36	29.01
2	morwick	Residential	on	PVC Clad	1	30.26	29.01	29.97
6	morwick	Residential	0.6	Fibro	1	28.73	27.52	28.36
15	naughtons gap rd	Commercial-hydroponics	on	Metal	1	22.18	21.60	22.18
17	naughtons gap rd	Rural Residence	on	Brick	1	22.57	22.26	22.26
85	naughtons gap rd	Rural Residence	1	Hardiplank	1	23.20	21.78	21.78
2	north	Residential	on	Fibro	1	32.59	29.92	32.48
4	north	Residential	on	PVC Clad	1	32.48	29.97	32.19
6	north	Residential	0.8	Weatherboard	1	31.96	29.83	31.87
8	north	Residential	0.6	PVC Clad	1	31.99	30.09	31.86
10	north	Residential	0.5	Fibro	1	32.09	30.35	31.89
12	north	Residential	0.5	Fibro	1	32.40	30.60	32.10
21	north	Residential	0.3	Hardiplank	1	23.32	22.70	23.29
23	north	Residential	on	Hardiplank	1	23.17	22.60	23.29
25	north	Residential	on	Hardiplank	1	23.29	22.54	23.29

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
27	north	Residential	on	Weatherboard	1	23.37	22.41	23.57
28	north	Residential	0.5	Weatherboard	1	27.52	26.36	27.10
29	north	Residential	0.5	Fibro/Weatherboard	1	24.13	23.16	24.30
30	north	Residential	0.5	Fibro	1	23.53	22.56	23.29
31	north	Residential	0.4	PVC Clad	1	24.03	23.10	24.37
32	north	Residential	0.4	PVC Clad	1	23.17	22.41	23.29
33	north	Residential	0.6	Weatherboard	1	24.32	23.15	24.37
34	north	Residential	0.5	Weatherboard/Hardiplank	1	23.24	22.32	23.29
35	north	Residential	0.3	PVC Clad	1	23.85	23.11	24.33
36	north	Vacant					22.17	22.40
37	north	Residential	0.3	PVC Clad	1	23.97	23.11	24.30
38	north	Residential	0.5	Weatherboard	1	22.80	22.18	22.26
39	north	Residential	0.5	Weatherboard	1	24.00	22.86	24.28
40	north	Residential	on	Immitation Brick	1	23.09	22.17	22.24
41	north	Residential	0.3	metal	1	23.16	22.70	22.94
42	north	Residential	0.5	PVC Clad	1	23.16	22.17	22.25
43	north	Residential	0.5	Weatherboard	1	23.27	22.68	22.84
44	north	Residential	0.3	PVC Clad	1	22.72	22.17	22.29
45	north	Residential	0.5	Weatherboard	1	23.14	22.62	22.77
46	north	Residential	0.3	Fibro	1	22.89	22.09	22.27
47	north	Residential	0.3	PVC Clad/metal	1	23.38	22.70	22.77
48	north	Residential	0.3	Weatherboard	1	23.00	22.26	22.27
49	north	Residential	0.3	Fibro	1	23.30	22.65	22.89
50	north	Residential	on	Brick/Hardiplank	1	22.85	22.29	22.34
51	north	Residential	0.3	Immitation Brick	1	23.41	22.82	23.15
52	north	Residential	on	Fibro	1	22.86	22.30	22.36
53	north	Residential	0.4	stucco	1	23.59	22.86	23.25
54	north	Residential	on	Weatherboard	1	23.07	22.27	22.41
55	north	Residential	on	Brick	1	23.31	22.91	23.25
56	north	Residential	0.3	Weatherboard	1	23.07	22.30	22.46
58	north	Residential	on	Brick	1	23.07	22.27	22.56
60	a north	Residential	on	Brick	1	22.58	22.27	22.45
60	north	Residential	0.3	Weatherboard	1	23.15	22.27	22.52
62	north	Residential	0.3	Weatherboard	1	23.14	22.27	22.49
64	north	Residential	0.2	Weatherboard	1	22.98	22.33	22.56
66	north	Residential	0.3	PVC Clad	1	23.15	22.33	22.57
68	north	Residential	on	Brick	1	23.06	22.34	22.59
70	north	Residential	on	Brick	1	23.35	22.34	22.71

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
71	north	Residential	0.3	Weatherboard	1	23.52	22.85	22.99
72	north	Residential	0.3	Weatherboard	1	23.27	22.43	22.71
73	north	Residential	0.3	Weatherboard	1	23.48	22.80	22.91
74	north	Residential	0.5	Weatherboard	1	23.31	22.50	22.73
75	north	Residential	0.3	stucco	1	23.29	22.60	22.80
76	north	Residential	on	Brick	1	23.45	22.10	22.90
77	north	"Commercial""Lanson Trading""	on	metal	1	23.09	22.60	22.72
77	north	Storage Shed		Metal	1	23.05		
78	82 north	Residential	on	Brick	1	22.84	21.45	22.68
79	north	Residential	0.3	PVC Clad	1	23.13	22.66	22.72
81	north	"Commercial""Pete's Plants""	on	Conc. Block	1	22.82	22.64	22.70
83	north	Commercial- 32 mini storage sheds	on	Brick / metal	1	22.93	22.65	22.90
84	north	Residential	0.5	Weatherboard	1	22.57	21.52	22.13
85	north	"Community ""The Salvation Army""	on	stucco	1	23.45	22.65	22.90
86	north	Residential	0.5	Weatherboard	1	22.57	21.52	22.55
87	north	Residential	0.4	Weatherboard	1	23.20	22.50	22.75
88	north	Residential	0.3	Weatherboard	1	23.83	22.86	23.23
89	north	Residential	0.3	Weatherboard	1	23.20	22.49	22.75
90	north	Residential	0.3	Weatherboard	1	23.80	23.00	23.10
91	north	Residential	0.5	Weatherboard	1	23.45	22.49	22.70
92	north	Residential	0.5	Weatherboard	1	23.89	22.85	23.05
93	north	Residential	0.4	PVC Clad	1	23.30	22.51	22.65
94	north	"Commercial""Casino Physiotherapy Centre""	0.5	Fibro	1	23.70	22.20	22.90
95	north	Residential	0.4	Weatherboard	1	23.18	22.51	22.59
96	north	"Commercial""Mechanical Repairs""	on	metal	1	23.03	22.85	22.90
97	north	Residential	on	Brick	1	23.04	22.49	22.60
98	north	Residential	0.5	Weatherboard	1	23.45	22.30	22.73
99	north	Residential	on	Brick	1	23.10	22.45	22.50
100	north	Residential	on	Brick	1	23.15	22.50	23.04
101	north	Residential	0.4	Weatherboard	1	23.20	22.63	22.70
102	north	Residential	0.5	Weatherboard	1	23.47	22.42	23.00
102	north	Commercial- vacant shop	0.2	Hardiplank	1	22.77	22.42	23.00
103	north	Residential	0.3	Weatherboard	1	23.14	22.48	22.68
104	north	Commercial- shed	on	metal	1	22.83	22.50	22.70
105	north	Residential	0.3	Fibro/Weatherboard	1	23.26	22.48	22.80
107	north	Residential	0.3	Fibro/Weatherboard	1	23.32	22.64	22.80
109	north	Residential	0.3	Fibro	1	23.40	22.00	22.90
111	north	Residential	0.5	Weatherboard	1	23.31	22.59	22.85

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
112	north	"Commercial""Richmond River Hire""	on	Brick / metal	1	22.95	22.50	22.56
113	north	Residential	1.9	Weatherboard	1	24.70	22.80	22.85
114	north	Residential	on	Brick	1	23.19	22.50	22.58
115	north	Residential	2	Weatherboard	1	24.64	22.73	22.80
116	north	Residential	on	Brick	1	23.04	22.50	22.56
117	north	Residential	on	Brick/Weatherboard	2/2 (2.8)	gr 22.82	22.60	22.80
118	north	Residential	0.5	metal	1	23.48	22.52	22.56
119	north	Residential	2.5	PVC Clad	1	25.36	22.60	22.86
120	north	Residential	on	Brick	1	22.97	22.52	22.56
121	north	Residential	0.3	Weatherboard	1	23.40	21.57	22.70
122	north	Residential	on	Brick	1	22.97	22.54	22.60
123	north	Residential	0.3	Weatherboard	1	23.45	22.25	22.75
124	north	Residential	0.3	Weatherboard	1	23.07	22.50	22.57
125	north	Residential	0.3	Fibro/Weatherboard	1	23.30	21.98	22.77
126	north	Residential	0.4	Fibro/Weatherboard	1	23.34	22.50	22.57
127	north	Residential	0.3	Weatherboard	1	23.37	21.86	22.76
128	north	Residential	0.3	Weatherboard	1	23.17	22.50	22.55
129	north	Residential	0.3	Weatherboard	1	23.02	21.50	22.84
130	north	Residential	0.3	Weatherboard	1	23.10	22.40	22.60
131	north	Residential	0.6	Weatherboard	1	23.36	21.00	22.73
132	north	Residential	0.4	Weatherboard	1	23.20	22.52	22.69
133	north	Residential	0.4	Weatherboard	1	23.12	22.00	22.73
135	north	Residential	1	Weatherboard	1	22.95	20.92	22.55
136	north	Industrial	on	Brick	1	22.91	22.65	22.78
138	north	Residential	0.5	Weatherboard	1	23.31	22.69	22.78
140	north	Residential	0.5	Fibro	1	23.31	22.61	22.69
142	north	Residential	1.9	Weatherboard	1	24.52	22.58	22.70
144	north	Residential	0.3	Hardiplank	1	23.57	22.50	22.70
146	north	Residential	0.4	Weatherboard	1	23.19	22.45	22.66
148	north	Residential	0.6	metal	1	23.54	22.54	22.75
150	north	Residential	0.3	Weatherboard	1	23.27	22.69	22.75
152	north	Residential	0.5	Weatherboard	1	23.66	22.69	22.72
154	north	Residential	on	Weatherboard	1	23.43	22.69	22.73
156	north	Residential	on	Weatherboard	1	22.75	22.50	22.81
158	north	Residential	0.3	Weatherboard	1	23.34	22.45	22.81
160	north	Residential	0.3	Weatherboard	1	23.36	22.40	22.81
2	oak lane	Residential	0.3	PVC Clad	1	23.24	21.91	22.54
4	oak lane	Residential	0.2	Fibro	1	23.01	21.10	22.54

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
6	oak lane	Residential	on	Brick Hardiplank	1	22.95	20.25	22.45
8	oak lane	Vacant					17.00	22.30
1	park lane	Residential	0.2	PVC Clad	1	23.09	22.42	22.50
2	park lane	Residential	on	Brick	2/1 (2.66)	gr 21.55	20.64	21.30
3	park lane	Residential	on	Brick	1	22.66	22.10	22.42
6	park lane	Residential	0.8	Fibro	1	22.31	20.87	22.50
7	park lane	Residential	on	Brick	1	22.92	21.75	22.29
8	park lane	Residential	on	Brick	1	22.95	22.55	22.69
10	park lane	Residential	on	Brick	1	23.21	22.48	22.55
12	park lane	Residential	on	metal	2/2 ()	gr 22.96	22.36	22.48
14	park lane	Residential	on	Fibro	1	22.82	22.36	22.40
16	park lane	Residential	0.3	PVC Clad	1	23.06	22.32	22.36
18	park lane	Residential	0.5	Fibro/Weatherboard	1	23.23	22.27	22.33
9	peppercorne lane	Residential	on	Brick	1	22.81	22.27	22.30
3	pioneer	Residential	0.5	Fibro	1	30.29	28.80	30.26
4	pioneer	Residential	0.5	Fibro	1	29.96	28.03	30.21
5	pioneer	Residential	on	Weatherboard	1	30.26	28.53	30.17
6	pioneer	Residential	on	Fibro	1	30.95	29.59	30.32
8	pratt	Vacant					22.40	23.61
11	pratt	Residential	on	Brick	1	23.17	22.08	22.39
13	pratt	Residential	0.5	Weatherboard	1	23.04	22.08	22.39
15	pratt	Residential	on	Fibro/Brick	1	22.41	22.08	22.37
17	pratt	Residential	on	Brick	1	23.24	22.08	22.35
19	21 pratt	Residential	on	Brick	1	22.77	22.08	22.24
19	21 pratt	Residential	on	Brick	1	22.77	22.20	22.33
25	pratt	Residential	on	Brick	1	23.14	22.08	22.33
29	pratt	Residential	on	Brick	1	23.10	22.07	22.33
35	37 pratt	Residential	on	Brick	1	22.72	22.19	22.40
36	pratt	"Community ""Casino Playgroup""	0.3	Weatherboard	1	22.68	21.97	22.20
38	pratt	"Community ""Casino Scout Hall""	on	Brick	1	22.72	21.97	22.23
39	43 pratt	Residential	on	Brick	1	22.39	22.10	22.41
40	pratt	Residential	0.5	Weatherboard	1	22.87	22.10	22.80
42	pratt	Residential	0.5	PVC Clad	1	22.88	22.20	22.45
44	pratt	Residential	0.8	Weatherboard	1	23.72	22.34	23.30
45	pratt	Residential	0.3	Fibro	1	22.92	21.52	22.55
46	pratt	Residential	0.3	PVC Clad	1	23.78	22.71	23.30
47	pratt	Residential	0.3	Weatherboard	1	22.69	21.52	22.55
48	pratt	Residential	0.3	PVC Clad	1	23.64	23.02	23.26

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
49	pratt	Residential	0.3	Weatherboard	1	22.53	21.60	22.00
50	pratt	Residential	0.4	stucco	1	23.92	23.16	23.22
51	pratt	Residential	0.7	Weatherboard	1	22.86	21.78	22.93
52	pratt	Residential	0.4	PVC Clad	1	23.99	22.90	23.22
53	pratt	Residential	0.7	Fibro	1	23.05	21.80	22.95
54	pratt	Residential	0.4	Weatherboard	1	23.70	22.53	23.35
55	pratt	Residential	0.8	Weatherboard	1	23.32	21.93	22.97
57	pratt	Residential	on	Hardiplank	1	23.29	22.01	22.97
58	pratt	Residential	0.6	Weatherboard	1	22.49	21.47	22.06
59	a pratt	RVC - Sewer Pump station No 10					22.20	23.04
59	pratt	Residential	on	Brick	1	23.29	22.20	23.04
60	pratt	"Commercial""Newsteads"" Mechanical Repairs"	on	metal	1	21.62	21.50	21.80
62	pratt	Residential	on	Brick	1	22.46	21.62	22.00
63	pratt	Residential	0.3	Weatherboard	1	23.68	22.60	22.76
64	pratt	Residential	on	Brick	1	22.50	21.62	22.11
65	pratt	Residential	0.3	Fibro/Weatherboard	1	23.64	22.56	22.76
66	pratt	Residential	on	Brick	1	22.26	21.40	22.42
67	pratt	Residential	0.3	Fibro	1	23.12	22.56	22.74
68	pratt	Residential	0.5	PVC Clad	1	23.39	22.69	23.00
69	pratt	Residential	0.4	Fibro/Weatherboard	1	23.36	22.56	22.87
70	pratt	Residential	0.3	Fibro	1	23.17	22.67	23.00
71	pratt	Residential	on	Brick	1	23.10	22.56	22.87
72	pratt	"Commercial""Lewingtons Transport""	on	metal	1	23.19	22.80	22.90
73	pratt	Residential	0.3	Weatherboard	1	23.12	22.50	22.57
74	pratt	Residential	0.3	Weatherboard	1	23.44	22.82	22.97
75	pratt	Residential	1.9	Weatherboard	1	24.48	22.49	22.69
76	pratt	Commercial- Transport	on	Weatherboardm	1	23.02	21.90	22.76
77	pratt	Residential	0.3	Weatherboard	1	23.15	22.69	22.75
78	a pratt	Residential	0.3	Fibro	1	23.55	22.50	22.88
78	pratt	Residential	0.3	Weatherboard	1	23.35	22.60	22.86
79	pratt	Vacant					22.42	23.08
80	pratt	Residential	0.4	Weatherboard	1	23.12	22.45	22.54
82	pratt	Residential	0.3	Hardiplank	1	23.10	22.51	22.53
84	pratt	Residential	0.3	Weatherboard	1	23.09	22.53	22.58
86	pratt	Residential	on	Brick	1	23.21	22.45	22.58
88	pratt	Residential	on	Brick	1	23.19	22.45	22.55
90	pratt	Residential	on	Brick	1	23.09	22.40	22.46
1	raphael pde	Residential	0.5	PVC Clad	1	23.67	22.89	22.95

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
5	raphael pde	Residential	0.3	PVC Clad	1	23.26	22.00	22.78
7	raphael pde	Residential	0.6	Weatherboard	1	23.12	21.05	22.78
9	raphael pde	Residential	0.6	Fibro	1	22.90	21.30	22.56
11	raphael pde	Residential	0.6	Weatherboard	1	22.60	21.07	22.39
13	raphael pde	Residential	0.6	Weatherboard	1	22.27	21.07	22.21
15	raphael pde	Residential	0.6	Weatherboard	1	22.13	21.07	22.00
17	raphael pde	Residential	0.6	Weatherboard	1	21.91	21.04	21.87
1	rayner	Residential	0.3	Fibro	1	24.36	23.86	23.96
2	rayner	Residential	0.7	Brick	1	24.90	23.67	23.77
3	rayner	Residential	0.3	Fibro/Weatherboard	1	24.48	23.90	23.96
4	rayner	Residential	0.5	metal	1	24.54	23.67	23.75
5	rayner	Residential	0.2	Fibro	1	24.41	23.78	23.89
6	rayner	Residential	0.3	Fibro/Weatherboard	1	24.48	23.67	23.75
7	rayner	Residential	2.1	PVC Clad	1	25.97	23.76	23.84
8	rayner	Residential	0.3	PVC Clad	1	24.37	23.65	23.75
9	rayner	Residential	2.1	Weatherboard	1	25.96	23.76	23.87
10	rayner	Residential	0.3	Weatherboard	1	24.25	23.71	23.80
11	rayner	Residential	2.1	Weatherboard	1	25.88	23.72	23.87
12	rayner	Residential	0.3	Fibro/Weatherboard	1	24.28	23.68	23.80
13	rayner	Residential	2.1	Weatherboard	1	25.65	23.72	23.87
14	rayner	Residential	0.3	Weatherboard	1	24.25	23.68	23.91
15	rayner	Residential	0.3	Weatherboard	1	24.51	23.76	23.85
17	rayner	Residential	0.4	stucco	1	24.75	23.75	23.88
1	richmond	Residential	0.4	Weatherboard	1	25.06	23.62	24.98
2	richmond	Residential	on	Brick	2/2 (2.7)	gr 26.57	25.36	25.83
3	richmond	Residential	0.3	Fibro	1	25.25	23.62	25.02
4	richmond	Residential	on	Brick	2/2 (3.2)	gr 25.74	25.07	25.76
5	richmond	Residential	0.3	Fibro	1	25.23	24.36	24.98
6	richmond	Residential	0.14	Fibro/Weatherboard	1	26.11	25.06	25.67
7	richmond	Residential / Chiropractor	0.3	Fibro/Weatherboard	1	25.34	24.36	25.02
8	richmond	Residential	0.5	Fibro	1	26.06	25.08	25.55
9	richmond	Residential	0.3	Weatherboard	1	25.53	24.35	25.13
10	richmond	Residential	0.3	Weatherboard	1	26.11	25.08	25.36
11	richmond	Residential	0.5	Weatherboard	1	25.59	24.33	25.29
12	richmond	Residential	0.5	Weatherboard	1	25.81	24.71	25.26
13	richmond	Residential	0.5	Fibro	1	25.77	24.32	25.28
14	richmond	Residential	on	Hardiplank	2/2 (2.7)	25.62	24.90	25.05
15	richmond	Residential	0.3	Weatherboard	1	25.89	24.31	25.27

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
16	richmond	Residential	0.3	Fibro	1	25.63	24.90	25.03
17	richmond	Residential	0.3	Weatherboard	1	25.95	24.31	25.23
19	richmond	Residential	0.3	Weatherboard	1	25.93		25.32
20	richmond	Residential	on	Brick	1	25.33	23.60	24.55
21	richmond	Residential	0.3	Fibro/Weatherboard	1	25.86		25.24
23	richmond	Residential	0.2	Weatherboard	1	25.69		25.16
25	richmond	Residential	on	Weatherboard	1	25.57		25.09
26	richmond	Residential	on	Weatherboard	1	25.10	25.00	25.14
27	a richmond	Residential	on	Brick	1	25.39	23.80	25.14
27	richmond	Residential	0.4	Weatherboard	1	25.52	24.73	25.14
28	richmond	Residential	0.5	PVC Clad	1	25.32	24.61	24.79
29	richmond	Residential	0.4	Weatherboard	1	25.36	24.54	25.01
30	richmond	Residential	0.3	PVC Clad	1	25.24	24.58	24.81
31	richmond	Residential	0.3	stucco	1	24.64	23.87	23.95
32	richmond	Residential	0.3	PVC Clad	1	25.20	24.55	24.96
33	richmond	Residential	0.3	Weatherboard	1	24.46	23.87	23.95
34	richmond	Residential	0.5	Weatherboard	1	25.38	24.43	25.05
35	richmond	Residential	0.3	Hardiplank	1	24.35	23.86	23.92
36	richmond	Residential	0.4	Fibro/Weatherboard	1	25.28	24.31	25.07
37	richmond	Residential	0.3	Weatherboard	1	24.43	23.83	23.92
38	richmond	Residential	0.6	PVC Clad	1	25.31	24.18	25.02
39	richmond	Residential	0.3	Weatherboard	1	24.35	23.81	23.90
40	richmond	Residential	0.4	Weatherboard	1	25.27	24.12	25.00
41	richmond	Residential	0.5	Weatherboard	1	24.41	23.85	24.10
42	richmond	Residential	0.3	Weatherboard	1	25.19	24.07	24.95
43	richmond	Residential	0.5	Weatherboard	1	24.49	23.73	24.05
44	richmond	Residential	0.6	Weatherboard	1	25.42	24.07	25.06
45	richmond	Residential	0.5	Weatherboard	1	24.46	23.67	24.00
46	a richmond	Residential	on	Brick	1	24.52	24.10	25.08
46	richmond	Residential	0.5	Weatherboard	1	25.44	24.30	25.08
47	richmond	Residential	0.3	Brick Weatherboard	1	24.30	23.48	23.95
48	richmond	Residential	0.5	Fibro/Weatherboard	1	25.49	24.12	25.10
49	richmond	Residential	0.3	Weatherboard	1	24.04	23.22	23.37
50	richmond	Residential	0.5	Weatherboard	1	25.45	24.14	25.09
52	richmond	Residential	0.5	Weatherboard	1	25.57	24.16	25.08
54	richmond	Residential	0.5	Weatherboard	1	25.08	24.20	25.11
56	richmond	Residential	0.3	Weatherboard	2/2 ()	25.69	24.29	25.11
58	richmond	Residential	0.5	Fibro	1	25.75	24.20	25.09

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
60	richmond	Residential	0.4	Weatherboard	1	25.58	24.54	25.01
62	richmond	Residential	0.4	Weatherboard	1	25.44	24.40	24.98
64	richmond	Residential	0.4	Weatherboard	1	25.51	24.37	24.90
66	richmond	Residential	0.3	Weatherboard	1	25.34	24.37	24.99
67	richmond	"Sporting ""Casino Bowling club""	on	Brick	2/2 ()	25.36	23.87	25.04
68	richmond	Residential	on	stucco	1	25.17	24.30	24.72
70	richmond	Residential	0.4	Weatherboard	1	25.19	24.17	24.59
72	richmond	Residential	0.3	PVC Clad	1	25.01	24.17	24.57
74	richmond	Residential	0.3	Weatherboard	1	24.76	24.04	24.17
76	richmond	Residential	0.2	Weatherboard	1	24.42	23.84	23.96
78	richmond	Residential	0.5	Weatherboard	1	24.58	23.81	23.89
80	richmond	Residential	0.5	Weatherboard	1	24.50	23.78	23.89
82	richmond	Residential	0.5	Weatherboard	1	24.42	23.67	23.86
84	richmond	Residential	0.5	PVC Clad	1	24.57	23.67	23.87
86	richmond	Residential	0.5	Fibro/Weatherboard	1	24.56	23.72	23.87
88	richmond	Residential	0.4	Weatherboard	1	24.36	23.72	23.76
90	richmond	Residential	0.4	Weatherboard	1	24.53	23.70	23.88
92	richmond	Residential	0.4	Fibro	1	24.59	23.69	23.88
98	richmond	Vacant					23.80	23.95
100	richmond	Vacant					23.75	23.85
104	richmond	Residential	on	Brick	1	24.00	23.00	23.64
30	rifle range rd	Community-Casino Rifle Club	on	Conc.Block	1	25.53	25.26	25.26
50	rifle range rd	Residential	0.5	Weatherboard	1	27.48	26.50	27.12
60	rifle range rd	Residential	on	Brick	1	27.27	26.50	26.90
70	rifle range rd	Rural Residence	on	Hardiplank	1	26.51	26.32	26.32
110	rifle range rd	Rural Residence	0.3	Weatherboard	1	26.13	26.00	26.00
120	rifle range rd	Rural Residence	on	Brick	1	28.82	28.84	28.84
160	rifle range rd	Rural Residence	0.5	Weatherboard	1	27.61	26.95	26.95
1	river	"Community ""Casino Citizens Band Hall""	0.4	Weatherboard	1	24.56		24.10
2	river	Residential	on	Fibro	1	24.66	24.00	24.33
3	river	"Community ""Djanenjam Preschool""	0.5	Brick	1	24.57	21.00	23.90
4	river	Residential	0.2	Weatherboard	1	24.72	23.92	24.33
6	river	Residential	0.4	Weatherboard	1	24.94	23.90	24.33
8	river	Residential	0.5	Weatherboard	1	24.93	23.90	24.35
10	river	Residential	0.5	Weatherboard	1	24.83	23.85	24.30
12	river	Residential	0.5	Fibro	1	24.85	23.75	24.19
14	river	Residential	0.2	Fibro/Weatherboard	1	24.58	23.64	24.15
2	riverside lane	Residential	2.2	Brick/Weatherboard	2/2 ()	23.41	20.88	22.10

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
4	riverside lane	Residential	2.1	PVC CladWeatherboard	1	23.21	20.11	21.77
6	riverside lane	Residential	1.2	Weatherboard	2/2 ()	21.79	19.27	21.19
2	riverview pl	Vacant					21.47	21.88
3	riverview pl	Vacant					21.58	21.70
4	riverview pl	Vacant					21.52	21.79
5	riverview pl	Residential	on	Brick	1	22.22	21.62	22.00
6	riverview pl	Residential	on	Brick	1	22.18	21.56	21.90
7	riverview pl	Residential	on	Brick	1	22.24	21.43	22.00
8	riverview pl	Vacant					21.43	21.94
9	riverview pl	Vacant					21.53	21.94
10	riverview pl	Residential	on	Brick	1	22.24	21.54	22.00
11	riverview pl	Residential	on	Brick	1	22.18	21.51	22.00
12	riverview pl	Residential	on	Brick	1	22.20	21.36	22.00
13	riverview pl	Residential	on	Brick	1	22.18	21.36	22.00
1	robinson ave	Residential	on	Brick	1	28.36	27.70	29.58
3	robinson ave	Residential	on	Brick	1	28.55	27.49	29.39
4	robinson ave	Vacant					26.13	27.21
5	robinson ave	Residential	on	Brick	1	28.71	27.18	29.10
6	robinson ave	Residential	on	Brick	2/1 (2.7)	gr 27.1	26.12	26.86
7	robinson ave	Residential	on	Brick	1	28.49	26.76	28.70
8	robinson ave	Residential	on	Brick	1	28.43	26.00	26.96
9	robinson ave	Residential	on	Brick	2/1 (2.7)	mid 28.45	26.65	28.55
10	robinson ave	Vacant					26.00	26.74
11	robinson ave	Residential	on	Brick	2/1 (2.65)	gr 26.74	26.47	28.30
13	robinson ave	Residential	on	Brick	2/2 (2.7)	gr 27.3	26.47	28.15
15	robinson ave	Residential	on	Brick	2/1 (2.5)	1st 29.31	26.47	28.00
17	robinson ave	Residential	on	Brick	2/2 (2.8)	gr 27.23	26.50	27.64
19	robinson ave	Vacant					25.44	26.57
21	robinson ave	Residential	on	Hardiplank	2/1 (2.6)	gr 26.33	25.02	26.23
2	runnymede	Residential	on	Brick	1	26.40	25.90	26.59
3	runnymede	Residential	0.5	PVC Clad	1	26.45	25.40	26.45
4	runnymede	Residential	0.6	PVC Clad	1	26.34	25.40	26.06
5	runnymede	Residential	0.4	Fibro	1	25.80	25.10	26.09
6	runnymede	Residential	0.5	Fibro	1	25.94	24.80	25.53
8	runnymede	Residential	0.3	Weatherboard	1	25.51	24.60	25.07
2	second ave	"Commercial""Corry-Curve Pty ltd""	on	Brick / metal	1	21.36	21.10	21.33
3	second ave	"Commercial""Ronan Diesel"" & ""T D motors""	on	metal	1	21.20	20.83	21.03
4	second ave	Commercial- Automotive	on	Brick / metal	1	21.22	20.93	21.13

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
5	second ave	"Commercial""Connolly Bros Joinery""	on	metal	1	21.03	20.93	21.03
6	sextonville rd	Rural residence	on	Brick	1	26.93	26.10	26.10
20	sextonville rd	Rural residence	on	Brick	1	27.85	26.27	26.27
49	sextonville rd	Residential	on	Brick	1	27.91	26.42	29.28
51	sextonville rd	Residential	on	Brick	1	30.76	27.59	30.46
53	sextonville rd	Residential	on	Brick	1	31.15	27.59	31.60
54	sextonville rd	Residential	0.3	Metal	1	27.98	26.79	28.44
56	sextonville rd	Residential	on	Brick	1	29.28	28.00	29.28
60	sextonville rd	Vacant					29.30	30.83
62	sextonville rd	Residential	on	Brick	1	28.12	r	30.83
63	sextonville rd	Residential	on	Brick	1	32.70	31.36	32.60
64	sextonville rd	Residential	on	Brick	1	29.78	r	30.65
68	sextonville rd	Residential	on	Brick	1	28.70	r	30.28
72	sextonville rd	Residential	on	Hardiplank	1	28.90	r	29.44
73	sextonville rd	Residential	on	Brick	1	33.43	30.12	34.40
75	sextonville rd	Residential	on	Brick	1	33.98	29.56	34.10
76	sextonville rd	Vacant					r	28.54
80	sextonville rd	Residential	on	Brick	1	27.63	r	28.12
81	sextonville rd	Residential	on	Brick	2/2 (2.7)	gr 32.61	27.04	34.10
83	sextonville rd	Residential	on	Brick	1	32.10	27.40	29.40
84	sextonville rd	Residential	on	Brick	2/2 ()	gr 27.19	r	27.80
98	sextonville rd	Rural Residence	2.9	Hardiplank	1	29.17	26.31	26.31
132	sextonville rd	Rural Residence	0.8	Fibro	1	26.50	24.76	24.76
150	sextonville rd	Rural -Shed	on	Metal	1	26.39	23.68	27.40
174	sextonville rd	Rural Residence	on	Brick	1	29.55	26.23	28.58
175	sextonville rd	Vacant					27.90	30.70
179	sextonville rd	Rural Residence	on	Brick	1	33.01	31.49	33.40
181	sextonville rd	Rural Residence	on	Brick	1	31.48	29.49	32.40
192	sextonville rd	Rural Residence	on	Brick	1	29.57	26.80	29.87
194	sextonville rd	Vacant					27.30	31.50
196	sextonville rd	Rural Residence	on	Brick	1	32.31	27.30	32.91
232	sextonville rd	Rural Residence	on	Brick	1	34.31	28.17	35.28
1	sharon court	Residential	on	Brick	1	23.11	21.31	22.47
2	sharon court	Residential	on	Brick	1	22.93	21.27	22.30
3	sharon court	Residential	on	Brick	1	22.90	21.03	22.18
4	sharon court	Vacant					21.00	22.38
5	sharon court	Vacant					20.82	22.37
6	sharon court	Vacant					20.83	22.21

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
7	sharon court	Vacant					20.84	22.35
8	sharon court	Vacant					20.85	22.37
2	short	Residential	0.5	PVC Clad	1	23.36	22.46	22.78
4	short	Residential	0.4	Fibro	1	23.13	22.44	22.66
6	short	Residential	0.5	Fibro	1	23.22	22.44	22.54
8	short	Residential	0.5	Fibro	1	23.20	22.41	22.54
10	short	Residential	0.2	PVC Clad	1	23.18	22.41	22.54
12	short	Residential	on	PVC Clad	1	23.08	22.23	22.43
14	short	Residential	on	Brick	2/2 (2.6)	gr 22.71	22.18	22.43
16	short	Residential	on	Brick	1	22.87	22.18	22.37
22	short	Residential	on	Brick	1	22.52	22.20	22.22
23	short	Residential	on	Brick	1	22.58	22.01	22.41
27	short	"Commercial""Greensill & Allom"" Mechanical"	on	Brick / metal	1	22.48	22.10	22.54
28	short	Residential	on	Brick	1	22.71	22.50	22.62
29	short	Residential	on	Brick	1	22.90	22.10	22.30
29	short	"Commercial""Kerry's salon""	on	Fibro	1	22.28	22.10	22.30
30	short	Residential	on	Brick	1	22.74	22.58	22.68
31	short	Residential	on	Brick Weatherboard	2/2 (2.4)	gr 22.24	22.15	22.30
32	short	Residential	on	Brick	1	22.86	22.35	22.58
33	short	Residential	on	Brick	1	23.16	22.46	22.61
34	short	Residential	on	Brick	1	22.86	21.48	22.35
35	short	Residential	on	Hardiplank	1	23.10	22.46	22.66
37	short	Residential	on	Weatherboard	1	23.15	22.46	22.65
41	short	Residential	on	Brick	1	23.35	22.35	22.65
45	short	Residential	0.3	Brick Hardiplank	1	22.93	21.98	22.24
47	short	Residential	on	Brick	1	22.95	21.55	22.07
1	simpson pde	Residential	0.5	PVC Clad	1	26.41	25.43	25.92
2	simpson pde	Residential	on	Brick	1	26.75	25.49	25.99
3	simpson pde	Residential	0.5	Fibro/Weatherboard	1	26.74	25.93	26.33
4	simpson pde	Residential	on	Fibro/Brick	2/1 ()	26.76	26.35	26.71
5	simpson pde	Residential	0.3	Fibro/Weatherboard	1	27.22	26.35	26.63
6	simpson pde	Residential	on	Weatherboard	1	27.24	26.71	26.78
7	simpson pde	Residential	0.5	Fibro	1	27.74	26.63	27.20
8	simpson pde	Residential	0.5	Fibro	1	27.57	26.80	27.07
9	simpson pde	Residential	0.5	Fibro	1	28.04	27.08	27.41
10	simpson pde	Residential	0.5	Weatherboard	1	27.72	26.91	27.25
11	simpson pde	Residential	0.3	Weatherboard	1	28.02	27.32	27.45
12	simpson pde	Residential	0.5	Weatherboard	1	27.78	26.91	27.45

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
26	simpson pde	Residential	on	Weatherboard	1	24.56	23.58	24.00
28	simpson pde	Residential	0.3	Fibro	1	24.05	23.47	23.59
30	simpson pde	Residential	on	Weatherboard	1	24.09	23.40	23.52
32	simpson pde	Residential	0.3	Weatherboard	1	24.13	23.30	23.44
34	simpson pde	Residential - ARCHIVED	0.3	PVC Clad	1	23.79	23.30	23.39
34	simpson pde	residential new		new brick house		24.20		
35	simpson pde	Residential	on	Weatherboard	1	24.59	23.64	23.90
37	simpson pde	Residential	0.3	Weatherboard	1	24.24	23.56	23.85
38	simpson pde	Residential	0.3	Weatherboard	1	24.18	23.59	23.60
39	simpson pde	Residential	0.3	Weatherboard	1	24.03	23.50	23.65
40	simpson pde	Residential	0.4	Weatherboard	1	24.15	22.50	23.59
41	simpson pde	Residential	0.5	Weatherboard	1	24.20	23.43	23.48
42	simpson pde	Residential	0.3	Weatherboard	1	24.04	22.20	23.55
43	simpson pde	Residential	0.4	PVC Clad	1	24.13	23.40	23.50
44	simpson pde	Residential	0.5	Weatherboard	1	23.98	22.00	23.35
46	simpson pde	Residential	0.5	PVC Clad	1	23.62	21.98	23.15
48	simpson pde	Residential	0.5	Fibro/Weatherboard	1	23.15	21.93	22.95
49	simpson pde	Community - Church shed / hall	0.4	metal	1	24.19	23.60	23.65
50	simpson pde	Residential - shed	0.3	Weatherboard	1	22.48	21.93	22.57
51	simpson pde	Residential	0.3	Weatherboard	1	24.08	23.34	23.47
52	simpson pde	Residential	0.3	Weatherboard	1	23.89	23.10	23.18
53	simpson pde	Residential	0.5	Weatherboard	1	24.07	23.20	23.64
54	simpson pde	Residential	0.4	Weatherboard	1	23.66	23.10	23.18
55	simpson pde	Residential	0.4	Weatherboard	1	23.66	23.10	23.60
56	simpson pde	"Commercial""Casino Tru self storage""	on	Conc. Block	1	23.11	23.00	23.06
57	simpson pde	"Commercial""Peter Woodford"" Mechanical"	on	metal	1	22.93	22.90	23.48
58	simpson pde	Residential	0.3	Weatherboard	1	23.40	22.90	23.03
59	simpson pde	Residential	0.4	Weatherboard	1	24.04	23.19	23.60
60	simpson pde	Residential	0.3	Weatherboard	1	23.35	22.90	22.95
62	simpson pde	Community - Early Childhood Health Centre	on	Brick	1	23.34	22.85	22.92
63	simpson pde	"Utility ""Telstra Exchange"	0.5	Brick/Weatherboard/metal	1	24.03	23.03	23.69
64	simpson pde	Community - C W A	0.5	metal	1	23.50	22.85	22.99
65	a simpson pde	Community - Red Cross Op shop	0.5	Fibro	1	23.47	22.85	23.29
65	simpson pde	Community - senior Citizens Centre	on	Brick	1	23.61	23.05	23.29
1	a small	Residential	on	Brick	1	25.05	24.10	24.89
1	small	Residential	on	Brick	1	24.93	24.10	24.53
3	small	Residential	on	Brick	1	24.83	24.12	24.20
4	small	Residential	on	Brick	1	25.28	24.58	25.36

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
5	small	Residential	on	Brick	1	24.59	24.17	24.20
6	small	Residential	on	Brick	1	25.01	24.27	25.36
7	small	Residential	on	Brick	1	24.91	24.18	24.45
8	small	Residential	on	Brick	1	gr 24.69	23.67	23.87
9	small	Residential	on	Brick	1	24.41	24.00	24.47
10	small	Residential	on	Conc. Block	1	24.42	23.60	23.85
11	small	Residential				24.93	23.96	24.40
13	small	Residential	0.4	Fibro	1	24.71	24.18	24.37
15	small	Residential	on	Brick	2/2 (2.6)	gr 24.5	24.18	24.40
17	small	Residential	on	Brick	1	24.60	24.18	24.50
25	springrove rd	Rural-Shed	on	Metal	1	22.42	22.28	22.28
40	springrove rd	RVC Utility-sewage treatment works	on	Brick	1	22.90	21.60	22.75
1	stapleton av	Residential	0.3	Fibro	1	26.13	25.51	25.75
2	stapleton av	Residential	on	PVC Clad	1	26.07	24.92	25.53
6	stapleton av	Residential	0.3	Weatherboard	1	25.88	24.78	25.41
8	stapleton av	Residential	on	Brick	1	25.48	24.38	25.36
10	stapleton av	Residential	0.5	Weatherboard	1	25.52	23.48	25.18
12	stapleton av	Residential	0.5	PVC Clad	1	25.81	23.48	25.27
13	stapleton av	Residential	on	PVC Clad	1	26.46	25.46	25.91
14	stapleton av	Residential	on	Brick	1	25.95	25.26	25.61
15	stapleton av	Residential	on	Weatherboard	1	26.03	25.07	26.04
16	stapleton av	Residential	0.5	Fibro	1	25.67	24.68	25.33
17	stapleton av	Residential	0.5	Weatherboard	1	25.52	24.54	26.17
18	stapleton av	Residential	on	Brick	2/2 ()	gr 24.69	23.53	24.78
19	stapleton av	Residential	on	Weatherboard	1	25.33	23.98	25.87
20	stapleton av	Residential	on	Brick/PVC Clad	1	24.82	23.13	24.21
21	stapleton av	Residential	on	Weatherboard	1	25.09	23.34	25.72
22	stapleton av	Residential	0.9	PVC Clad	1	23.65	22.60	23.58
23	stapleton av	Residential	on	Brick	1	24.86	22.84	25.28
25	stapleton av	Residential	on	Brick	1	25.21	22.34	25.28
26	stapleton av	Residential	on	Brick	1	21.78	20.71	21.63
27	stapleton av	Residential	on	Weatherboard	1	24.17	21.71	24.23
28	stapleton av	Vacant					20.71	21.18
30	stapleton av	Vacant					19.82	22.27
31	stapleton av	Residential	on	Weatherboard	1	25.31	22.92	25.91
32	stapleton av	Residential	0.3	Fibro/Weatherboard	1	26.01	23.10	25.80
33	stapleton av	Residential	on	Weatherboard	1	26.38	23.27	26.59
34	stapleton av	Residential	on	Weatherboard	1	27.33	25.79	26.77

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
35	stapleton av	Residential	on	Brick	1	27.39	23.82	27.19
36	stapleton av	Residential	on	Fibro	1	27.77	26.77	27.30
37	stapleton av	Residential	on	Weatherboard	1	28.11	24.75	27.85
39	stapleton av	Residential	1	Brick	1	26.03	23.82	27.85
74	stapleton av	Residential	0.8	Fibro	1	25.09	23.93	24.71
76	stapleton av	Residential	0.8	Fibro	1	24.56	23.37	24.20
78	stapleton av	Residential	0.6	Fibro	1	24.01	22.87	24.00
91	stapleton av	Residential	0.6	Fibro	1	24.27	23.47	23.97
1	stitz pl	Residential	on	Brick	1	21.84	21.00	21.21
2	stitz pl	Residential	on	Brick	1	21.71	20.78	21.22
3	stitz pl	Residential	on	Brick	1	21.83	20.78	21.39
4	stitz pl	Residential	on	Brick	1	21.89	20.78	21.43
5	stitz pl	Residential	on	Brick	1	21.99	20.79	21.33
6	stitz pl	Residential	on	Brick	1	21.81	21.04	21.17
7	stitz pl	Residential	on	Fibro	1	21.51	21.13	21.18
8	stitz pl	Residential	on	Fibro	1	21.64	21.10	21.30
9	stitz pl	Residential	on	Fibro	1	21.67	21.21	21.77
10	stitz pl	Residential	on	Brick	1	22.19	21.32	22.10
11	stitz pl	Residential	on	Hardiplank	1	22.01	21.32	22.10
12	stitz pl	Residential	on	Brick	1	21.72	21.32	21.60
13	stitz pl	Residential	on	Hardiplank	1	22.11	21.34	21.65
14	stitz pl	Residential	on	Brick	1	22.14	21.36	21.47
15	stitz pl	Residential	on	Brick	1	21.91	21.34	21.51
16	stitz pl	Residential	on	Brick	1	21.73	21.18	21.45
18	stitz pl	Residential	on	Brick	1	21.62	21.12	21.25
10070	summerland way	Community-Casino Showground-office	on	Brick	1	28.67	28.54	28.54
9	swanson lane	Residential	0.5	Weatherboard	1	24.50	22.42	24.68
1	teak	Residential	on	Brick	1	22.45	22.20	22.33
2	teak	Residential	on	Brick	1	22.51	22.30	22.50
3	teak	Residential	on	Brick	1	22.90	22.22	22.33
4	teak	Residential	on	Brick	1	23.05	22.24	22.34
5	teak	Residential	on	Brick	1	22.93	22.22	22.33
7	teak	Residential	on	Brick	1	22.51	22.20	22.25
8	teak	Residential	on	Brick	1	22.96	22.41	22.55
9	teak	Residential	on	Brick	1	22.36	22.16	22.20
10	teak	Residential	on	Brick	1	22.94	22.32	22.36
11	teak	Residential	on	Brick	1	22.63	22.16	22.26
12	teak	Residential	on	Brick	1	22.85	22.26	22.43

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
13	teak	Residential	on	Brick	1	23.18	22.33	22.43
15	teak	Residential	on	Brick	1	22.96	22.08	22.33
17	teak	Residential	on	Brick	2/2) ()	gr 23.23	22.24	23.00
60	the bend rd	Rural Residence	on	Conc.Block/Hardiplank	2/2(2.6)	26.23	26.20	26.20
80	the bend rd	Rural Residence	0.5	Weatherboard	1	26.61	26.00	26.00
115	the bend rd	Rural-Shed	on	Metal	1	27.44	27.00	27.00
130	the bend rd	Rural -Shed	on	Metal	1	27.12	27.10	27.10
145	the bend rd	Rural Residence	0.8	Weatherboard	1	29.40	28.60	28.60
150	the bend rd	Rural Residence	0.5	Fibro	1	27.91	27.48	27.48
165	the bend rd	Rural Residence	on	Fibro	1	30.04	28.90	28.90
175	the bend rd	Rural Residence	on	Weatherboard	1	28.35	28.16	28.16
1	tomki dr	"Commercial""Casino mini storage""	on	Brick / metal	1	21.40	21.20	21.39
3	tomki dr	Residential	on	Brick/Hardiplank	2/2 (2.7)	gr 21.29		
3	tomki dr	"Commercial""Casino Auto Wreckers""	on	metal	1	21.25	21.06	21.20
5	tomki dr	Vacant					21.30	20.80
7	tomki dr	"Commercial""Telstra""	on	metal	1	21.55	20.80	21.50
9	tomki dr	Vacant					20.79	21.50
11	tomki dr	"Commercial""Wilkinsons Discount Building materials"	on	Brick / metal	1	21.17	20.90	21.30
12	tomki dr	"Commercial""Readymix Concrete Plant"" office"	1	Brick	1	22.55	21.00	21.48
13	tomki dr	Vacant					20.87	21.82
15	tomki dr	Vacant					20.55	21.82
20	upper lismore rd	Rural-Shed	on	Metal	1	22.45	22.43	22.43
1	vesper lane	Residential	on	Brick	2/2 (2.8)	gr 22.42	22.08	22.22
3	vesper lane	Vacant					22.03	22.31
4	vesper lane	Residential	on	Brick	1	22.57	22.13	22.37
5	vesper lane	Vacant					22.10	22.25
6	vesper lane	Residential	on	Brick	1	22.51	22.10	22.30
8	vesper lane	Residential	on	Brick	1	22.83	22.06	22.40
2	walker	Residential	on	Brick	1	23.65	22.64	23.43
2	walker	Residential						
12	walker	Vacant					22.14	22.39
16	walker	Vacant					22.14	22.39
20	walker	Residential	0.4	PVC Clad / Fibro	1	22.87	22.23	22.51
31	a walker	"Community ""Casino Public school"" Office"	0.5	Brick	1	24.51	21.00	23.88
31	walker	"Community ""Neighbourhood Centre""	0.3	Brick	1	24.32	23.70	23.88
31	walker	"Community ""Casino folk museum""	on	Brick	1	23.91	23.20	23.70
33	walker	"Community ""Red shield family store""	0.3	Weatherboard	1&2	gr 24.24	23.37	23.87
35	walker	Community - carpark					23.87	24.03

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
39	walker	Community	on	Brick	1	23.83	23.92	24.03
41	walker	"Commercial ""Chalmers"" furniture"	on	Brick	1	23.87	23.50	24.03
45	walker	"Commercial""WestpaCommercialBank""	on	Brick	2/2 ()	gr 24.24	23.55	23.70
47	walker	"Commercial""Bill Williams Chemist""	on	Brick	1	23.47	23.36	23.41
49	walker	"Commercial""TAB""	on	Brick	1	23.49	23.36	23.40
51	55 walker	"Commercial""George Gooley""	on	Brick	1	23.48	23.20	23.40
57	walker	"Commercial""Higgins Newsagency""	on	Brick	1	23.46	23.17	23.40
59	walker	"Commercial""The shoe store""	on	Brick	1	23.45	23.17	23.40
60	walker	Residential	0.5	Weatherboard	1	24.74	23.88	24.14
61	walker	"Commercial""Smiths Meats""	on	Brick	1	23.38	23.15	23.40
62	walker	Residential	0.5	Weatherboard	1	24.29	23.56	23.88
63	69 walker	"Commercial""Casino Centre""	on	Brick	1	23.38	22.96	23.47
64	walker	Residential	0.3	Immitation Brick	1	24.07	23.37	23.56
68	walker	"Gov ""Richmond River Shire Council""	on	Brick	1	24.33	23.60	24.02
70	walker	"Community ""Court House""	on	Brick	2/2 ()	23.47	23.00	23.64
70	walker	"Community ""Police station""	on	Brick	1	23.86	23.12	23.64
71	walker	"Commercial""Crazy Prices""	on	Brick / metal	1	23.01	22.93	22.98
72	walker	Commercial- vacant shop	on	stucco	1	24.00	24.00	24.02
72	walker	Residential	on	Brick	1	23.85	23.00	23.42
74	walker	"Commercial""Commercial Hotel""	on	Brick/stucco	2/2 ()	gr 23.92	23.67	24.02
75	walker	"Commercial""Greater Building society""	on	Brick	1	23.05	22.88	22.96
78	walker	"Commercial""McIntosh's Menswear""	on	Brick	1	23.62	23.40	23.43
79	walker	"Commercial""Kibble's Bakery""	on	Brick	1	23.04	22.76	22.84
80	walker	"Commercial""Fashion Revolution""	on	Brick	1	23.44	23.20	23.27
81	walker	"Commercial""Relly's Gifts""	on	Brick	1	23.04	22.76	22.84
82	walker	"Commercial""Fitzmac's menswear""	on	Brick	1	23.45	23.19	23.27
83	walker	"Commercial""mcDonald's Pharmacy""	on	Brick	2/2 ()	gr 23.04	22.78	22.82
84	walker	"Commercial""Creative Cutz"" Hairdresser"	on	Brick	1	23.30	23.18	23.27
85	walker	"Commercial""Fosseys""	on	Brick	1	22.85	22.76	22.80
86	walker	"Commercial""McQueens Quality Meats""	on	Brick	1	23.32	23.16	23.27
88	walker	"Commercial""Elizabeth's Classic Fashions""	on	Brick	1	23.30	23.14	23.27
89	walker	"Commercial""Scrivener & Webb Chemist""	on	Brick	1	22.81	22.73	22.84
90	walker	"Commercial""Sheps Sportstore""	on	Brick	1	23.28	23.12	23.27
91	walker	"Commercial""William's Optometrists""	on	Brick	1	22.90	22.71	22.86
92	walker	"Commercial""Flair Fabrics & Gifts""	on	Brick	1	23.22	23.11	23.27
93	walker	"Commercial""Peter Townsend's fabrics""	on	Brick	1	22.75	22.69	22.90
94	walker	"Commercial""The Tursa Job shop""	on	Brick	1	23.26	23.10	23.25
95	walker	"Commercial""Tender Cut Butchery""	on	Brick	1	22.75	22.65	22.94

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground	
96	walker	"Commercial""Hallidays Jewellers""	on	Brick	1	23.33	23.09	23.25	
97	walker	"Gov ""Medicare""	on	Brick	1	22.86	22.63	22.98	
98	walker	"Gov ""Casino Council""	on	Brick	2/2 ()	gr 23.61	23.07	23.25	
99	walker	"Commercial""Gibbo's Gifts & Cane""	on	Brick	1	22.88	22.61	23.04	
100	walker	"Commercial""Vogue"" salon"	on	Brick	1	23.27	23.05	23.25	
101	walker	"Commercial""Commonwealth Hotel""	on	Brick	2/2 ()	gr 22.71	22.56	22.84	
102	walker	"Commercial""martins Garden store""	on	Brick	1	23.26	23.03	23.25	
104	walker	"Commercial""I J Hooker""	on	Brick	1	23.05	22.99	23.20	
108	walker	"Commercial""ANZ Bank""	on	stucco	2/2 ()	gr 23.57	22.90	23.21	
110	walker	"Community ""Aboriginal land Council"" "	on	Brick	2/2 ()	gr 23.17	22.66	22.87	
114	walker	Commercial- Restaurant	on	Brick	1	23.06	22.87	22.90	
116	walker	"Commercial""Dargavilles Meats""	on	Brick	1	23.12	22.82	22.86	
117	walker	"Commercial""Hong Kong"" Restaurant"	on	Brick	2/2 ()	gr 22.83	22.75	22.87	
118	walker	"Commercial""Eazy Wash laundromat""	on	Brick	1	22.90	22.82	22.86	
120	walker	"Commercial""Karams fruit shop""	on	Brick	1	gr 23.09	22.82	22.86	
122	walker	"Commercial""Video Ezy""	on	Brick	1	22.84	22.82	22.86	
127	walker	"Commercial""mitre 10""	on	Brick	1	22.84	22.70	22.87	
130	walker	"Commercial""Royal Hotel / motel""	on	Brick	2/2 ()	gr 22.97	22.66	22.86	
134	walker	Commercial- vacant building	on	Brick	1	23.09	22.68	22.75	
136	walker	"Commercial""Ausie Auto""	on	Brick	1	22.88	22.75	22.90	
137	walker	"Commercial""Pete's Take Away""	on	Conc. Block	1	22.86	22.73	22.87	
138	walker	"Commercial""Casino Tiles & Ceramics""	on	Brick	1	22.86	22.75	22.90	
139	walker	"Commercial""Casino Trading""	on	Brick / metal	2/2 ()	gr 22.88	22.50	22.70	
140	146	walker	"Commercial""Pat & Roy"" Tyres"	on	Brick	1	22.93	22.75	22.94
141	walker	Residential	on	metal stucco	2/2 ()	gr 22.76	22.42	22.63	
143	walker	"Commercial""B J f Building supplies""	on	Brick	1	22.72	22.63	22.68	
148	walker	"Commercial""Country Road Caf, ""	on	Brick	2/2 ()	gr 22.86	22.66	22.78	
149	151	walker	"Commercial""Sil Gava"" Car sales"	on	metal	1	22.94	22.65	22.95
150	walker	Commercial- Accountant & Home Care	on	Brick	1	22.81	22.70	22.78	
155	walker	"Commercial""Day's Machinery"" no building"					22.70	22.95	
158	walker	"Commercial""Beaupaires""	on	Brick	1	22.82	22.60	22.73	
160	walker	Commercial- saddlery	on	stucco	1	22.80	22.61	22.67	
161	a	walker	"Commercial""Ruths Curtains & Fabrics""	on	Brick	1	22.79	22.56	22.56
161	a	walker	"Commercial""Gary shepherd spray Painter""	on	Weatherboard	1	22.56	22.50	22.56
161	walker	"Commercial""Oxford Hotel""	on	Weatherboard	2/2 ()	22.96	22.60	22.70	
162	walker	Commercial- Auto Electrician	on	metal	1	22.79	22.65	22.67	
163	walker	"Commercial""Casino Plumbing Centre""	on	metal	1	22.59	22.50	22.56	
165	walker	Residential	0.3	Weatherboard	1	23.22	22.50	22.59	

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
167	walker	Residential	0.3	Weatherboard	1	23.22	22.59	22.77
169	walker	Residential	0.3	Weatherboard	1	23.48	22.59	22.89
171	walker	Residential	1.9	Weatherboard	1	24.96	22.70	22.93
173	walker	Residential	0.3	Weatherboard	1	23.25	22.50	23.00
175	walker	Residential	0.7	Fibro/Weatherboard	1	23.07	21.90	23.00
176	walker	"Commercial""Days Machinery""	on	stucco	1	22.68	22.70	22.80
177	walker	"Commercial""Mondoro P/""	on	Brick	2/2 ()	22.64	21.90	22.35
178	walker	"Commercial""mystros Art & framing""	0.1	Weatherboard	1	22.75	22.46	22.50
179	walker	Residential	0.5	Weatherboard	1	22.38	21.84	22.68
180	walker	"Commercial""Beatley Timbers""	0.1	Weatherboard	1	22.88	22.50	22.70
181	walker	Residential	0.5	Weatherboard	1	23.56	22.68	22.75
183	walker	Residential	0.5	Weatherboard	1	23.49	22.60	22.75
184	walker	Residential	0.3	Weatherboard	1	23.45	22.70	22.80
185	walker	"Commercial""Carline Exhaust & Suspension""	on	Weatherboard	1	22.75	22.50	22.70
186	a walker	Residential	on	Brick	1	23.69	22.84	22.89
186	walker	Residential	0.3	Weatherboard	1	23.68	22.84	22.89
187	walker	Residential	0.3	Weatherboard	1	23.03	22.35	22.68
189	walker	Residential	0.3	Weatherboard	1	22.68	22.31	22.49
190	walker	Residential	0.5	Weatherboard	1	22.85	22.00	22.80
191	walker	Residential	on	Brick	1	22.99	22.31	22.34
192	walker	Residential	2.4	Brick/Weatherboard	1	23.92	21.40	22.00
193	walker	Residential	0.5	metal	1	23.06	22.31	22.36
194	walker	Residential	0.3	Fibro/Weatherboard	1	23.53	22.65	22.90
194	walker	Residential						
195	walker	Residential	0.2	Weatherboard	1	22.73	22.21	22.31
196	walker	Residential	0.3	Weatherboard	1	23.45	22.55	22.60
197	walker	Residential / Commercial""Pie factor	on	Conc. Block	2/2 (3.2)	gr 22.65	22.20	22.29
198	walker	Residential	0.3	Weatherboard	1	23.20	22.40	22.60
199	walker	"Commercial""Kosters Engineering""	on	metal	1	22.41	22.20	22.34
200	walker	Residential	1.85	Weatherboard	1	24.47	22.35	22.40
201	walker	Residential	0.3	Weatherboard	1	23.02	22.23	22.49
202	walker	Residential	0.3	Fibro	1	22.93	22.20	22.35
203	walker	Residential	on	Weatherboard	1	22.79	22.23	22.49
204	walker	Residential	on	Weatherboard	1	23.04	22.23	22.28
205	walker	"Commercial""Walker Bros."" smash Repairs"	on	Fibro	1	22.97	22.49	22.99
206	walker	Residential	on	PVC Clad	1	22.96	22.25	22.35
208	walker	Residential	0.3	metal	1	22.91	22.16	22.33
210	walker	Residential	0.2	Weatherboard	1	22.85	22.16	22.33

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
212	218 walker	"Commercial""mills Transport""	on	metal	1	22.72	22.42	22.72
6	wesley av	Residential	0.3	Fibro/Weatherboard	1	23.98	23.10	23.20
8	wesley av	Residential	on	Brick/Hardiplank	1	23.63	23.05	23.15
22	west	Residential	on	Brick	1	25.72	23.55	25.83
23	west	Residential	on	Brick	1	26.06	22.02	25.32
25	west	"Sporting ""Tennis Club""	on	Conc. Block	1	25.62	24.03	25.04
29	a west	Residential	on	Conc. Block/Hardiplank	2/1 ()		21.86	23.88
29	b west	Residential	on	Conc. Block/Hardiplank	2/1 (2.63)	22.43	21.86	23.88
29	west	Residential	0.2	Hardiplank	1	24.32	23.64	23.81
31	west	Residential	0.5	Weatherboard	1	24.35	23.70	23.81
32	west	Residential	on	Brick/Weatherboard	1	24.13	20.69	24.65
33	west	Residential	0.4	Fibro/Weatherboard	1	24.33	23.73	23.80
34	west	Residential	on	stucco	1	23.60	22.30	23.22
35	west	Residential	0.3	Fibro/Weatherboard	1	24.26	23.69	23.76
36	west	Residential	1.2	Fibro/Weatherboard	1	25.03		24.97
37	a west	"Community ""St marks Anglican Church""	on	Brick	1	24.00	23.75	23.54
37	west	"Community ""Casino Anglican Chruch"" Rectory"	on	Brick - now DEMOLISHED	1	24.33	23.43	23.60
37	west	"Community ""Casino Anglican Chruch"" Rectory"	on	Brick - NEW 2005	1	24.22	23.43	23.60
38	west	Residential	on	Brick	1	25.24	24.46	24.95
39	west	"Community ""Casino Anglican Church Parish Office"	0.3	Weatherboard	1	24.03	23.43	23.60
40	west	Residential	0.3	Weatherboard	1	25.46	24.79	24.95
41	west	Residential	0.3	Weatherboard	1	24.04	23.36	23.60
42	west	Residential	0.3	Fibro/Weatherboard	1	25.37	24.60	24.80
43	west	Residential	0.3	Fibro/Weatherboard	1	24.02	23.36	23.59
44	west	Residential	0.4	Weatherboard	1	25.33	24.60	24.92
45	west	Residential	0.3	Fibro/Weatherboard	1	24.05	23.39	23.58
46	a west	Residential	on	PVC Clad	1	24.71	24.00	24.35
46	west	Residential	0.5	Weatherboard	1	24.61	23.96	24.15
48	west	Residential	0.5	Aluminium Clad	1	24.76	23.99	24.15
49	west	Residential	0.5	Weatherboard	1	23.88	22.30	23.31
50	west	Residential	0.5	Weatherboard	1	24.67	23.97	24.15
51	west	Residential	0.5	Weatherboard	1	23.57	22.20	23.23
52	west	Residential	0.5	Weatherboard	1	24.68	24.00	24.12
53	west	Residential	0.5	Weatherboard	1	23.63	22.53	23.15
54	west	Residential	0.3	Weatherboard	1	24.50	24.02	24.16
55	west	Residential	0.5	Weatherboard	1	23.82	22.43	23.09
56	west	Residential	0.5	Fibro/Weatherboard	1	24.67	23.97	24.02
57	west	Residential	0.3	Weatherboard	1	23.51	22.43	23.08

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
58	west	Residential	0.5	PVC Clad	1	24.64	23.98	24.00
61	west	Residential	0.6	Weatherboard	1	23.66	22.40	22.62
62	west	"Commercial""Casino Funerals & Monuments""	on	Weatherboard	1	24.22	23.94	23.97
63	west	Residential	on	Fibro	1	22.88	22.30	22.40
64	west	Residential	0.4	Hardiplank	1	24.46	23.73	23.96
65	west	Residential	0.3	Fibro	1	22.93	22.24	22.41
66	west	Residential	0.4	Weatherboard	1	24.66	23.73	23.94
67	west	Residential	0.3	PVC Clad	1	22.83	22.10	22.24
68	west	Residential	0.6	Weatherboard	1	24.77	23.15	23.88
69	west	Residential	on	Brick	1	22.47	22.04	22.20
70	west	"Commercial""Cosy Corner"" Corner store"	0.1	Weatherboard	1	24.08	23.40	23.60
71	west	Residential	0.5	Weatherboard	1	22.99	22.10	22.18
73	b west	Residential	on	Brick	2/1 (2.4)	1st 24.95	22.28	22.70
73	west	Residential / Pet Food Del	0.3	Fibro/Weatherboard	1	22.89	22.18	22.80
73	west	Residential	on	Brick stucco	2/2 ()	gr 22.83	22.46	22.50
74	west	Residential	0.3	PVC Clad/Weatherboard	1	24.15	23.49	23.59
75	west	Residential	0.3	stucco	1	23.12	22.41	22.58
76	west	Residential	0.3	metal	1	24.06	23.49	23.59
77	west	Residential	0.5	stucco	1	23.37	22.41	22.77
78	west	Residential	0.3	Fibro	1	23.98	23.55	23.60
79	west	Residential	0.3	Weatherboard	1	23.32	22.51	22.99
80	west	Residential	0.3	Weatherboard	1	24.03	23.44	23.54
81	west	Residential	0.3	Weatherboard	1	24.68	23.64	24.07
82	west	Residential	0.3	PVC Clad	1	23.93	23.44	23.50
83	west	Residential	0.4	Weatherboard	1	25.00	24.07	24.56
84	west	Residential	0.3	Weatherboard	1	24.06	23.39	23.45
85	87 west	"Commercial""Gill Engineering"" - shed"	on	metal	1	25.02	24.78	25.40
86	west	Residential	0.3	Weatherboard	1	24.00	23.35	23.47
88	west	Residential	0.3	Weatherboard	1	23.72	23.31	23.55
89	93 west	"Commercial""Foscars"" Used Car Yard"	on	Brick	1	25.91	25.00	25.80
90	west	Residential	0.5	Weatherboard	1	23.94	23.31	23.55
92	west	Residential	0.4	Weatherboard	1	23.95	23.25	23.40
94	west	Residential	0.6	PVC Clad	1	24.32	23.18	23.61
96	west	Residential	0.5	Weatherboard	1	24.37	23.38	23.58
98	west	Residential	0.5	metal	1	24.42	23.38	23.62
100	west	Residential	0.3	Fibro/Weatherboard	1	23.91	23.41	23.55
102	west	Residential	0.3	Fibro/Weatherboard	1	23.96	23.44	23.50
104	west	Residential	0.3	Fibro/Weatherboard	1	23.84	23.36	23.50

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
106	west	Residential	0.3	Weatherboard	1	24.02	23.23	23.38
108	west	Residential	0.3	Weatherboard	1	23.55	23.13	23.25
110	west	Residential	on	stucco	1	23.65	23.00	23.11
112	west	Residential	0.3	Weatherboard	1	23.28	22.75	22.75
114	west	Residential	0.3	Weatherboard	1	23.26	22.56	22.69
116	west	Residential	0.3	Weatherboard	1	23.13	22.50	22.63
118	west	Residential	0.3	Weatherboard	1	22.94	22.08	22.54
120	west	Residential	0.3	Weatherboard	1	22.72	22.08	22.30
126	west	Residential	0.3	Weatherboard	1	22.70	22.03	22.20
128	west	Residential	on	Weatherboard	1	22.84	22.03	22.18
130	west	Residential	on	stucco	1	23.78	22.47	23.49
132	west	Residential	0.5	Weatherboard	1	24.39	22.86	23.86
134	west	Residential	0.3	PVC Clad	1	24.56	23.30	24.21
136	west	Residential	0.3	Weatherboard	1	24.96	23.92	24.73
138	west	Residential	on	Brick	1	25.37	24.25	25.10
140	west	Residential	on	Fibro/Weatherboard	2/2 (2.7)	1st 28.41	24.50	25.54
142	west	Residential	on	Conc. Block	2/2 (2.8)	gr 25.86	24.60	25.76
1	wharf	Residential	0.3	Weatherboard	1	22.87		22.50
2	wharf	Residential	0.5	PVC Clad	1	23.22	22.20	22.55
3	wharf	Residential	0.3	Fibro/Weatherboard	1	23.22	21.90	22.69
4	wharf	Residential	0.4	metal	1	22.84	22.15	22.45
6	wharf	Residential	1	PVC Clad	1	22.45	15.77	22.10
7	wharf	Residential	0.7	Fibro/Weatherboard	1	22.93		22.77
9	wharf	Residential	0.6	metal	1	23.14		22.77
10	wharf	Residential	1	Weatherboard	1	24.02	15.77	22.91
11	wharf	Residential	0.3	Weatherboard	1	23.06		22.66
12	wharf	Residential	0.3	Fibro	1	23.63	22.30	22.97
13	wharf	Vacant						22.60
14	wharf	Residential	0.3	Fibro	1	23.52	22.40	22.97
15	wharf	Vacant						22.29
17	wharf	Vacant						21.84
1	wheat	Residential	0.6	stucco	1	22.55	21.22	22.19
3	wheat	Residential	0.5	Hardiplank	1	22.91	21.65	22.72
4	wheat	Residential	on	Brick	1	23.41	22.11	23.06
5	wheat	Residential	on	Fibro/Weatherboard	1	23.20	22.10	22.87
6	wheat	Residential	0.3	Weatherboard	1	23.70	23.16	23.19
7	wheat	Residential	on	Hardiplank	2/2 (3.1)	gr 22.99	22.57	22.87
8	wheat	Residential	0.3	Weatherboard	1	23.72	23.08	23.10

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
9	wheat	Residential	on	Brick	1	22.93	22.42	22.69
10	wheat	Residential	0.3	Weatherboard	1	23.60	22.90	23.00
11	wheat	Residential	0.5	Fibro/Weatherboard	1	23.08	22.42	22.56
12	wheat	Residential	0.3	Immitation Brick	1	23.47	22.90	23.00
13	wheat	Residential	0.3	PVC Clad	1	23.16	22.40	22.42
14	wheat	Residential	0.4	Weatherboard	1	23.26	22.45	22.58
15	wheat	Residential	0.3	Weatherboard	1	23.04	22.40	22.42
16	wheat	Residential	0.5	Weatherboard	1	23.28	22.36	22.49
17	wheat	Residential	0.3	PVC Clad	1	23.06	22.33	22.42
18	wheat	Residential	0.5	Weatherboard	1	23.26	22.37	22.46
20	wheat	Residential	0.3	Fibro/Weatherboard	2/2 ()	gr 23.1	22.38	22.40
21	wheat	Residential	0.5	Fibro	1	22.14	21.07	21.69
22	wheat	Residential	0.3	Weatherboard	1	23.14	22.43	22.55
23	wheat	Residential	0.5	Weatherboard	1	22.11	20.87	21.30
24	wheat	Gov - pump station					20.64	21.50
24	wheat	Residential	on	stucco	1	23.14	22.40	22.55
25	a wheat	Residential	0.5	Weatherboard	1	22.64	20.97	22.53
25	b wheat	Residential	on	Brick	2/1 (2.55)	1st 23.6	20.87	21.70
27	wheat	Residential (being demolished)	0.5	Weatherboard	1	23.08	22.06	22.53
28	wheat	Residential	0.4	Weatherboard	1	22.91	22.05	22.11
29	wheat	Residential	0.3	Fibro/Weatherboard	1	23.11	22.23	22.53
31	wheat	Residential	0.3	Fibro/Weatherboard	1	22.99	22.44	22.65
33	wheat	Residential	0.3	Fibro	1	22.91	22.29	22.65
35	wheat	Residential	0.3	Fibro	1	23.02	22.29	22.40
1	wiangarie	Residential	2 bk on /	Fibro/Brick	1	Fair 24.9	23.29	24.53
2	a wiangarie	Residential	on	Brick	1	26.39	25.00	26.30
2	wiangarie	"Commercial""Casino Cabs"" "	on	Fibro/Weatherboard	1	25.75	24.40	26.20
3	wiangarie	Residential	0.6	Fibro/Weatherboard	1	24.26	22.82	23.98
4	wiangarie	Vacant					23.85	25.50
5	wiangarie	Residential	0.5	Weatherboard	1	23.47	22.42	23.43
6	wiangarie	Vacant					23.70	25.00
11	wills pl						30.40	31.00
12	wills pl						30.00	30.25
13	wills pl						30.40	32.00
14	wills pl						29.40	30.25
15	wills pl						32.00	33.00
16	wills pl						28.80	30.18
17	wills pl						32.00	34.00

Whilst all due care has been taken in the preparation of this flood information, Council accepts no responsibility for any errors or omissions. Any person whose legal rights may be affected, or who intends to act on the information shown on this sheet, should verify such information. The plans and survey information used in the preparation of this sheet are available at Council's office for viewing.

No.	Casino Street	Land_use (@ Oct/Nov 1999)	Floor to ground	Material	Storeys	Floor Level (existing)	Low Ground	High Ground
18	wills pl						28.80	30.00
19	wills pl						34.00	35.00
20	wills pl						28.80	30.50
21	wills pl						35.40	37.00
22	wills pl						30.00	32.00
24	wills pl						33.00	35.00
26	wills pl						35.00	36.00
28	wills pl						35.50	37.00
1	windsor ave	Residential	0.5	Weatherboard	1	25.14	24.15	24.90
2	windsor ave	Residential	on	Brick	2/2 (2.7)	25.19	16.84	25.93
3	windsor ave	Residential	on	Fibro	1	24.60	22.78	24.15
4	windsor ave	Residential	0.3	Weatherboard	1	23.57	16.84	24.39
5	windsor ave	Residential	2.6	Brick	2/2 (2.7)	24.16	20.79	24.08
6	windsor ave	Vacant					16.84	21.73
1	woodside gr	Residential	on	Brick	1	31.37	29.65	31.41
2	woodside gr	Residential	on	Brick	1	31.96	30.78	32.12
10	woodside gr	Residential	on	Brick	1	29.48	30.18	31.16
11	woodside gr	Residential	on	Brick	1	29.42	27.97	30.18
2	wooroooolgan	Residential	0.3	Weatherboard	1	26.82	26.09	26.55
4	wooroooolgan	Residential	on	PVC Clad	1	26.85	26.12	26.39
6	wooroooolgan	Residential	on	Fibro	1	27.96	26.91	27.97
8	wooroooolgan	Residential	on	Weatherboard	1	29.26	27.37	28.95