



Certificate Of Analysis

Client: Richmond Valley Council
Address: Locked Bag 10
Casino NSW 2470
Contact: Aidan Macqueen
Sampled by: Mia Donnelly

Final report

Report no: 17/0582
Date received: 11/04/2017
Testing commenced: 11/04/2017
Date reported: 27/04/2017
No. of samples: 3
Revision no: 00

* **Subcontract Laboratory:** Envirolab (NATA 2901)

* **Subcontract Reference:** 165253

RVC Casino Consumer Monthly

Sampled in accordance with RWL 2.0 to 2.05

Sample No.: Sample description: Date sampled:	Unit	Method	LOR	17/0582/1 Casino Walker Street 11/04/2017	17/0582/2 Casino Showground 11/04/2017	17/0582/3 Casino South Res 11/04/2017
Fluoride - ISE	mg/L	APHA4500FC	0.05	1.02	1.03	1.02
Colour (True)	Pt-Co	RWL10.02	2	<2	<2	<2
Ammonia-N	mg/L	RWL 10.06	0.01	<0.01	<0.01	<0.01
Nitrogen - Nitrate-N	mg/L	RWL 10.05	0.05	0.24	0.28	0.42
Nitrogen - Nitrite-N	mg/L	RWL 10.05	0.01	<0.01	<0.01	<0.01
Aluminium (Total)	mg/L	APHA3120B	0.005	0.074	0.069	0.070
Copper (Total)	mg/L	APHA3120B	0.005	0.016	0.018	<0.005
Iron (Total)	mg/L	APHA3120B	0.005	0.02	0.01	0.01
Lead (Total)	mg/L	APHA3120B	0.005	<0.005	<0.005	<0.005
Manganese (Total)	mg/L	APHA3120B	0.005	<0.005	<0.005	0.006
Zinc (Total)	mg/L	APHA3120B	0.005	<0.005	<0.005	<0.005
Total Trihalomethanes*	µg/L	Envirolab	1	86	117	115



Certificate Of Analysis

Client: Richmond Valley Council

Report no: 17/0582

General comments: This report must not be reproduced except in full. This report relates only to items tested as specified herein.
Samples analysed between date received and date reported. Accredited for compliance with ISO/IEC 17025.
NATA accreditation does not cover the performance of this service. Tests marked with * are subcontracted.
LOR denotes 'Limit of Reporting'

Specific comments:

A. Hawthorne
Laboratory Manager
Approved Authoriser