



## Certificate Of Analysis

**Client:** Richmond Valley Council  
**Address:** Locked Bag 10  
 Casino NSW 2470  
**Contact:** Aidan Macqueen  
**Sampled by:** W.Orton  
**Subcontract Laboratory:** QUU (NATA 11085) / Envirolab (NATA 2901)  
**Subcontract Reference:** /175162

This is an interim report

**Report no:** 17/1449  
**Date received:** 5/09/2017  
**Testing commenced:** 5/09/2017  
**Date reported:** 20/09/2017  
**No. of samples:** 2  
**Revision no:** 00

*Analysis results apply to samples as received.*

Raw and Finished Monthly

Sample No.: Sample description:  Date sampled:	Unit	Method	LOR	17/1449-1 RVC Finished Water 5/09/2017	17/1449-2 RVC Raw Water 5/09/2017
pH	pH	APHA4500H		7.5	7.9
Electrical Conductivity	µS/cm	APHA2510B	1	364	352
Total Dissolved Solids by calc	mg/L	APHA1030E	2	233	225
Dissolved Oxygen	mg/L	APHA4500OG	0.2	9.4	9.4
Fluoride - ISE	mg/L	APHA4500FC	0.05	1.17	[NA]
Colour (Apparent)	Pt-Co	RWL10.02	2	2	31
Colour (True)	Pt-Co	RWL10.02	2	<2	9
Turbidity	NTU	APHA2130B	0.1	0.25	4.4
Alkalinity (as CaCO3)	mg/L	APHA2320B	20	119	132
Suspended Solids	mg/L	APHA2540D	1	<1	5
Aluminium (Total)	mg/L	APHA3120B	0.005	<u>0.21</u>	0.26
Aluminium (Dissolved)	mg/L	APHA3120B	0.005	0.10	0.025
Iron (Total)	mg/L	APHA3120B	0.005	0.008	0.44
Iron (Dissolved)	mg/L	APHA3120B	0.005	<0.005	0.020



## Certificate Of Analysis

**Client:** Richmond Valley Council

**Report no:** 17/1449

Sample No.: Sample description: Date sampled:	Unit	Method	LOR	17/1449-1 RVC Finished Water 5/09/2017	17/1449-2 RVC Raw Water 5/09/2017
Manganese (Total)	mg/L	APHA3120B	0.005	<0.005	0.038
Manganese (Dissolved)	mg/L	APHA3120B	0.005	<0.005	<0.005
Calcium	mg/L	APHA3120B	0.1	20.8	20.5
Magnesium	mg/L	APHA3120B	0.1	14.7	14.7
Hardness as CaCO <sub>3</sub>	mg/L	APHA2340B	1	112	112
Total Coliforms	MPN/100mL	APHA9223B	1	<1	689
<i>E.coli</i>	MPN/100mL	APHA9223B	1	<1	60
Heterotrophic Plate Count	MPN/mL	APHA9215E	2	<2	260
Phosphorus - Total	mg/L	RWL 10.07	0.05	<0.05	0.11
Nitrogen - Nitrite-N	mg/L	RWL 10.05	0.01	<0.01	<0.01
Nitrogen - Nitrate-N	mg/L	RWL 10.05	0.05	<0.05	<0.05
Total Organic Carbon*	mg/L	Envirolab	1	3	3
Dissolved Organic Carbon*	mg/L	Envirolab	1	2	3
Total Trihalomethanes*	µg/L	Envirolab	1	23	[NA]
2-methylisoborneol*	ng/L	UUQ	2	[NA]	
Geosmin*	ng/L	UUQ	2	[NA]	



## Certificate Of Analysis

**Client:** Richmond Valley Council

**Report no:** 17/1449

General comments: This report must not be reproduced except in full. This report relates to items tested as specified herein.  
Samples tested between date received and date reported. Accredited for compliance with ISO/IEC 17025.  
# NATA accreditation does not cover the performance of this service. Tests marked with \* are subcontracted.  
LOR denotes 'Limit of Reporting'

Specific comments: