



## Certificate Of Analysis

**Client:** Richmond Valley Council

**Address:** Locked Bag 10  
Casino NSW 2470

**Contact:** Aidan Macqueen

**Sampled by:** Gary Mead

**Subcontract Laboratory:** Envirolab (NATA2901)

**Subcontract Reference:** 194395

*Analysis results apply to samples as received.*

Final report

Raw and Finished Weekly

**Report no:** 18/0956

**Date received:** 19/06/2018

**Testing commenced:** 19/06/2018

**Date reported:** 29/06/2018

**No. of samples:** 2

**Revision no:** 00

Sample No.: Sample description:	Unit	Method	LOR	18/0956-1 RVC Finished Water 19/06/2018 11:30	18/0956-2 RVC Raw Water 19/06/2018 11:00
pH	pH	APHA4500H		7.6	7.9
Electrical Conductivity	µS/cm	APHA2510B	1	323	277
Total Dissolved Solids by calc	mg/L	APHA1030E	2	207	177
Dissolved Oxygen	mg/L	APHA4500OG	0.2	10.2	9.94
Fluoride - ISE	mg/L	APHA4500FC	0.05	1.15	[NA]
Colour (Apparent)	Pt-Co	RWL10.02	2	<2	28
Colour (True)	Pt-Co	RWL10.02	2	<2	10
Turbidity	NTU	APHA2130B	0.1	0.37	4.7
Alkalinity (as CaCO <sub>3</sub> )	mg/L	APHA2320B	20	109	107
Suspended Solids	mg/L	APHA2540D	1	<1	4
Total Organic Carbon*	mg/L	Envirolab	1	2	2
Aluminium (Total)	mg/L	APHA3120B	0.005	0.084	0.32
Aluminium (Dissolved)	mg/L	APHA3120B	0.005	0.070	0.030



## Certificate Of Analysis

**Client:** Richmond Valley Council

**Report no:** 18/0956

Sample No.: Sample description:  Date sampled: Time sampled:	Unit	Method	LOR	18/0956-1 RVC Finished Water 19/06/2018 11:30	18/0956-2 RVC Raw Water 19/06/2018 11:00
Iron (Total)	mg/L	APHA3120B	0.005	<0.005	0.38
Iron (Dissolved)	mg/L	APHA3120B	0.005	<0.005	0.070
Manganese (Total)	mg/L	APHA3120B	0.005	<0.005	0.032
Manganese (Dissolved)	mg/L	APHA3120B	0.005	<0.005	0.012
Calcium	mg/L	APHA3120B	0.1	19.5	20.4
Magnesium	mg/L	APHA3120B	0.1	12.5	13.0
Hardness as CaCO <sub>3</sub>	mg/L	APHA2340B	1	100	104
Total Coliforms	MPN/100mL	APHA9223B	1	<1	461
<i>E.coli</i>	MPN/100mL	APHA9223B	1	<1	59
Heterotrophic Plate Count	MPN/mL	APHA9215E	2	2	900

General comments: This report must not be reproduced except in full. This report relates to items tested as specified herein.  
Samples tested between date received and date reported. Accredited for compliance with ISO/IEC 17025.  
# NATA accreditation does not cover the performance of this service. Tests marked with \* are subcontracted.  
LOR denotes 'Limit of Reporting'

Specific comments:

M Window  
Laboratory Analyst  
Approved Authoriser