Richmond Water Laboratories

Environmental Analysis - Water Sampling - Data Management



Certificate Of Analysis

Client:	Richmond Valley Council	Final report	Report no: 18/1843
Address:	Locked Bag 10		Date received: 4/12/2018
	Casino NSW 2470		Testing commenced: 4/12/2018
Contact:	Kristin Blain		Date reported: 10/12/2018
Sampled by:	Mia Donnelly		No. of samples: 5
* Subcontract	t Laboratory: Pathology North		Revision no: 00
* Subcentreet Peterenee, 241205710		DV/C Baaah Watah	

* Subcontract Reference: 341305710

Sampled in accordance with RWL 2.0 to 2.05

RVC Beach Watch

Sample No.: Sample desciption:	Unit	Method	LOR	18/1843/1 BW Airforce Beach	18/1843/2 BW Main Beach	18/1843/3 BW Evans River	18/1843/4 BW Shark Bay	18/1843/5 BW Elm St Bridge North
Date sampled: Time sampled:				4/12/2018 09:50	4/12/2018 09:40	4/12/2018 09:30	4/12/2018 09:15	4/12/2018 09:20
pH - field	pН	APHA4500H	2	8.4	8.4	8.3	8.3	8.3
Temperature - field	Deg. C	APHA2550B	0.1	23.9	23.8	23.8	23.5	23.7
Turbidity - field#	NTU	APHA2130B	0.1	1.5	1.4	5.3	1.8	2.5
Enterococci*#	cfu/100mL	PNWMF04	1	<1	<1	540	<1	8
Beach Watch Algae				Nil	Nil	Some	Some	Nil
Flood				Nil	Nil	Nil	Nil	Nil
Leaf Litter				Nil	Nil	Some	Nil	Nil
Litter				Nil	Nil	Nil	Nil	Nil
Marine Debris				Nil	Nil	Nil	Nil	Nil
Surface Scum				Nil	Nil	Nil	Nil	Nil
Number of Swimmers				0	19	0	8	0
Weather				Fine	Fine	Fine	Fine	Fine
Weed				Nil	Nil	Nil	Nil	Nil



Environmental Analysis - Water Sampling - Data Management



Certificate Of Analysis

Client: Richmond Valley Council

Report no: 18/1843

Sample No.:	Unit	Method	LOR	18/1843/1	18/1843/2	18/1843/3	18/1843/4	18/1843/5
Sample desciption:				BW Airforce Beach	BW Main Beach	BW Evans River	BW Shark Bay	BW Elm St Bridge North
Date sampled:				4/12/2018	4/12/2018	4/12/2018	4/12/2018	4/12/2018
Time sampled:				09:50	09:40	09:30	09:15	09:20
Beach Watch Tide				High	High	High	High	High

General comments: This report must not be reproduced except in full. This report relates only to items tested as specified herein. Samples analysed between date received and date reported. Accredited for compliance with ISO/IEC 17025. # NATA accreditation does not cover the performance of this service. Tests marked with * are subcontracted. LOR denotes 'Limit of Reporting'

Specific comments:

A. Hawthorne Laboratory Manager Approved Authoriser