



Certificate Of Analysis

Client: Richmond Valley Council
Address: Locked Bag 10
Casino NSW 2470
Contact: Kristin Blain
Sampled by: Adrian Leader
*** Subcontract Laboratory:** NSW Health Pathology
*** Subcontract Reference:** 369043014
Sampled in accordance with RWL 2.0 to 2.05

Final report

Report no: 19/2051
Date received: 5/12/2019
Testing commenced: 5/12/2019
Date reported: 11/12/2019
No. of samples: 5
Revision no: 00

RVC Beach Watch

Sample No.: Sample description:	Unit	Method	LOR	19/2051/1 BW Airforce Beach	19/2051/2 BW Main Beach	19/2051/3 BW Evans River	19/2051/4 BW Shark Bay	19/2051/5 BW Elm St Bridge North
Date sampled: Time sampled:				5/12/2019 10:20	5/12/2019 10:15	5/12/2019 09:50	5/12/2019 09:30	5/12/2019 09:45
pH - field	pH	APHA4500H	2	7.3	8.1	8.0	7.4	7.4
Temperature - field	Deg. C	APHA2550B	0.1	22.5	22.9	24.0	21.6	22.7
Turbidity - field#	NTU	APHA2130B	0.1	2.5	6.3	5.2	4.4	5.2
<i>Enterococci</i> *#	cfu/100mL	PNWMF04	1	<1	1	1	3	2
Beach Watch Algae				Nil	Nil	Nil	Nil	Nil
Flood				Nil	Nil	Nil	Nil	Nil
Leaf Litter				Nil	Nil	Nil	Nil	Nil
Litter				Nil	Nil	Nil	Nil	Nil
Marine Debris				Y	Y	Y	Y	Y
Surface Scum				Nil	Nil	Nil	Nil	Nil
Number of Swimmers				0	8	0	9	0
Weather				Fine	Fine	Fine	Fine	Fine
Weed				Y	Y	Y	Y	Y



Certificate Of Analysis


Client: Richmond Valley Council

Report no: 19/2051

Sample No.: Sample description:	Unit	Method	LOR	19/2051/1 BW Airforce Beach	19/2051/2 BW Main Beach	19/2051/3 BW Evans River	19/2051/4 BW Shark Bay	19/2051/5 BW Elm St Bridge North
Date sampled:				5/12/2019	5/12/2019	5/12/2019	5/12/2019	5/12/2019
Time sampled:				10:20	10:15	09:50	09:30	09:45
Beach Watch Tide				Low	Low	Low	Low	Low

General comments: This report must not be reproduced except in full. This report relates only to items tested as specified herein.
Samples analysed between date received and date reported. Accredited for compliance with ISO/IEC 17025 - Testing
NATA accreditation does not cover the performance of this service. Tests marked with * are subcontracted.
LOR denotes 'Limit of Reporting' < denotes less than; > denotes greater than; ND denotes 'not detected'
The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards

Specific comments:


A. Hawthorne
Laboratory Manager
Approved Authoriser