



## Certificate Of Analysis

**Client:** Richmond Valley Council  
**Address:** Locked Bag 10  
Casino NSW 2470  
**Contact:** Sandeep Chugh  
**Sampled by:** M.MacRae  
**Subcontract Laboratory:** Envirolab (NATA2901)  
**Subcontract Reference:** 243834

Final report

**Report no:** 20/0807  
**Date received:** 20/05/2020  
**Testing commenced:** 20/05/2020  
**Date reported:** 9/06/2020  
**No. of samples:** 2  
**Revision no:** 00

*Analysis results apply to samples as received.*

Raw and Finished Weekly

Sample No.: Sample description:  Date sampled: Time sampled:	Unit	Method	LOR	20/0807-1 RVC Finished Water 20/05/2020	20/0807-2 RVC Raw Water 20/05/2020
pH	pH	APHA4500H		7.4	7.8
Electrical Conductivity	µS/cm	APHA2510B	1	322	327
Total Dissolved Solids by calc	mg/L	APHA1030E	2	206	209
Dissolved Oxygen	mg/L	APHA4500OG	0.2	9.4	8.2
Fluoride - ISE	mg/L	APHA4500FC	0.05	1.11	[NA]
Colour (Apparent)	Pt-Co	RWL10.02	2	<2	24
Colour (True)	Pt-Co	RWL10.02	2	<2	8
Turbidity	NTU	APHA2130B	0.1	0.20	3.7
Alkalinity (as CaCO <sub>3</sub> )	mg/L	APHA2320B	20	106	113
Suspended Solids	mg/L	APHA2540D	1	<1	5
Total Organic Carbon*	mg/L	Envirolab	1	2	6
Aluminium (Total)	mg/L	APHA3120B	0.005	0.031	0.17
Aluminium (Dissolved)	mg/L	APHA3120B	0.005	0.028	<0.005



## Certificate Of Analysis


**Client:** Richmond Valley Council

**Report no:** 20/0807

Sample No.: Sample description:  Date sampled: Time sampled:	Unit	Method	LOR	20/0807-1 RVC Finished Water 20/05/2020	20/0807-2 RVC Raw Water 20/05/2020
Iron (Total)	mg/L	APHA3120B	0.005	<0.005	0.22
Iron (Dissolved)	mg/L	APHA3120B	0.005	<0.005	0.007
Manganese (Total)	mg/L	APHA3120B	0.005	<0.005	0.044
Manganese (Dissolved)	mg/L	APHA3120B	0.005	<0.005	<0.005
Calcium	mg/L	APHA3120B	0.1	25.8	25.2
Magnesium	mg/L	APHA3120B	0.1	14.9	14.6
Hardness as CaCO <sub>3</sub>	mg/L	APHA2340B	1	126	123
Total Coliforms	MPN/100mL	APHA9223B	1	<1	1,235
<i>E.coli</i>	MPN/100mL	APHA9223B	1	<1	16
Heterotrophic Plate Count	MPN/mL	APHA9215E	2	<2	2,150

General comments: This report must not be reproduced except in full. This report relates to items tested as specified herein.  
 Samples tested between date received and date reported. Accredited for compliance with ISO/IEC 17025 - Testing  
 # NATA accreditation does not cover the performance of this service. Tests marked with \* are subcontracted.  
 LOR denotes 'Limit of Reporting' < denotes less than; > denotes greater than; ND denotes 'not detected'  
 The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards

Specific comments:

  
 M Window  
 Laboratory Analyst  
 Approved Authoriser