**Richmond Water Laboratories** 

Environmental Analysis - Water Sampling - Data Management



## **Certificate Of Analysis**

Client:	Richmond Valley Council	Final report	Report no:	20/1920
Address:	Locked Bag 10		Date received:	17/12/2020
	Casino NSW 2470		Testing commenc	ed: 17/12/2020
Contact:	Abbey Eggins		Date reported:	22/12/2020
Sampled by:	Adrian Leader		No. of samples:	5
* Subcontract Laboratory: NSW Health Pathology			Revision no:	00

\* Subcontract Laboratory: NSW Health Pathology

\* Subcontract Reference: 377522464

Sampled in accordance with RWL 2.0 to 2.05

**RVC Beach Watch** 

Sample No.: Sample desciption:	Unit	Method	LOR	20/1920/1 BW Airforce Beach	20/1920/2 BW Main Beach	20/1920/3 BW Evans River	20/1920/4 BW Shark Bay	20/1920/5 BW Elm St Bridge North
Date sampled: Time sampled:				17/12/2020 10:45	17/12/2020 10:30	17/12/2020 10:20	17/12/2020 10:00	17/12/2020 09:20
· · · · · · · · · · · · · · · · · · ·								
pH - field	pН	APHA4500H	2	8.9	8.0	7.8	8.8	7.1
Temperature - field	Deg. C	APHA2550B	0.1	22.4	22.4	23.4	22.2	25.4
Turbidity - field	NTU	APHA2130B	0.1	69	0.44	100	0.41	110
Enterococci*#	cfu/100mL	PNWMF04	1	6	90	280	52	160
Beach Watch Algae				Nil	Nil	Nil	Nil	Nil
Flood				Moderate	Moderate	Moderate	Moderate	Moderate
Leaf Litter				Nil	Nil	Some	Nil	Some
Litter				Some	Some	Some	Some	Some
Marine Debris				Some	Some	Some	Some	Some
Surface Scum				Some	Some	Some	Some	Nil
Number of Swimmers				0	0	0	0	0
Weather				Rain	Rain	Rain	Rain	Rain
Weed				Nil	Nil	Nil	Nil	Nil

**Richmond Water Laboratories** 

Environmental Analysis - Water Sampling - Data Management



## **Certificate Of Analysis**

Client: Richmond Valley Council

**Report no:** 20/1920

Sample No.:	Unit	Method	LOR	20/1920/1	20/1920/2	20/1920/3	20/1920/4	20/1920/5
Sample desciption:				BW Airforce Beach	BW Main Beach	BW Evans River	BW Shark Bay	BW Elm St Bridge North
Date sampled:				17/12/2020	17/12/2020	17/12/2020	17/12/2020	17/12/2020
Time sampled:				10:45	10:30	10:20	10:00	09:20
Beach Watch Tide				High	High	High	High	High

## End of results

General comments:	This report must not be reproduced except in full. This report relates only to items tested as specified herein.
	Samples analysed between date received and date reported. Accredited for compliance with ISO/IEC 17025 - Testing
	# NATA accreditation does not cover the performance of this service. Tests marked with * are subcontracted.
	LOR denotes 'Limit of Reporting' < denotes less than; > denotes greater than; ND denotes 'not detected'
	The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards

Specific comments:

4

A. Hawthorne Laboratory Manager Approved Authoriser