



Certificate Of Analysis

Client: Richmond Valley Council
Address: Locked Bag 10
 Casino NSW 2470
Contact: Abbey Eggins
Sampled by: Chantel Cremen
 * **Subcontract Laboratory:** NSW Health Pathology
 * **Subcontract Reference:** 442505460

Final report

Report no: 22/0266
Date received: 16/02/2022
Testing commenced: 16/02/2022
Date reported: 18/02/2022
No. of samples: 5
Revision no: 01

Sampled in accordance with RWL 2.0 to 2.05

RVC Beach Watch

Sample No.: Sample description:	Unit	Method	LOR	22/0266/1 BW Airforce Beach	22/0266/2 BW Main Beach	22/0266/3 BW Evans River	22/0266/4 BW Shark Bay	22/0266/5 BW Elm St Bridge North
Date sampled:				16/02/2022	16/02/2022	16/02/2022	16/02/2022	16/02/2022
Time sampled:				12:10	12:00	11:50	10:48	10:55
pH - field	pH	APHA4500H	2	8.06	8.07	8.09	8.06	8.00
Temperature - field	Deg. C	APHA2550B	0.1	26.2	26.0	25.9	25.3	24.9
Turbidity - field	NTU	APHA2130B	0.1	4.2	4.3	4.5	4.6	2.8
Enterococci*#	cfu/100mL	PNWMF04	1	<1	<1	31	<1	7
Beach Watch Algae				None	None	None	None	None
Flood				None	None	None	None	None
Leaf Litter				None	None	None	None	None
Litter				None	None	None	None	Some
Marine Debris				None	None	None	None	None
Surface Scum				None	None	None	None	None
Number of Swimmers				4	1	0	0	0
Weather				Fine	Fine	Fine	Fine	Fine
Weed				None	None	None	None	None



Certificate Of Analysis

Client: Richmond Valley Council


Report no: 22/0266

Sample No.:	Unit	Method	LOR	22/0266/1	22/0266/2	22/0266/3	22/0266/4	22/0266/5
Sample description:				BW Airforce Beach	BW Main Beach	BW Evans River	BW Shark Bay	BW Elm St Bridge North
Date sampled:				16/02/2022	16/02/2022	16/02/2022	16/02/2022	16/02/2022
Time sampled:				12:10	12:00	11:50	10:48	10:55
Beach Watch Tide				Mid	Mid	Mid	High	High

End of results

General comments: This report must not be reproduced except in full. This report relates only to items tested as specified herein.
 Samples analysed between date received and date reported. Accredited for compliance with ISO/IEC 17025 - Testing
 # NATA accreditation does not cover the performance of this service. Tests marked with * are subcontracted.
 LOR denotes 'Limit of Reporting' < denotes less than; > denotes greater than; ND denotes 'not detected'
 The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards

Specific comments:


 M Window
 Laboratory Analyst
 Approved Authoriser