

Certificate Of Analysis

Client: Richmond Valley Council
Address: Locked Bag 10
 Casino NSW 2470
Contact: Sandeep Chugh
Sampled by: Serena Tomkins
Subcontract Laboratory: NSW DPI (NATA 14173)
Subcontract Reference: WN220732

Final report

Report no: 22/0593
Date received: 11/05/2022
Testing commenced: 11/05/2022
Date reported: 25/05/2022
No. of samples: 2
Revision no: 00

Analysis results apply to samples as received.

Raw and Finished Weekly

Sample No.: Sample description: Date sampled: Time sampled:	Unit	LOR	22/0593-1 RVC Finished Water 11/05/2022	22/0593-2 RVC Raw Water 11/05/2022
DPI - Alkalinity*	mg/L	14	90	85
DPI - Aluminium (Dissolved)*	mg/L	0.001	0.020	0
DPI - Aluminium (Total)*	mg/L	0.001	0.28	6.0
DPI - Colour Apparent*	CU		2	429
DPI - Colour True*	CU	1	<1	50
DPI - E-Coli*	MPN/100ml	1	<1	260
DPI - Electrical Conductivity*	µS/cm	10	380	230
DPI - Fluoride*	mg/L	0.2	0.80	[NA]
DPI - Hardness*	mg/L	1.0	68	72
DPI - Iron (Dissolved)*	mg/L		0.004	0.22
DPI - Iron (Total)*	mg/L	0.005	<0.005	9.7
DPI - Manganese (Dissolved)*	mg/L	0.0005	0.0006	0.002
DPI - Manganese (Total)*	mg/L	0.0005	0.001	0.21

Certificate Of Analysis

Client: Richmond Valley Council

Report no: 22/0593

Sample No.: Sample description:	Unit	LOR	22/0593-1 RVC Finished Water 11/05/2022	22/0593-2 RVC Raw Water 11/05/2022
Date sampled: Time sampled:				
DPI - pH*			7.6	7.7
DPI - Suspended Solids*	mg/L	1	<1.0	120
DPI - Total Coliforms*	MPN/100ml	1	<1	18,000
DPI - TDS by calc*	mg/L	6	250	150
DPI - Total Organic Carbon*	mg/L		16	20
DPI - Turbidity*	NTU	0.07	0.13	120

End of results

General comments: This report must not be reproduced except in full. This report relates to items tested as specified herein.
 Samples tested between date received and date reported. Accredited for compliance with ISO/IEC 17025 - Testing
 # NATA accreditation does not cover the performance of this service. Tests marked with * are subcontracted.
 LOR denotes 'Limit of Reporting' < denotes less than; > denotes greater than; ND denotes 'not detected'
 The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards

Specific comments:



V. Barnett
Laboratory Analyst
Approved Authoriser