

Certificate Of Analysis

Client: Richmond Valley Council
Address: Locked Bag 10
 Casino NSW 2470
Contact: Sandeep Chugh
Sampled by: Serena Tomkins
Subcontract Laboratory: NSW DPI (NATA 14173)
Subcontract Reference: WN220885

Final report

Report no: 22/0684
Date received: 1/06/2022
Testing commenced: 1/06/2022
Date reported: 17/06/2022
No. of samples: 2
Revision no: 00

Analysis results apply to samples as received.

Raw and Finished Weekly

Sample No.: Sample description: Date sampled: Time sampled:	Unit	LOR	22/0684-1 RVC Finished Water 12:40	22/0684-2 RVC Raw Water 09:30
DPI - Alkalinity*	mg/L	14	98	100
DPI - Aluminium (Dissolved)*	mg/L	0.001	0.025	0.062
DPI - Aluminium (Total)*	mg/L	0.001	0.069	3.0
DPI - Calcium*	mg/L	0.03	18	18
DPI - Colour Apparent*	CU		2	268
DPI - Colour True*	CU	1	<1	23
DPI - Dissolve Organic Carbon*	mg/L		2	3
DPI - E-Coli*	MPN/100ml	1	<1	200
DPI - Electrical Conductivity*	µS/cm	10	340	270
DPI - Fluoride*	mg/L	0.2	0.96	[NA]
DPI - Hardness*	mg/L	1.0	87	87
DPI - Iron (Dissolved)*	mg/L		0.004	0.17
DPI - Iron (Total)*	mg/L	0.005	0.043	4.6

Certificate Of Analysis

Client: Richmond Valley Council

Report no: 22/0684

Sample No.: Sample description: Date sampled: Time sampled:	Unit	LOR	22/0684-1 RVC Finished Water 12:40	22/0684-2 RVC Raw Water 09:30
DPI - Magnesium*	mg/L	0.01	10	10
DPI - Manganese (Dissolved)*	mg/L	0.0005	<0.0005	0.001
DPI - Manganese (Total)*	mg/L	0.0005	0.045	0.089
DPI - Nitrate*	mg/L	0.02	0.18	0.19
DPI - Nitrite*	mg/L		<0.01	<0.01
DPI - pH*			7.9	7.9
DPI - Phosphorus - Total*	mg/L	0.03	0.044	0.17
DPI - Suspended Solids*	mg/L	1	<1.0	59
DPI - Total Coliforms*	MPN/100ml	1	<1	18,000
DPI - TDS by calc*	mg/L	6	230	180
DPI - Total Organic Carbon*	mg/L		2	4
DPI - Turbidity*	NTU	0.07	0.45	36

End of results

General comments: This report must not be reproduced except in full. This report relates to items tested as specified herein.

Samples tested between date received and date reported. Accredited for compliance with ISO/IEC 17025 - Testing

NATA accreditation does not cover the performance of this service. Tests marked with * are subcontracted.

LOR denotes 'Limit of Reporting' < denotes less than; > denotes greater than; ND denotes 'not detected'

The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards

Specific comments:



V. Barnett
Laboratory Analyst
Approved Authoriser