



Certificate Of Analysis

Client: Richmond Valley Council
Address: Locked Bag 10
Casino NSW 2470
Contact: Abbey Eggins
Sampled by: Rohan Das
*** Subcontract Laboratory:** NSW Health Pathology
*** Subcontract Reference:** 442866226

Sampled in accordance with RWL 2.0 to 2.05

Final report

Report no: 22/0801
Date received: 29/06/2022
Testing commenced: 29/06/2022
Date reported: 4/07/2022
No. of samples: 1
Revision no: 00

RVC Beach Watch

Sample No.: Sample description:	Unit	Method	LOR	22/0801/1 BW Evans River 29/06/2022 10:40
Date sampled:				
Time sampled:				
pH - field	pH	APHA4500H	2	8.11
Temperature - field	Deg. C	APHA2550B	0.1	17.5
Turbidity - field	NTU	APHA2130B	0.1	4.5
<i>Enterococci</i> *#	cfu/100mL	PNWMF04	1	7
Beach Watch Algae				None
Flood				Nil
Leaf Litter				Some
Litter				None
Marine Debris				None
Surface Scum				Some
Number of Swimmers				0
Weather				Overcast
Weed				None
Beach Watch Tide				High



Certificate Of Analysis

Client: Richmond Valley Council

Report no: 22/0801

End of results

Richmond Water Laboratories has temporarily relocated to Wollongbar DPI after the floods and suspended their NATA accreditation. All analysis is now fully accredited and performed under Wollongbar DPI's NATA accreditation.

General comments:

This report must not be reproduced except in full. This report relates only to items tested as specified herein.
Samples analysed between date received and date reported. Accredited for compliance with ISO/IEC 17025 - Testing
NATA accreditation does not cover the performance of this service. Tests marked with * are subcontracted.
LOR denotes 'Limit of Reporting' < denotes less than; > denotes greater than; ND denotes 'not detected'
The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards

Specific comments:

V. Barnett
Laboratory Analyst
Approved Authoriser