

DATE OF ISSUE: 8/05/23

REPORT NO: WN230780

Water Analysis Report

REPORT NO:	WN230780	ISSUE DATE:	8/05/23
DATE SAMPLES RECEIVED:	28/04/23	PURCHASE ORDER:	
SAMPLES RECEIVED:	1	COMMENT:	Results relate only to items tested.
SUBMITTER:	David Cash		
COMPANY:	Richmond Valley Council		
ADDRESS:	Locked Bag 10 CASINO NSW 2470,		
METHOD ID	ANALYSIS METHOD		
W107	EC, pH, Alkalinity & Chloride in water by autotitrator		
W112	Turbidity of water		

REPORT AUTHORISATION

Approved for Release by:



Steven Leahy
Chemist



Accreditation No. 14173
Accredited for compliance
with ISO/IEC 17025 - Testing



Wollongbar Agricultural Institute (WWAI)
1243 Bruxner Hwy
Wollongbar NSW 2477
T: 02 6628 1103
E: wollongbar.csu@dpi.nsw.gov.au
W: www.dpi.nsw.gov.au

DATE OF ISSUE: 8/05/23

REPORT NO: WN230780

ANALYSIS RESULTS			
			1
Test Description	LOR	UNITS	BW Evans River
Date Sampled		Date	27/04/2023
Sampled By			MW
Time Sampled		Time	9:00:00
Field pH**	1	pH units	7.8
Field Temperature**	1	°C	22.1
Field Turbidity**	0.07	NTU	2.7
Beachwatch Swimmers			0
Beachwatch Surface Scum			Nil
Beachwatch Leaf Litter			Nil
Beachwatch Litter			Nil
Beachwatch Marine Debris			Nil
Beachwatch Weed			Nil
Beachwatch Algae			Nil
Beachwatch Weather			Overcast
Beachwatch Flood			Nil
Beachwatch Tide			Low

LABORATORY NOTES

****NATA Accreditation does not cover the performances of this service.**

RVC Beachwatch

- Results are expressed on an 'as received' basis unless otherwise stated.
- This report should not be reproduced except in full.
- Samples will be retained for one calendar month from the date of the final report and then discarded.
- Clients wishing to recover their samples must contact the laboratory within this period.
- Sample return is at the clients expense.
- Results for elements analysed by ICP are reported in mg/L for ICP-OES and low level analysis in ug/L for ICP-MS