# **BASIX**<sup>°</sup>Certificate

Building Sustainability Index www.basix.nsw.gov.au

# Multi Dwelling

Certificate number: 1731235M

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Wednesday, 20 December 2023 To be valid, this certificate must be lodged within 3 months of the date of issue.



Project summary							
Project name	146-152 Johnston Street CASINO						
Street address	146-152 JOHNSTON STREET CASI	NO 2470					
Local Government Area	RICHMOND VALLEY						
Plan type and plan number	Deposited Plan 834821						
Lot No.	155						
Section no.	-						
No. of residential flat buildings	1						
Residential flat buildings: no. of dwellings	4						
Multi-dwelling housing: no. of dwellings	9						
No. of single dwelling houses	0						
Project score							
Water	✓ 44	Target 40					
Thermal Performance	V Pass	Target Pass					
Energy	✔ 80	Target 64					
Materials	22	Target n/a					



For any required changes to this BASIX certificate Please contact Senica Consultancy Group P: 0280067784 E: info@senica.com.au

#### **Certificate Prepared by**

Name / Company Name: SENICA CONSULTANCY GROUP PTY LIMITED

ABN (if applicable): 48612864249

Department of Planning and Environment BASIX

www.basix.nsw.gov.au

Version: 4.0 / EUCALYPTUS 03 01 0

# **Description of project**

#### Project address

i i ejeet addi eee	
Project name	146-152 Johnston Street CASINO
Street address	146-152 JOHNSTON STREET CASINO 2470
Local Government Area	RICHMOND VALLEY
Plan type and plan number	Deposited Plan 834821
Lot No.	155
Section no.	-
Project type	
No. of residential flat buildings	1
Residential flat buildings: no. of dwellings	4
Multi-dwelling housing: no. of dwellings	9
No. of single dwelling houses	0
Site details	
Site area (m <sup>2</sup> )	3230.1
Roof area (m²)	1027.6
Non-residential floor area (m <sup>2</sup> )	0
Residential car spaces	15
Non-residential car spaces	0

Common area landscape							
Common area lawn (m <sup>2</sup> )	340						
Common area garden (m <sup>2</sup> )	227						
Area of indigenous or low water use species (m²)	use 0						
Assessor details and therma	al loads						
Assessor number	dmn/14/1658						
Certificate number	HR-D4Q9TW-01						
Climate zone	9						
Project score							
Water	<b>V</b> 44	Target 40					
Thermal Performance	V Pass	Target Pass					
Energy	<b>V</b> 80	Target 64					
Materials	22	Target n/a					


BASIX

Department of Planning and Environment

# **Description of project**

The tables below describe the dwellings and common areas within the project

#### Residential flat buildings - Shop Top, 4 dwellings, 1 storey above ground



BASIX Department of Planning and Environment

# **Description of project**

The tables below describe the dwellings and common areas within the project

BASIX Department of Planning and Environment www.basix.nsw.gov.au Version: 4.0 / EUCALYPTUS\_03\_01\_0 Certificate No.: 1731235M Wednesday, 20 December 2023 page 4/26

# **Schedule of BASIX commitments**

1. Commitments for Residential flat buildings - Shop Top

(a) Buildings

(i) Materials

(b) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

(c) Common areas and central systems/facilities

(i) Water

(ii) Energy

2. Commitments for multi-dwelling housing

(a) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

3. Commitments for single dwelling houses

(a) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

4. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

BASIX Department of Planning and Environment www.basix.nsw.gov.au Version: 4.0 / EUCALYPTUS\_03\_01\_0 Certificate No.: 1731235M Wednesday, 20 December 2023 page 5/26

## Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carriedout. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

#### 1. Commitments for Residential flat buildings - Shop Top

#### (a) Buildings

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			>
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		<b>&gt;</b>	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	~	~	~
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			~

	Floor types										
Floor type	Area (m2)	Insulation	Low emissions option								
floors above habitable rooms, frame: timber framed with timber composite particle board	211.6	-	none								
suspended floor above open subfloor, frame: timber framed with timber composite particle board	36.7	-	none								

External wall types											
External wall type	Construction type	Area (m2)	Low emissions option	Insulation							
External wall type 1	brick veneer,frame:timber - H2 treated softwood	7.2	none	fibreglass batts or roll							
External wall type 2	framed (fibre cement sheet or boards),frame:timber - H2 treated softwood	132.5	none	fibreglass batts or roll							

BASIX Department of Planning and Environment www.basix.nsw.gov.au Version: 4.0 / EUCALYPTUS\_03\_01\_0 Certificate No.: 1731235M Wednesday, 20 December 2023 page 6/26

				External	wall types					
External wall type	Constr	Area (m2)		Low emis	sions option	Insu	lation			
External wall type 3	framed ( H2 treat	98.2		none		fibreg	glass bat	tts or roll		
				Internal	wall types					
Internal wall type		Construction	type		Area (m2)			Insulation		
Internal wall type 1		plasterboard, fr softwood	ame:timber	- H2 treated	213.4			-		
			R	einforcement conc	rete frames/colum	ns				
Building has reinfor	ced concrete frame/co	lumns?	Volume (	m³)			Low emissio	ns option		
-			-			-				
				Ceiling and	d roof types					
Ceiling and roof type	9	Area (m²)			Roof Insulation			Ceiling Insula	ation	
ramed - metal roof, fra	ame: timber - H2	293.2			foil backed blanket			fibreglass batts or roll		
	Glazing types					Fr	ame types			
Single glazing (m <sup>2</sup> )	Double glazing (m²)	Triple glazing		luminium frames <sup>n²</sup> )	Timber frames (n	n²) uPVC	frames (m²)	Steel frames	(m²)	Composite frames (m²)
56.4			- 56.4				Î-		_	

#### (b) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check	
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.				
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	>		
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~	
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		>	>	
(e) The applicant must install:				
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		<b>~</b>	v	
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		<b>~</b>	~	
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~		
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		<b>~</b>		
(g) The pool or spa must be located as specified in the table.	<b>v</b>	<b>~</b>		
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~	

	Fixtures					Appli	ances	Individual pool				Individual spa		
Dwelling no.	All shower- heads	All toilet flushing systems	taps		HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	4 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	-	-	-	-	-	-	-	-	-	-

BASIX

Alternative water source										
Dwelling no.	Alternative water supply systems	Size	Configuration			Toilet connec (s)		undry Pool top- nnection up		Spa top-up
All dwellings	ngs No alternative water								-	-
All dwellings										-
(ii) Energy							Show on DA plans		w on CC/CDC s & specs	Certifier check
(a) The applic	ant must comply with the c	ommitments lis	ted below in carrying out the developmer	nt of a dwelling l	listed in a table	below.				
supplied by	<ul> <li>(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.</li> </ul>									
			and laundry of the dwelling, the ventilatinave the operation control specified for it		cified for that ro	om in			<b>~</b>	<b>~</b>
headings of cooling or such areas	of the "Cooling" and "Heatin heating system is specified	ng" columns in I in the table for	stem/s specified for the dwelling under the the table below, in/for at least 1 living/bea "Living areas" or "Bedroom areas", then air conditioning system, then the system	droom area of th no systems ma	he dwelling. If n ay be installed i	o n any			~	~
the table b lighting" fo specified for	elow (but only to the exten r each such room in the dw	t specified for the velling is fluores a, then the light	e dwelling which is referred to in a headir nat room or area). The applicant must en scent lighting or light emitting diode (LED fittings in that room or area must only be	sure that the "p ) lighting. If the	rimary type of a term "dedicated	artificial d" is			~	~
the table b			dwelling which is referred to in a headin nat room or area). The applicant must en				~		~	~
(g) This comm	itment applies if the applic	ant installs a w	ater heating system for the dwelling's poo	ol or spa. The a	applicant must:					
			e "Individual Pool" column of the table be oplicant must install a timer, to control the			nstall			<b>v</b>	
			"Individual Spa" column of the table bel plicant must install a timer to control the		vely must not in	stall			<b>v</b>	
a										

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		~	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		<b>v</b>	<b>~</b>
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		<ul> <li>Image: A second s</li></ul>	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	ot water Bathroom ventilation system Kitchen ventilation system			Laundry ventilation system		
Dwelling no.	Hot water system Each bathroom Operation control		Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	gas instantaneous - 6.5 star	individual fan, ducted to façade or roof		individual fan, ducted to façade or roof	manual switch on/off	natural ventilation only, or no laundry	-

	Coc	Cooling		ting	Natural lighting		
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen	
All dwellings	-	-	-	-	0	yes	

	Inc	dividual pool	Individual sp	a	Appliances other efficiency measures					
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	-	gas cooktop & electric oven	3 star	-	no	no

Department of Planning and Environment BASIX

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	•		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		•	•
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	~	<b>~</b>	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	~		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		<b>`</b>	

	Thermal loads							
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)					
1	40.6	45	85.600					
2	22.7	43	65.700					
3	28.8	47.2	76.000					
All other dwellings	38.8	52.2	91.000					

BASIX Department of Planning and Environment

www.basix.nsw.gov.au Version

Version: 4.0 / EUCALYPTUS\_03\_01\_0 Cer

#### (c) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		<b>~</b>	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	<b>~</b>	<b>~</b>	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		<b>~</b>	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		<b>~</b>	<
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		<b>~</b>	~

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common	no common facility	no common facility	no common facility	no common laundry facility
areas				

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		<b>~</b>	>
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	>
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	>	~	>

www.basix.nsw.gov.au Version: 4.0 /

	Common area ve	entilation system	Common area lighting			
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS	
Hallway/lobby type (No. 1)	no mechanical ventilation	-	light-emitting diode	time clock and motion sensors	no	

### 2. Commitments for multi-dwelling housing

#### (a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	>	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		>	<b>~</b>
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		<b>~</b>	<b>~</b>
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✓	<b>~</b>
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	>	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		>	
(g) The pool or spa must be located as specified in the table.	>	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	>	~	~
Fixtures Appliances Individual pool		Individual s	

			Fixture	es		Appli	ances		Indivi	dual pool		l	ndividual spa	a
Dwelling no.	All shower- heads	All toilet flushing systems		All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
	4 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	-	-	-	-	-	-	-	-	-	-

Department of Planning and Environment BASIX

www.basix.nsw.gov.au

Version: 4.0 / EUCALYPTUS\_03\_01\_0

Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connectior			undry onnection	Pool top- up	Spa top-up
All dwellings	Individual water tank (No. 1)	Tank size (min) 2000 liters	To collect run-off from at least: 80 square metres of roof area;	yes	yes	yes	3	no	
All dwellings	No alternative water supply	-	-	-	-	-		-	-
(ii) Energy						Show o DA plan		v on CC/CDC s & specs	Certifier check
(b) The application supplied by central systems	ant must install each hot wate y that system. If the table spe tem to the dwelling, so that th	er system speci cifies a central ne dwelling's ho	I below in carrying out the developmen fied for the dwelling in the table below, hot water system for the dwelling, then at water is supplied by that central syst	so that the dwelling's hot want the applicant must connect em.	iter is that	~		<b>~</b>	~
			nd laundry of the dwelling, the ventilative the operation control specified for it		oom in			<b>~</b>	<b>~</b>
headings of cooling or such areas	of the "Cooling" and "Heating" heating system is specified ir	columns in the table for "L	em/s specified for the dwelling under the table below, in/for at least 1 living/bed iving areas" or "Bedroom areas", then the system, then the system	droom area of the dwelling. If no systems may be installed	no I in any			~	~
the table b lighting" fo specified fo	elow (but only to the extent s r each such room in the dwel	pecified for that ling is fluoresce hen the light fitt	welling which is referred to in a headin room or area). The applicant must en ent lighting or light emitting diode (LED ings in that room or area must only be	sure that the "primary type o ) lighting. If the term "dedicat	artificial ed" is			~	~
the table b			velling which is referred to in a heading room or area). The applicant must en			~		×	>
(g) This comm	itment applies if the applican	t installs a wate	r heating system for the dwelling's poo	ol or spa. The applicant mus	t:				
			Individual Pool" column of the table be icant must install a timer, to control the		t install			<b>~</b>	
(bb) ins	stall the system specified for t	he spa in the "I	ndividual Spa" column of the table belo	ow (or alternatively must not	install				

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(h) The applicant must install in the dwelling:			
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		<ul> <li>Image: A second s</li></ul>	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		<b>~</b>	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		✓	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	
(j) The applicant must install the photovoltaic system specified for the dwelling under the "Photovoltaic system" heading of the "Alternative energy" column of the table below, and connect the system to that dwelling's electrical system.	~	<b>~</b>	~

	Hot water	Bathroom ventilation system		Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	gas instantaneous - 6.5 star	individual fan, ducted to façade or roof		individual fan, ducted to façade or roof	manual switch on/off	natural ventilation only, or no laundry	-	

	Cooling		Неа	ting	Natural lighting	
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen
C1-02	-	-	-	-	1	no
C1-01, C1-03	-	-	-	-	2	no

	Coo	ling	Hea	Natural lighting		
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen
All other dwellings	-	-	-	-	0	yes

	Inc	Individual pool			dividual spa Appliances other efficiency measures					
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	-	gas cooktop & electric oven	-	-	no	yes

	Alternative energy							
Dwelling no.	Photovoltaic system (min rated electrical output in peak kW)	Photovoltaic collector installation	Orientation inputs					
C1-01, C1-03	-	-	-					
C2-01, C3-01	between >0° to <=10° degree to the horizontal	5.4	Ν					
All other dwellings	between >0° to <=10° degree to the horizontal	2.7	Ν					

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	~		

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	>	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	>	~	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	>		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		~	

		Thermal loads								
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)							
C1-01	29.7	48.2	77.900							
C1-02	32.4	54.9	87.300							
C1-03	20	54.4	74.400							
C2-01	27.7	29.6	57.300							
C2-02	23.4	43.6	67.000							
C2-03	36.7	27	63.700							
C3-01	27.3	30.1	57.400							
C3-02	22.9	45	67.900							
All other dwellings	35.4	28.1	63.500							

Department of Planning and Environment BASIX

	Construction of floors and walls								
Dwelling no.	Concrete slab on ground (m²)		Suspended floor with enclosed subfloor (m²)	Suspended floor above garage (m²)	Primarily rammed earth or mudbrick walls				
All dwellings	-	-	1	-	no				

	Floor types									
		Concrete	slab on ground		Suspended floor above enclosed subfloor			Suspended floor above open subfloor		
Dwelling no.	Area (m²)	Insulation	Low emissions option	Dematerialisation	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation
All dwellings	-	-	-	conventional slab	particle board, frame: laminated veneer lumber (LVL)	1	-	-	-	-

	Floor types										
	First floor above habitable rooms or mezzanine		Suspende	Suspended floor above garage			Garage floor				
Dwelling no.	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation	Low emissions option	Dematerialisation
All dwellings	-	-	-	-	-	-	-	0	-	none	conventional slab

	External walls							
		External	wall type 1		External wall type 2			
Dwelling no.	Wall type	Area (m²)	Insulation	Low emissions option	Wall type	Area (m²)	Insulation	Low emissions option
All dwellings	framed (fibre cement sheet or boards), frame : timber - H2 treated softwood	90.28	fibreglass batts or roll	-	-	-	-	-

Department of Planning and Environment BASIX

	External walls	External walls										
	External wall type 3				External wall type 4							
Dwelling no.	Wall type	Area (m²)	Insulation	Low emis option	sions	Wall typ	)e	Area	(m²)	Insulation		Low emissions option
All dwellings	-	-	-	-		-		-		-	.	
	Internal walls											
	Internal walls shared with garage				Internal wall type 1			Internal wall type 2				
Dwelling no.	Wall type	Area (m²)	Insulation	Wall type	Area (I	n²)	Insulatio	n	Wall type	Area (r	n²)	Insulation
All dwellings	-	-	-	plasterboard, frame: timber - H2 treated softwood	66.46		-		-	-		-
	Ceiling and roo	of										
	Fla	t ceiling / pitched	roof	Raked ce	Raked ceiling / pitched or skillion roof			Flat ceiling / flat roof			oof	
Dwelling no.	Construction type	Area (m²)	Insulation	Construction type	Area (ı	n²)	Insulation	n	Constructio type	n Area (r	n²)	Insulation
All dwellings	framed - metal roof, frame: timber - H2 treated softwood	56.2	-	framed - metal roof, frame: timber - H2 treated softwood	25.4		-		-	-		-

	Glazing type			Frame types				
Dwelling no.	Single glazing (m²)	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m²)	uPVC frames (m²)	Steel frames (m²)	Composite frames (m²)
All dwellings	19	-	-	19	-	-	-	-

Department of Planning and Environment BASIX

### 3. Commitments for single dwelling houses

#### (a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		~	~
(e) The applicant must install:			1
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		<b>~</b>	<b>~</b>
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		<b>~</b>	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		>	
(g) The pool or spa must be located as specified in the table.	>	×	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~
(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	~	~	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		~	~

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	~
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	>	~	>
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		<b>~</b>	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		<b>~</b>	
(h) The applicant must install in the dwelling:			
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		<b>~</b>	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		<b>~</b>	<b>~</b>
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		<b>~</b>	
<ul> <li>(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".</li> </ul>		<b>~</b>	
(j) The applicant must install the photovoltaic system specified for the dwelling under the "Photovoltaic system" heading of the "Alternative energy" column of the table below, and connect the system to that dwelling's electrical system.	~	~	~
(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			

BASIX Department of Planning and Environment www.basix.nsw.gov.au Version: 4.0 / EUCALYPTUS\_03\_01\_0 Certificate No.: 1731235M Wednesday, 20 December 2023 page 22/26

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	~		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		>	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	×	<b>&gt;</b>
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	~	~	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	<b>v</b>		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		<b>`</b>	

#### 4. Commitments for common areas and central systems/facilities for the development (non-building specific)

#### (b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		<b>~</b>	•
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	>	~	>
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	<b>~</b>	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		<b>~</b>	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		<b>~</b>	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		<b>~</b>	~

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		<b>~</b>	>
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	>	<b>~</b>	~

page 24/26

BASIX Department of Planning and Environment www.basix.nsw.gov.au Version: 4.0 / EUCALYPTUS\_03\_01\_0 Certificate No.: 1731235M Wednesday, 20 December 2023

Central energy systems	Туре	Specification
Other	-	-

#### Notes

- 1. In these commitments, "applicant" means the person carrying out the development.
- 2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
- 3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
- 4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
- 5. If a star or other rating is specified in a commitment, this is a minimum rating.
- 6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

#### Legend

- 1. Commitments identified with a " 🕊 " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
- 2. Commitments identified with a " " in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
- 3. Commitments identified with a "" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfillment it is required to monitor in relation to the building or part, has been fulfilled).