

	n
typical.	
oof sheet, typical.	
et endspan.	
	a di kasarin ku Ali ya kasari di kasari kasari ku
on stiffener angle	
utter line	
rafters to close so	ffit
rafters to close so	
	ffit ank.
t gutter. Direct to t d via first flush.	ank.
t gutter. Direct to t d via first flush. screw cap to end	ank.
t gutter. Direct to t d via first flush. screw cap to end	ank.
	ank.
t gutter. Direct to t d via first flush. screw cap to end	ank. for full
t gutter. Direct to t d via first flush. screw cap to end	ank.
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank. for full
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	for full
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank
t gutter. Direct to t d via first flush. screw cap to end "dry creek bed".	ank


entum Collect	i١	/6	Э
confirmed	· • • •		

not for use beyond EOI + QS 2022

<u>Dwg Revision</u> tpl A SHEET NAME Cluster - Detail -Typical Section DD 5-02 DRAWING NO.

TPlan Lodge

REFUGE ROOM: 1 per dwelling air condition, internal wrap to framing, double glaze, solid core door, fully ply brace walls externally, crimsafe to windows.



Fly screen to all openable glazing. Requirement for metal screens to be confirmed for bushfire hazard areas. Crimsafe only to openings nominated.



Document Set ID: 1906124 Version: 1, Version Date: 15/02/2024

north (typical)

COPYRIGHT PO Box 930 Burleigh Heads Q 4220 office@ptma.com.au 0417 704 089 abn 88 302 886 204 community arch reg: 003401 (QLD) 8496 (NSW)

Copyright in design + drawing is the property of ptma ARCHITECTURE P1 Peter McArdle & Teresa Wuersching ptmaARCHITECTURE acknowledges the traditional custodians & recognise their continuing connection to land, water and We pay our respect to elders past, present & emerging & extend that respect to all Aboriginal & Torres Strait Islander People.

REV SCHEDULE printed 22/12/2023 8:08:19 AM DESCRIPTION REV DATE 5Dec.23 prelim basix

tpl A 20Dec23 TPlan Lodge

Core + Cluster - CLUSTER SCALE 1:100 Refer drawings for scale. Original is A3 size. This marker is 10cm at full scale 2 3 5 10cm PROJECT NO. 1 4 0197:001


site to be confirmed not for use beyond EOI + QS 2022


> Dwg Revision tpl A

Momentum Collective D+W Cluster (2beds) DD 6-01

ISSUE

TPlan lodge





not for use beyond EOI + QS 2022

<u>Dwg Revision</u> tpl A





ISSUE