BASIX[°]Certificate

Building Sustainability Index www.basix.nsw.gov.au

Multi Dwelling

Certificate number: 1732625M

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Wednesday, 17 January 2024 To be valid, this certificate must be lodged within 3 months of the date of issue.



Project summary		
Project name	17 Mcdonald Place Evans Head	
Street address	17 MCDONALD PLACE EVANS H	EAD 2473
Local Government Area	RICHMOND VALLEY	
Plan type and plan number	Deposited Plan 14089	
Lot No.	7	
Section no.	-	
No. of residential flat buildings	1	
Residential flat buildings: no. of dwellings	10	
Multi-dwelling housing: no. of dwellings	0	
No. of single dwelling houses	0	
Project score		
Water	V 44	Target 40
Thermal Performance	V Pass	Target Pass
Energy	92	Target 66
Materials	-100	Target n/a

Certificate Prepared by

Name / Company Name: Suxxess Rate Pty Ltd

ABN (if applicable): 95164564210

BASIX Department of Planning and Environment

www.basix.nsw.gov.au

Version: 4.0 / EUCALYPTUS 03 01 0

Certificate No.: 1732625M Wednesday, 17 January 2024 page 1/17

Description of project

Project address

Project name	17 Mcdonald Place Evans Head
Street address	17 MCDONALD PLACE EVANS HEAD 2473
Local Government Area	RICHMOND VALLEY
Plan type and plan number	Deposited Plan 14089
Lot No.	7
Section no.	-
Project type	
No. of residential flat buildings	1
Residential flat buildings: no. of dwellings	10
Multi-dwelling housing: no. of dwellings	0
No. of single dwelling houses	0
Site details	
Site area (m ²)	820
Roof area (m²)	780
Non-residential floor area (m ²)	157.2
Residential car spaces	11
Non-residential car spaces	4

Common area landscape		
Common area lawn (m ²)	0	
Common area garden (m ²)	0	
Area of indigenous or low water use species (m ²)	0	
Assessor details and therma	al loads	
Assessor number	10056	
Certificate number	0009061750	
Climate zone	11	
Project score		
Water	44	Target 40
Thermal Performance	V Pass	Target Pass
Energy	92	Target 66
Materials	-100	Target n/a

Department of Planning and Environment BASIX

Description of project

The tables below describe the dwellings and common areas within the project

Residential flat buildings - 17 Mcdonald Place Evans Head, 10 dwellings, 3 storeys above ground

Dwelling no.	No. of bedrooms		Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)		Dwelling no.
1	3	108.7	0	0	0	10	2	80.1	4.4	0	0	2	1	51.7	0	0	0	ΙĪ	3
4	2	85.1	4.2	0	0	5	2	80.1	4.4	0	0	6	3	108.7	0	0	0	1 [7
8	1	47.1	4.5	0	0	9	2	91.9	0	0	0								

BASIX	Department of Planning and Environment	www.basix.nsw.gov.au	Version: 4.0 / EUCALYPTUS_03_01_0	Certificate No.: 1732625M	Wednesday, 17 January 2024	page 3/17
-------	--	----------------------	-----------------------------------	---------------------------	----------------------------	-----------

floor

:onditioned f a (m²)

4.5

0

nditioned floor a (m²)

47.1

51.7

o. of bedrooms

1

1

Indigenous species (min area m²)

0

0

of garden & (m²)

a N

0

0

Description of project

The tables below describe the dwellings and common areas within the project

Common areas of unit building - 17 Mcdonald Place Evans Head

Common area	Floor area (m²)	Common area	Floor area (m²)	Common area	Floor area (m²)
Undercover car park area (No. 1)	497.18	Switch room (No. 1)	6.87	Garbage room (No. 1)	48.31
Ground floor lobby type (No. 1)	50	Hallway/lobby type (No. 1)	50	Lift bank (No. 1)	-

BASIX Department of Planning and Environment www.basix.nsw.gov.au Version: 4.0 / EUCALYPTUS_03_01_0 Certificate No.: 1732625M Wednesday, 17 January 2024 page 4/17

Schedule of BASIX commitments

1. Commitments for Residential flat buildings - 17 Mcdonald Place Evans Head

(a) Buildings

(i) Materials

(b) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

(c) Common areas and central systems/facilities

(i) Water

(ii) Energy

2. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

BASIX Department of Planning and Environment www.basix.nsw.gov.au Version: 4.0 / EUCALYPTUS_03_01_0 Certificate No.: 1732625M Wednesday, 17 January 2024 page 5/17

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carriedout. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for Residential flat buildings - 17 Mcdonald Place Evans Head

(a) Buildings

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			>
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		~	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	~	~	>
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			>

Floor types						
Floor type	Area (m2)	Insulation	Low emissions option			
suspended floor above garage, frame: suspended concrete slab	436.9	-	none			
floors above habitable rooms, frame: suspended concrete slab	494.5	-	none			

External wall types						
External wall type	Construction type	Area (m2)	Low emissions option	Insulation		
External wall type 1	concrete block/ plasterboard,frame:light steel frame	179.4	none	rockwool batts, roll or pump-in		
External wall type 2	framed (fibre cement sheet or boards),frame:light steel frame	198.7	none	rockwool batts, roll or pump-in		

BASIX Department of Planning and Environment

www.basix.nsw.gov.au

Internal wall types						
Internal wall type	Construction type	Area (m2)	Insulation			
Internal wall type 1	plasterboard, frame:light steel frame	577.1	rockwool batts, roll or pump-in			
Internal wall type 2	plasterboard, frame:light steel frame	253.6	rockwool batts, roll or pump-in			
Internal wall type 3	block with low cement content and reconstituted sawdust, frame:no frame	233.7	-			

Reinforcement concrete frames/columns					
Building has reinforced concrete frame/columns?	Volume (m³)	Low emissions option			
-	-	-			

Ceiling and roof types						
Ceiling and roof type	Area (m²)	Roof Insulation	Ceiling Insulation			
concrete - plasterboard internal, frame: light steel frame	780	foil backed blanket	rockwool batts, roll or pump-in			

Glazing types			Frame types					
Single glazing (m ²)	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m ²)	uPVC frames (m²)	Steel frames (m ²)	Composite frames (m²)	
119.6	46.4	0	166	0	-	0	0	

(b) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	>	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		>	>
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		~	v
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		~	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	>	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		~	
(g) The pool or spa must be located as specified in the table.	>	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

			Fixture	es		Appli	ances		Indivi	dual pool		I	ndividual spa	a
Dwelling no.	All shower- heads	All toilet flushing systems	taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
	3 star (> 7.5 but <= 9 L/min)	4 star	4 star	4 star		not specified	not specified	-	-	-	-	-	-	-

BASIX

Department of Planning and Environment

www.basix.nsw.gov.au

Version: 4.0 / EUCALYPTUS_03_01_0

			Alternativ	ve water sour	rce					
Dwelling no.	Alternative water supply systems	Size	Configuration		Landscape connection	Toilet connect (s)		Laundry Pool top- on connection up		Spa top-up
All dwellings	Central water tank (No. 1)	See central systems	See central systems		yes	yes	no		no	no
All dwellings	No alternative water supply	-	-		-	-	-	-		
(ii) Energy							Show on DA plans		w on CC/CDC s & specs	Certifier check
(b) The applic supplied b	ant must install each hot wa y that system. If the table sp	ter system speci ecifies a central	I below in carrying out the development of fied for the dwelling in the table below, so hot water system for the dwelling, then the twater is supplied by that central system	o that the dwe	elling's hot wate	er is	~		~	~
			nd laundry of the dwelling, the ventilation ve the operation control specified for it in		ified for that ro	om in			~	~
headings of cooling or such areas	of the "Cooling" and "Heating heating system is specified i	g" columns in the in the table for "L	em/s specified for the dwelling under the table below, in/for at least 1 living/bedro iving areas" or "Bedroom areas", then n ir conditioning system, then the system	om area of th o systems ma	ne dwelling. If n ay be installed i	o n any			~	~
the table b lighting" fo specified for	elow (but only to the extent r each such room in the dwe	specified for that elling is fluoresce then the light fitt	welling which is referred to in a heading room or area). The applicant must ensu ent lighting or light emitting diode (LED) li ings in that room or area must only be ca	re that the "pr ghting. If the t	rimary type of a term "dedicated	artificial d" is			~	~
(f) This committee the table b	tment applies to each room	or area of the d	velling which is referred to in a heading t room or area). The applicant must ensu				~		~	~
(g) This comm	itment applies if the applica	nt installs a wate	r heating system for the dwelling's pool	or spa. The a	pplicant must:					
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and								 Image: A set of the set of the		
			ndividual Spa" column of the table below cant must install a timer to control the sp		vely must not in	stall			v	
								_		

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		~	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		 Image: A second s	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		✓	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ven	tilation system	Kitchen ventilation system		Laundry ventilation system	
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control
All dwellings	electric instantaneous	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof		individual fan, ducted to façade or roof	manual switch on/off

	Coc	oling	Неа	ating	Natural lighting		
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen	
4, 9	1-phase airconditioning - ducted / 5 star (average zone)	1	no				
All other dwellings	1-phase airconditioning - ducted / 5 star (average zone)	0	no				

BASIX

Version: 1, Version Date: 07/05/2024

		Individual pool		Individual	spa		Appliances	other efficie	ncy measures	
Dwelling 10.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
ll wellings	-	-	-	-	-	electric cooktop & electric oven	4 star	5 star	no	yes
iii) Therma	al Performance							Show on DA plans	Show on CC/CI plans & specs	OC Certifier check
"Assess the appl	sor Certificate") to the licant is applying for a	e certificate referred to development applica a complying developm or Certificate to the ap	tion and cons	truction certificate ap for the proposed de	oplication for evelopment, t	the proposed develop to that application). The	oment (or, if ne applicant			
(b) The Ass	sessor Certificate mu	st have been issued b	y an Accredit	ed Assessor in acco	rdance with t	he Thermal Comfort I	Protocol.			
		development on the As ails shown in the "The			tent with the	details shown in this	BASIX			
the The	rmal Comfort Protoco	the plans accompany ol requires to be show ify that this is the case	n on those pla					~		
certifica	te, if applicable), all t	the plans accompany hermal performance s ed to calculate those s	specifications						~	
Certifica	ate, and in accordance	the development in a ce with those aspects to calculate those spec	of the develop						~	~
(g) Where t	here is an in-slab he	ating or cooling syster	n, the applica	nt must:				~	~	~
(aa)	Install insulation with	n an R-value of not les	s than 1.0 ard	ound the vertical edg	es of the per	imeter of the slab; or				
(bb)	On a suspended floo edges of the perimo	or, install insulation wine the slab.	th an R-value	of not less than 1.0	underneath t	he slab and around th	ne vertical			
(h) The app	licant must construc	t the floors and walls o	of the develop	ment in accordance	with the spec	cifications listed in the	table below.	v	~	~
(i) The appl	licant must show on ans set out in The As	The plans accompany	ing The devel	opment application f	or The propo	sed development, Th	e locations of	9		

iii) Thermal Performance					
j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.					
	Thermal loads				
Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)		m²/yr)	
15	19.9	34.900			
11.5	17.9	29.400			
10.80	22.4	33.200	33.200		
15.5	22.9	38.400			
7.2	26.0	33.200			
,	the locations of ceiling fans set out in the Assessor Certi Area adjusted heating load (in MJ/m²/yr) 15 11.5 10.80	the locations of ceiling fans set out in the Assessor Certificate. Thermal loads Area adjusted heating load (in MJ/m²/yr) Area adjusted cooling load (in MJ/m²/yr) Area adjusted cooling load (in MJ/m²/yr) 15 19.9 11.5 17.9 10.80 22.4 15.5 22.9	the locations of ceiling fans set out in the Assessor Certificate. Thermal loads Area adjusted heating load (in MJ/m²/yr) Area adjusted cooling load (in MJ/m²/yr) Area adjusted cooling load (in MJ/m²/yr) 15 19.9 34.900 11.5 17.9 29.400 10.80 22.4 33.200 15.5 22.9 38.400	DA plans plans & specs on the plans accompanying the application for a construction certificate (or complying development the locations of ceiling fans set out in the Assessor Certificate. Image: Certificate (or complying development the locations of ceiling fans set out in the Assessor Certificate. Image: Certificate (or complying development the locations of ceiling fans set out in the Assessor Certificate. Image: Certificate (or complying development the locations of ceiling fans set out in the Assessor Certificate. Image: Certificate (or complying development the locations of ceiling fans set out in the Assessor Certificate. Image: Certificate (or complying development the locations of ceiling fans set out in the Assessor Certificate. Image: Certificate (or complying development the locations of ceiling fans set out in the Assessor Certificate. Image: Certificate (or complying development the locations of ceiling fans set out in the Assessor Certificate. Image: Certificate (or complying development the Assessor Certificate. Image: Certificate (or complying development the Assessor Certificate. Image: Certificate. Image: Certificate. Image: Certificate. Image: Certificate (or complying development the Assessor (or complying development the As	

19.5

23.2

25.4

27.5

33.100

33.200

32.600

37.600

6 7

8

All other dwellings

13.6

10

7.2

10.1

(c) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	>
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	~

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	3 star (> 7.5 but <= 9 L/min)	4 star	4 star	4 star

Central systems	Size	Configuration	Connection (to allow for)
Central water tank - rainwater or stormwater (No. 1)	5000	To collect run-off from at least: - 750 square metres of roof area of buildings in the development - 0 square metres of impervious area in the development - 0 square metres of garden/lawn area in the development - 0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system).	 irrigation of 0 square metres of common landscaped area on the site

(ii) Energy	Show on	Show on CC/CDC	Certifier
	DA plans	plans & specs	check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~

BASIX Department of Planning and Environment

Environment www.ba

www.basix.nsw.gov.au Version: 4.0 / EUC

Version: 4.0 / EUCALYPTUS_03_01_0 Cer

page 13/17

(ii) Energy		Show on CC/CDC plans & specs	Certifier check
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	>	~	~

	Common area ventilation system		Common area lighting		
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS
Undercover car park area (No. 1)	no mechanical ventilation	none i.e., continuous	compact fluorescent	none	no
Switch room (No. 1)	no mechanical ventilation	none i.e., continuous	compact fluorescent	manual on / manual off	no
Garbage room (No. 1)	no mechanical ventilation	-	compact fluorescent	manual on / manual off	no
Ground floor lobby type (No. 1)	no mechanical ventilation	none i.e., continuous	compact fluorescent	manual on / manual off	no
Hallway/lobby type (No. 1)	no mechanical ventilation	none i.e., continuous	compact fluorescent	manual on / manual off	no
Lift bank (No. 1)	-	-	compact fluorescent	none	no

Central energy systems	Туре	Specification
	V F motor and regenerative drive	Number of levels (including basement): 3 number of levels from the bottom of the lift shaft to the top of the lift shaft: 3 number of lifts: 1 lift load capacity: <1001 kg

BASIX Departmen

2. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	•
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	<	~	
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	>

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	3 star (> 7.5 but <= 9 L/min)	4 star	4 star	4 star

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		`	>
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	~

page 15/17

BASIX Department of Planning and Environment www.basix.nsw.gov.au Version: 4.0 / EUCALYPTUS_03_01_0 Certificate No.: 1732625M Wednesday, 17 January 2024

Central energy systems	Туре	Specification
Alternative energy supply	Photovoltaic system	Rated electrical output (min): 30 peak kW
Other	-	-

Notes

- 1. In these commitments, "applicant" means the person carrying out the development.
- 2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
- 3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
- 4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
- 5. If a star or other rating is specified in a commitment, this is a minimum rating.
- 6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

Legend

- 1. Commitments identified with a " 🕊 " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
- 2. Commitments identified with a "V" in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
- 3. Commitments identified with a "" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfillment it is required to monitor in relation to the building or part, has been fulfilled).